

1976 AUTHOR INDEX

Asterisk indicates abstract

- Abraham, S.** see Ceriani, R. L.
Ackery, D. see Grant, R. W.
Adachi, H., Strauss, H. W., Ochi, H. and Wagner, H. N. Effect of hypoxia on distribution of cardiac output, 542*
Adelstein, S.J. see McNeil, B. J.
Adler, N., Camin, L. L. and Shulkin, P. Rat model for acute myocardial infarction, 203
Adolph, R. J.
 see Nishiyama, H.
 see Romhilt, D. W.
Ahluwalia, B. see Correia, J. A.
Ahnberg, D. S.
 see Parker, J. A.
 see Treves, S.
Alazraki, N. P.
 see Chauncey, D. M.
 see Taylor, A. T.
Alderson, P. O., Gilday, D. L., Mikhael, M. and Wilkie, A. L. Routine cerebral radionuclide angiography in pediatrics, 780
Alderson, P. O. see Hamilton, R. G.
Ali, A. A. see Turner, D. A.
Alpert, N. M. and Correia, J. A. The difference between \bar{t} and $t_{1/2}$, 760
Alpert, N. M., McKusick, K. A., Correia, J. A., Shea, W., Brownell, G. L. and Potsaid, M. S. Simple functional image of ventilation, 88
Amsterdam, E. A. see Berman, D. S.
Anderson, G. S. see Hardy, J. G.
Anderson, P. M. see Taylor, R. D.
Anger, H. O. see dos Remedios, L. V.
Ansari, A. N.
 see Fowler, J. S.
 see Reiffers, S.
Appledorn, C. R. Deconvolution analysis of the dynamic renal scan, 1020
Araujo, O. see Scheu, T. D.
Arnold, J. E. and Pinsky, S. M. Comparison of ^{99m}Tc and ^{125}I for thyroid imaging, 261
Arnold, J. E. and Pinsky, S. M. Comparison of ^{99m}Tc and ^{125}I for thyroid imaging, 1021
Arnold, R. W., Erickson, L. M., Evans, B. V., Lawrence, D. D. and Duggan, H. E. Computerized axial tomography for cerebral flow and imaging, 546*
Asberry, B. E. see Welch, M. J.
Ash, J., Gilday, D. L., O'Brien, J. and Pape, K. The value of brain scanning in perinatal asphyxia, 554*
Ash, J.
 see Brown, R. G.
 see Gilday, D. L.
 see Kilburn, E.
Ashare, A. B.
 see Padikal, T. N.
 see Romhilt, D. W.
Ashburn, W. L.
 see Henning, H.
 see Schelbert, H.
 see Taylor, A.
Ashby, D. A. see Hoffer, P. B.
Askenazi, J. see Holman, B. L.
Aspin, N. see Santon, L. V.
Athanasziades, P. see Constantinides, C.
Atkins, H. L.
 see Fowler, J. S.
 see Lathrop, K. A.
 see Reiffers, S.
 see Susskind, H.
August, L. S. see Romhilt, D. W.
Bacharach, S. L., Green, M. V., Redwood, D. R. and Johnston, G. S. An ECG gated system for high temporal-resolution left ventricular volume curves, 557*
Badger, R. S. see Dunnick, J. K.
Bagwe, B. A. and Sharma, S. M. Bone accumulation of ^{99m}Tc -leukocytes, 313
Bailey, G. J. see Berman, D. S.
Bailey, I., Strauss, H. W. and Pitt, B. ^{201}Tl myocardial perfusion imaging at rest and stress, 522*
Bailey, I. see Cook, D. J.
Bailey, J. J.
 see Green, M. V.
 see Line, B. R.
Bailey, N. A. see Taylor, A.
Baker, G. A., Lum, D. J., Smith, E. M. and Winchell, H. S. Significance of radiocontaminants of ^{125}I , 740
Balachandran, S. T_3 by the Ames kit, 943
Balachandran, S. see Sarkar, S. D.
Ball, G. V. see Logic, J. R.
Ball, J. D., Cowan, R. J. and Maynard, C. D. Splenic simulation of a renal mass, 1104
Baran, R. J. and Fratkin, M. J. ^{67}Ga scanning of tuberculous peritonitis, 1020
Barbour, G. L., Crumb, C. K., Boyd, C. M., Reeves, R. D., Rastogi, S. P. and Patterson, R. M. Comparison of inulin, iothalamate, and ^{99m}Tc -DTPA for GFR, 317
Barnett, D. see Van Kirk, O. C.
Barrett, H. H. see Simpson, R. G.
Barrett, I. R., Powell, F. D. and Mishkin, F. S. Prognostic value of radionuclide angiography, 527*
Barrett, I. R. see Buozas, D. J.
Barrows, G. H. and Samols, E. Automated analysis to improve fit of radioimmunoassay binding curves, 549*
Barrows, G. H., Samols, E. and Becker, B. Quenching curves, 1017
Barth, R. F. see Robinson, R. G.
Basmadjian, G. P. see Sarker, S. D.
Bassano, D. see Grossman, Z. D.
Battaglia, D. J. and Cianci, M. L. ^{125}I -digoxin radioimmunoassay, 847
Beard, J. M. see Drum, D. E.
Bearden, A. J.
 see Hambright, P.
 see McRae, J.
Becker, B. see Barrows, G. H.
Beh, R. see Dewanjee, M. K.
Beierwaltes, W. H., Wieland, D. M., Ice, R. D., Seabold, J. E., Sarkar, S. D., Gill, S. P. and Mosley, S. T. Adrenal gland uptake of labeled enzyme inhibitors, 998
Beierwaltes, W. H.
 see Ice, R. D.
 see Sarkar, S. D.
 see Wieland, D. M.
Beihn, R. M., Digenis, G. A., Reed, M. F., Zarcostas, G. and DeLand, F. H. Pharmacologic response of upper respiratory tract drugs, 541*
Bekerman, C. and Hoffer, P. B. Post radiotherapy uptake of ^{67}Ga -citrate by salivary glands, 685
Bekerman, C. and Vyas, M. I. Renal localization of ^{67}Ga -citrate in renal amyloidosis, 899
Bell, G. B. see DeNardo, S. J.
Beller, G. A. see Pohost, G. M.
Benedetto, A. R. see Straw, J. D.
Bennett, L. R.
 see Horn, N. L.
 see Verma, R. C.
Benua, R. S. see Bigler, R. E.
Berger, H. J. see Marshall, R. C.
Berkow, A. E. see Schwartz, H.
Berman, D. S., Amsterdam, E. A., Salel, A. F., DeNardo, G. L., Bailey, G. J. and Mason, D. T. ^{99m}Tc -pyrophosphate imaging of acute myocardial infarction, 523*
Berman, M. see Lathrop, K. A.
Bernard, S. C. see Rockett, J. F.
Berne, C. J. see Green, N.
Berquist, T. H., Nolan, N. G., Stephens, D. H. and Carlson, H. C. $^{99m}\text{TcO}_4^-$ in diagnosis of Meckel's diverticulum, 465
Besett, J. L. See Petrocelli, R. D.
Betti, E. see Sanguineti, M.
Bewley, D. K. see Spinks, T. J.
Bigler, R. E., Rosen, G., Tofe, A. J., Russ, G. A., Francis, M. D., Benua, R. S., Woodard, H. Q. and Kostick, J. A. Distribution of ^{32}P and ^{99m}Tc -diphosphonates in patients with osteogenic sarcoma, 548*
Bigler, R. E., Russ, G. A. and Laughlin, J. S. Radiation dosimetry of ^{204}Bi - and ^{208}Bi -citrates, 301
Bigler, R. E. see Woodard, H. Q.
Billinghurst, M. W. and Hreczuch, F. W. Contaminants in ^{90}Mo - ^{99m}Tc generator eluates, 840

- Bing, R. J. and Ikeda, S. Coincidence and noncoincidence counting, 154
- Bjork, L. see McNeil, B. J.
- Blahd, W. H. In memoriam, Franz Karl Bauer, 668
- Blahd, W. H.
see Krishnamurthy, G. T.
see Taylor, R. D.
- Blau, M. see Owunwanne, A.
- Bloch, P. see Makler, P. T.
- Blonde, L. see Witherspoon, L. R.
- Blue, J. W.
see Nishiyama, H.
see Scholtz, K. L.
- Bobinet, D.
see Cohen, M. B.
see Spolter, L.
- Boggs, S. S. see Levine, G.
- Bohr, H. see Heerfordt, J.
- Bombardieri, E. see Buraggi, G. L.
- Bonifield, J. G., Uszler, J. M. and Mena, I. Advances in imaging and analysis of the cerebral flow study, 531*
- Bonte, F. J. Nuclear medicine pioneer citation 1976: David E. Kuhl, 518
- Bonte, F. J.
see Parkey, R. W.
see Stokely, E. M.
see Tofe, A. J.
see Willerson, J. T.
- Bonventre, M. V. see Sy, W. M.
- Borkar, A. see DaCosta, H.
- Botvinick, E. see Shames, D. M.
- Bourey, R. E. see Papierniak, C. K.
- Bowen, B. M., Garnett, E. S., Porter, J. K. and Teare, F. W. ^{125}I -iodo-deoxy-dimethyltetracycline to study bone mineralization, 549*
- Bowen, R. D. see Operchal, J. A.
- Boyd, C. M.
see Barbour, G. L.
see Vieras, F.
- Bradshaw, D. see Robinson, R. G.
- Branch, W. T. see McNeil, B. J.
- Brasfield, D. L. see Patton, D. D.
- Breckbill, D. L. see Milhorst, T. H.
- Breitfellner, G. see Eil, P. J.
- Brian, P. see Grossman, Z. D.
- Brickman, A. S. see Krishnamurthy, G. T.
- Brill, A. B. see Patton, J. A.
- Brody, W. R. see Green, M. V.
- Brown, M. L., Hannah, T., Stephens, G., Podoloff, D. A. and Carretta, R. F. Simultaneous measurement of T_2 and T_1 in unextracted serum samples, 550*
- Brown, R. G., Gilday, D. L. and Ash, J. $^{99\text{m}}\text{Tc}$ -pyridoxylidene-glutamate for hepatobiliary studies, 555*
- Brown, S. S. see Kahn, P. C.
- Brownell, G. L.
see Alpert, N. M.
see Correia, J. A.
see Hoop, B.
- Bruce, M. In memoriam: Charles L. Dunham, 1116
- Bruno, F. P. see Howe, W. R.
- Buchanan, J. W. see Kim, H. R.
- Buchin, M. see Harper, P. V.
- Buddemeyer, E., Hutchinson, R. and Cooper, M. Quantitative radiometric assay of bacterial metabolism, 550*
- Buddemeyer, E. see Ryan, J.
- Budinger, T. F., Gullberg, G. T., Moyer, B. R., Cahoon, J. L. and Huesman, R. H. Transverse section imaging of the myocardium, 552*
- Budinger, T. F. see Yano, Y.
- Buja, L. M.
see Parkey, R. W.
see Stokely, E. M.
see Tofe, A. J.
see Willerson, J. T.
- Buoza, D. J., Barrett, I. R. and Mishkin, F. S. Epidural hematoma on brain scan and perfusion study, 975
- Buraggi, G. L., Laurini, R., Rodari, A. and Bombardieri, E. ^{67}Ga -citrate and $^{99\text{m}}\text{Tc}$ -S colloid for hepatic tumor diagnosis, 369
- Burdine, J. A. Editorial: Upgrading the scientific forum, 521
- Burdine, J. A. see Jaszczak, R.
- Burman, K. D., Wright, F. D., Earll, J. M. and Wartofsky, L. Measurement of serum T_3 , 666
- Burry, M. T. see Van Kirk, O. C.
- Burt, R. W. and McLaughlin, G. Effect of ventilation images on lung perfusion image interpretation, 531*
- Butler, T. A. see Hayes, R. L.
- Buzzi, K. W., Weinraub, J. M. and Irwin, G. A. L. Digital low-pass filtering, 844
- Byun, H. H., Rodman, S. G. and Chung, K. E. $^{99\text{m}}\text{Tc}$ -phosphate concentration in Fe dextran injection sites, 374
- Cahoon, J. L. see Budinger, T. F.
- Callahan, R. J., McKusick, K. A., Lamson, M., Castronovo, F. P. and Potsaid, M. S. $^{99\text{m}}\text{Tc}$ -HSA kit evaluation, 47
- Callahan, R. J. see Lamson, M.
- Callery, P. see Loberg, M. D.
- Camera, A. see Sy, W. M.
- Camin, L. L. see Adler, N.
- Camp, V. M. see Faraj, B. A.
- Campeau, R. J., Hall, M. F. and Miale, A. $^{99\text{m}}\text{Tc}$ -pyrophosphate detection of hip arthroplasty complications, 526*
- Canary, J. J. see Harbert, J. C.
- Capon, A. see Verhas, M.
- Caride, V. J., Taylor, W., Cramer, J. A. and Gottschalk, A. Organ distribution of liposome [$^{99\text{m}}\text{Tc}$ -DTPA] in mice, 1067
- Carlson, H. C. see Berquist, T. H.
- Carmel, A. N. see Davis, M. A.
- Caro, M. B. see Okerlund, M. D.
- Caroff, J. see Morin, P. P.
- Carpenter, G. see Okerlund, M. D.
- Carretta, R. F.
see Brown, M. L.
see DeNardo, S. J.
- Castenada, A. R. see Treves, S.
- Castronovo, F. P., Potsaid, M. S. and Kornblith, P. L. $^{99\text{m}}\text{Tc}$ -phosphate complex distribution in tumor animal, 566*
- Castronovo, F. P.
see Callahan, R. J.
see Lamson, M.
see Potsaid, M. S.
- Cavaliere, R. R. see Snyder, S. M.
- Ceriani, R. L., Miller, S. W., Thompson, K. E., Peterson, J. A. and Abraham, S. Labeled cell-specific antibodies in metastases detection, 567*
- Chadwick, D. L. see Trackler, R. T.
- Chafetz, N., Taylor, A., Schleif, A., Verba, J. and Hooser, C. W. Quantitation of fecal blood loss, 1053
- Chandra, R. see Passalacqua, A. M.
- Chang, C. C.
see Cohen, M. B.
see Spolter, L.
- Chang, L. T. see Kan, M. K.
- Chang, P. see Lim, C. B.
- Chaowaratana, P. see Fletcher, J. W.
- Charache, P. see D'Antonio, N. L.
- Chaudhuri, T. K. False-positive liver scan caused by dextrogastric, 1109
- Chaudhuri, T. K. Site of $^{99\text{m}}\text{TcO}_4^-$ secretion in the stomach, 756
- Chaudhuri, T. K. and Polak, J. J. Autoradiography of $^{99\text{m}}\text{TcO}_4^-$ in the stomach, 559*
- Chauncey, D. M., Halpern, S. E., Hagan, P. L. and Alazraki, N. P. Tumor model studies of ^{125}I -tetracycline, ^{67}Ga , and $^{99\text{m}}\text{Tc}$ compounds, 274
- Chen, J. D. see Hall, J. N.
- Chen, M. F., McIntyre, P. A. and Wagner, H. N. Microbiologic radiometric vitamin B_{12} assay, 538*
- Chen, M. F. see Tsan, M. F.
- Chesler, D. A. see Correia, J. A.
- Chesnut, C. H., Nelp, W. B. and Lewellen, T. K. Evaluation of postmenopausal osteoporosis, 526*
- Chesnut, C. H. see Lewellen, T. K.
- Chiba, K.
see Murata, H.
see Toyama, H.
- Chien, T. see Milhorat, T. H.
- Cho, Z. H. Resolution limit of positron cameras, 758
- Chopra, S. R. see Taplin, G. V.
- Chrisikou, M. see Constantinides, C.
- Christie, J. H., Mori, H., Go, R. T. and Cornell, S. H. Comparison of imaging and axial tomography for brain, 552*
- Chu, D. see Hattner, R. S.
- Chu, P. see Yano, Y.
- Chung, K. E. see Byun, H. H.
- Cianci, M. L. see Battaglia, D.
- Citrin, D. L. HEDP toxicity, 417
- Clark, J. C. see Turner, J. H.
- Clark, R. L. see Staab, E. V.
- Clements, J. P. see Dickerman, J. D.
- Codd, J. E. see George, E. A.
- Coffey, J. L. see Ice, R. D.
- Cohen, E. L. see Sarkar, S. D.
- Cohen, L. S. see Marshall, R. C.

- Cohen, M. B., Spolter, L., MacDonald, N. S., Bobinet, D., Chang, C. C. and Takahashi, J. Pancreas imaging with ^{13}N -L-alanine, 560*
- Cohen, M. B. see Spolter, L.
- Cohn, S. H. see Susskind, H.
- Coldwell, J. see Hamilton, G. W.
- Coleman, R. E.
see Harwig, J. F.
see Harwig, S. S. L.
see Kumar, B.
see Phelps, M. E.
see Rujanavech, N.
see Thakur, M. L.
see Welch, M. J.
- Collins-Nakai, R. see Treves, S.
- Colombetti, L. G. Preparation of ^{67}Ga radiopharmaceuticals, 227
- Colombetti, L. G., Moerliën, S., Patel, G. C. and Pinsky, S. M. Labeling yield and unbound oxidation state of $^{99\text{m}}\text{Tc}$, 805
- Colombetti, L. G.
see Papiernak, C. K.
see Ryo, U. Y.
- Constantinides, C., Mavrikakis, M., Athanasiades, P., Chrisikou, M. and Mouloupos, S. Effect of bedrest on angiotensin-I radioimmunoassay in hypertension, 563*
- Conway, J. J. Radionuclide imaging of Meckel's diverticulum, 553*
- Conway, J. J. and Kruglik, G. D. Direct and indirect radionuclide cystography in vesicoureteral reflux, 81
- Conway, J. J. see Gooneratne, N.
- Conzi, G. F. see Sanguineti, M.
- Cook, D. J., Bailey, I., Strauss, H. W., Rouleau, J., Wagner, H. N. and Pitt, B. ^{201}Tl normal heart images, 583
- Cooper, M.
see Buddemeyer, E.
see Loberg, M. D.
see Ryan, J.
- Corcoran, R. J., Thrall, J. H., Kaminski, R. J., Varma, V. M. and Johnson, M. C. Body background with $^{99\text{m}}\text{Tc}$ -DTPA after renal transplant, 696
- Corder, M. P. see Herbst, K. D.
- Corfield, J. R. see Diffey, B. L.
- Cornelius, E. see Hauser, M.
- Cornell, S. H. see Christie, J. H.
- Correia, J. A., Chesler, D. A., Hoop, B., Ahluwalia, B., Walters, T. and Brownell, G. L. Transverse-section reconstruction with the MGH positron camera, 551*
- Correia, J. A. see Alpert, N. M.
- Costin, J. C. and Zaret, B. L. Effect of cardiac damage on ^{201}Tl and ^{42}K uptake by myocardial and skeletal muscle, 535*
- Costin, J. C. see Marshall, R. C.
- Coupal, J. J. Book review; *Radiopharmaceuticals*, 431
- Coupal, J. J., DeLand, F. H. and Fried, A. Abstracts of current literature, 763, 1026, 1120
- Coupal, J. J., DeLand, F. H., Fried, A. and Simmons, G. Abstracts of current literature, 325, 857
- Coupal, J. J., DeLand, F. H., Fried, A., Simmons, G. and Larose, J. H. Abstracts of current literature, 432
- Coupal, J. J., DeLand, F. H. and Larose, J. H. Abstracts of current literature, 71
- Coupal, J. J., Fried, A. and Simmons, G. Abstracts of current literature, 671
- Cowan, R. J. see Ball, J. D.
- Cowley, B. J. see Sarkar, S. D.
- Cox, J. see Gelfand, M. J.
- Cragin, M. D. see Verma, R. C.
- Cramer, J. A. see Caride, V. J.
- Creutzig, A., Gerdt, K. G., and Creutzig, H. Dynamics of ^{18}F and $^{99\text{m}}\text{Tc}$ -diphosphonate uptake in bone, 526*
- Creutzig, H. see Creutzig, A.
- Crews, Q. E. see Green, J. P.
- Crocker, E. F., Zimmerman, R. A., Phelps, M. E. and Kuhl, D. E. Effect of dexamethasone on cerebral tumor uptake of iohalamate and $^{99\text{m}}\text{TcO}_4^-$, 528*
- Crowe, W. J. see Goy, W.
- Crumb, C. K. see Barbour, G. L.
- Crystal, R. G. see Line, B. R.
- DaCosta, H., Borkar, A. and Loken, M. Distribution of oral ^{82}Br in tubercular meningitis, 545*
- DaCosta, H., Shreeve, W. W. and Merchant, S. Carbohydrate metabolism in childhood liver disease, 218
- Dagan, J. see Friedman, M. S.
- Dalrymple, G. V. Book review; *International Encyclopedia of Pharmacology and Therapeutics. Section 79: Sulfur-Containing Radioprotective Agents*, 512
- Daly, J. see Fletcher, J. W.
- Danish, E. H. see Klingensmith, W. C.
- D'Antonio, N. L., Tsan, M. F., Charache, P., Larson, S. M. and Wagner, H. N. Radiometric detection of Herpes simplex in cell culture, 503
- D'Antonio, N. L., Tsan, M. F., Charache, P., Larson, S. M. and Wagner, H. N. Rapid radiometric detection of HSV-1 in WI-38 cell culture, 550*
- D'Antonio, N. R. see Kim, H. R.
- Daspit, S. G., Goris, M. L., McLaughlin, P., Martin, R., Haskell, W., Lewis, S., Doherty, P., Harrison, D. and Kriss, J. P. Reproducibility of ^{201}Tl myocardial imaging, 522
- Daspit, S. G. see Goris, M. L.
- Davis, M. A., Holman, B. L. and Carmel, A. N. Radiopharmaceuticals sequestered by damaged myocardium, 911
- Davis, M. A.
see Holman, B. L.
see Treves, S.
- DeLand, F. H. Abstracts of current literature, 157, 233
- DeLand, F. H. Book review; *Heart and Coronary Arteries*, 945
- DeLand, F. H. Audio-visual review; *Radionuclide Angiography*, 669
- DeLand, F. H. Book review; *Renal Function Evaluation*, 945
- DeLand, F. H. and Fried, A. Abstracts of current literature, 514, 946
- DeLand, F. H.
see Beihn, R. M.
see Coupal, J. J.
see Vider, M.
- Delaney, J. F., Gertz, D. and Shreiner, D. P. Brain scans in metastatic lung carcinoma, 406
- Demol, O. see Verbas, M.
- DeNardo, G. L., DeNardo, S. J., Krohn, K., Meyers, J., Huang, S. M. and Wortman, J. Mechanisms of radiiodinated fibrinogen in cancer, 567*
- DeNardo, G. L., Krohn, K., DeNardo, S. J. and Meyers, J. Comparison of oncophilic radiopharmaceuticals in tumor bearing rodents, 525*
- DeNardo, G. L.
see Berman, D. S.
see DeNardo, S. J.
see Wortman, J.
- DeNardo, S. J., Bell, G. B., DeNardo, G. L., Carretta, R. F., Scheibe, P. O., Imperato, T. J. and Jackson, P. E. Diagnosis of cirrhosis and hepatitis by reticuloendothelial clearance rates, 449
- DeNardo, S. J., DeNardo, G. L., Huang, S. M., Parziale, L., Wortman, J. and Krohn, K. Radioassay for fibrinogen activity, 539*
- DeNardo, S. J.
see DeNardo, G. L.
see Wortman, J.
- Devenney, J. see Rothenberg, H. P.
- Dewanjee, M. K. $^{99\text{m}}\text{Tc}$ bone agent localization in dead cells of tissue culture, 993
- Dewanjee, M. K., Beh, R. and Hnatowich, D. J. ^{67}Ga skeletal imaging agents, 566*
- Dewanjee, M. K., Hnatowich, D. J. and Beh, R. ^{67}Ga skeletal imaging agents, 1003
- Dewanjee, M. K. and Kahn, P. C. Mechanism of myocardial infarct uptake of $^{99\text{m}}\text{Tc}$ -pyrophosphate and -tetracycline, 639
- Dewanjee, M. K. see Kahn, P. C.
- Dickerman, J. D. and Clements, J. P. Radiotherapy-induced liver scan defects, 425
- Diffey, B. L., Corfield, J. R. and Hall, F. M. Deconvolution analysis of the dynamic renal scan, 1020
- Diffey, B. L., Hall, F. M. and Corfield, J. R. $^{99\text{m}}\text{Tc}$ -DTPA dynamic renal scan with reconvolution analysis, 352

- Digenis, G. A.
see Beihn, R. W.
see Pettit, W. A.
- Dinn, M. see Grossman, Z. D.
- Doherty, P. see Daspit, S. G.
- Dokoh, S. see Morita, R.
- Dolphin, D. H. see Fritzberg, A. R.
- Donati, R. M.
see Fletcher, J. W.
see George, E. A.
see Henry, R. E.
- Donner, M. W. Book review; *Textbook of Radiology*, 762
- dos Remedios, L. V., Weber, P. M. and Anger, H. O. 80-lens oscilloscope camera, 290
- Douglas, M. A. see Green, M. V.
- Douglass, K. H. see Tsan, M. F.
- Dover, G. J. see Klingensmith, W. C.
- Driedger, A. A. Effects of iron on ^{67}Ga uptake, 852
- Driedger, A. A. see Kadrie, H.
- Drum, D. E. and Beard, J. M. Imaging liver metastases from colon and breast cancer, 677
- Dubovsky, E. V. see Russell, C. D.
- Duggan, H. E. see Arnold, R. W.
- Dunham, R. G. see Line, B. R.
- Dunnick, J. K., Badger, R. S., Takeda, Y. and Kriss, J. P. Vesicle interactions with antibody and peptide hormone, 1073
- Dunnick, J. K. and Kriss, J. P. Interaction of artificial lipid vesicles with immunoglobulin, peptide hormone and mammalian cells, 567*
- Durand, D. see Sanguineti, M.
- Durrer, D. see Wackers, F.
- Dworkin, H. J.
see Gutkowski, R. F.
see Porter, W. C.
- Dwyer, A., Wolberg, J. and Freedman, G. S. Right ventricular mean transit time, 941
- Dwyer, A. see Freedman, G. S.
- Earll, J. M. see Burman, K. D.
- Eckelman, W. C. Chemical state of Tc in vivo, 421
- Eckelman, W. C. Editorial; Radiochemical purity of new radiopharmaceuticals, 865
- Eckelman, W. C., Kubota, H., Siegel, B. A., Komai, T., Rzeszotarski, W. J. and Reba, R. C. ^{125}I -bleomycin, unsatisfactory for tumor, 385
- Eckelman, W. C., Rzeszotarski, W. J., Karesh, S. M. and Reba, R. C. Derivatives of biologically active compounds with high affinity for $^{99\text{m}}\text{Tc}$, 565*
- Eckelman, W. C. see Kubota, H.
- Elam, D. see Taplin, G. V.
- Ell, P. J., Breitfellner, G. and Meixner, M. $^{99\text{m}}\text{Tc}$ -diphosphonate uptake by calcified myoma, 323
- Ell, P. J. and Lotritsch, K. H. Differential diagnosis of brain images with $^{99\text{m}}\text{Tc}$ agents, 224
- Ellis, K. J. see Susskind, H.
- Ellman, M. H. see Ryo, U. Y.
- Elson, M. K., Oken, M. M. and Shafer, R. B. A radioimmunoassay for bleomycin, 550*
- Elson, M. K. and Shafer, R. B. Quality assurance for $^{99\text{m}}\text{Tc}$ -pyrophosphate, 918
- Erickson, L. M. see Arnold, R. W.
- Evans, B. V. see Arnold, R. W.
- Evens, R. G. Book review; *Administration of a Radiology Department*, 945
- Eymontt, M. J. see Makler, P. T.
- Fair, W. R. see Welch, M. J.
- Faith, W. see Loberg, M. D.
- Faraj, B. A. and Camp, V. M. Radioimmunoassay for 3-o-methyl dopamine, 549*
- Farrar, P. A. see Saha, G. B.
- Fazio, F., Lavender, P. and Steiner, R. E. Regional lung function with $^{81\text{m}}\text{Kr}$ ventilation, $^{99\text{m}}\text{Tc}$ -microsphere perfusion, and x-ray, 530*
- Ferry, T. A. see Turner, D. A.
- Fields, A. see Loberg, M. D.
- Fill, H. R.
see Harper, P. V.
see Karunaratne, H. B.
- Finn, R. D. see Kenny, P. J.
- Fischer, K. C. Differential diagnosis of brain lesions with $^{99\text{m}}\text{Tc}$ agents, 224
- Fisher, R. S. see Malmud, L. S.
- Fitzer, P. M. Focal renal activity in bone scans, 428
- Fitzer, P. M. Focal renal activity in bone scans, 429
- Fitzer, P. M. and Rinaldi, I. Abnormal $^{99\text{m}}\text{Tc}$ angiogram in intracranial fibromuscular dysplasia, 190
- Fletcher, A. see Spolter, L.
- Fletcher, J. W., Chaovarata, P., Daly, J., Herbig, F. K., Donati, R. M. and Walter, K. ^{201}Tl myocardial scanning, 531*
- Fletcher, J. W., Herbig, F. K., Klos, D. J. and Donati, R. M. Effect of ionizing radiation on ^{67}Ga binding assay, 538*
- Floriddia, D. G. see Gunther, C. W.
- Fonkalsrud, E. W. see Webber, M. M.
- Fordham, E. W. see Turner, D. A.
- Foster, A. B. see Grossman, Z. D.
- Foster, G. V. see Ludwig, G.
- Fowler, J. S., Gallagher, B. M., MacGregor, R. R., Wolf, A. P., Ansari, A. N., Atkins, H. L. and Slatkin, D. N. ^{14}C -octylamine for lung, 752
- Francis, M. D., Slough, C. L. and Tofe, A. J. ^{32}P -HEDP in normal and bone tumor bearing dogs, 548*
- Francis, M. D.
see Bigler, R. E.
see Potsaid, M. S.
see Tofe, A. J.
- Fratkin, M. J. see Baran, R. J.
- Freed, B. see Woodard, H. Q.
- Freed, M. see Parker, J. A.
- Freedman, G. S., Dwyer, A. and Wolberg, J. Cardiac chamber flow/volume determination, 84
- Freedman, G. S.
see Dwyer, A.
see Marshall, R. C.
- Freeman, L. M. see Perez, L. A.
- Frick, M. P., Goldberg, M. E., Simmons, R. L. and Loken, M. K. Monitoring renal grafts with $^{99\text{m}}\text{Tc}$ -S colloid, 940
- Frick, M. P., Loken, M. K., Goldberg, M. E. and Simmons, R. L. Evaluation of renal transplants with $^{99\text{m}}\text{Tc}$ -S colloid, 181
- Fried, A.
see Coupal, J. J.
see DeLand, F. H.
see Levine, G.
- Friedman, M. I., Pierson, R. N. and Dagan, J. Recovery of pure time-activity functions from Anger camera radiocardiograms, 557*
- Fritzberg, A. R., Lyster, D. M. and Dolphin, D. H. $^{99\text{m}}\text{Tc}$ -Bioquin-7CA for hepatobiliary scanning, 907
- Fukunaga, M. see Morita, R.
- Fulmer, J. D. see Line, B. R.
- Fuse, M. see Toyama, H.
- Gabel, M. see Nishiyama, H.
- Gagne, G.
see Grossman, Z. D.
see McAfee, J. G.
see Wistow, B.
- Gallagher, B. M. see Fowler, J. S.
- Ganatra, R. D. see Samuel, A. M.
- Garcia, D. A., Tow, D. E., Kapur, K. K. and Wells, H. $^{99\text{m}}\text{Tc}$ -polyphosphate uptake by forming and resorbing bones, 93
- Garcia, J. F. see Kan, M. K.
- Garfunkel, F. Epidermoid cyst of the spleen, 196
- Garett, M. see Khentigan, A.
- Garnett, E. S. see Bowen, B. M.
- Gates, G. F. $^{99\text{m}}\text{Tc}$ -pyrophosphate image of ovarian carcinoma, 29
- Gates, G. F. and Goris, M. L. Scintigraphic assessment of facial and mandibular abnormalities, 525*
- Gaulden, M. E. Book review; *Basic Radiation Biology*, 856
- Gaylor, B. W. Book review; *Diagnostic Radiology, a Concise Manual*, 155
- Gelband, H. see Watson, D. D.
- Gelfand, M. J., Silberstein, E. B. and Cox, J. $^{99\text{m}}\text{TcO}_4^-$ imaging in Meckel's diverticulum, 553*
- Genant, H. K. see Sickles, E. A.
- Genna, S. see Pang, S. C.
- George, E. A., Codd, J. E., Newton, W. T., Haibach, H. and Donati, R. M. Comparative evaluation of renal transplant rejection, 175
- George, E. A., Henry, R. E. and Donati, R. M. Monitoring renal grafts with $^{99\text{m}}\text{Tc}$ -S colloid, 939
- George, E. A.
see Henry, R. E.
see also Solaric-George, E.
- Gerber, F. H. see Kieper, R. F.
- Gerberg, E. see So, S. K.
- Gerdts, K. G. see Creutzig, A.

- Gertz, D. see Delaney, J. F.
 Giammona, S. T. see Handmaker, H.
 Gilday, D. L., Hitch, D., Shandling, B. and Ash, J. Imaging for testicular torsion in pediatric surgery, 553*
- Gilday, D. L.
 see Alderson, P. O.
 see Ash, J.
 see Brown, R. G.
 see Hutsal, E. P.
 see Kilburn, E.
- Gill, S. P.
 see Beierwaltes, W. H.
 see Sarkar, S. D.
- Gilson, A. J.
 see Kenny, P. J.
 see Watson, D. D.
- Girschek, P. K. see Saha, G. B.
 Glass, H. I. see Hudson, F. R.
 Gleghorn, B.
 see Verma, R. C.
 see Webber, M. M.
- Glenn, H. J. see Konikowski, T.
 Gloria, I. V. see Lathrop, K. A.
 Go, R. T. see Christie, J. H.
 Goergen, T. G., Resnick, D., Lomonaco, A. and O'Dell, C. W. Bone scan abnormalities in leprosy, 788
 Gold, E. N. see Sarkar, S. D.
 Goldberg, M. E. see Frick, M. P.
 Goldfarb, S. see Kim, C. M.
 Goldsmith, S. J. and Kagan, A. Effect of thyroid hormone on plasma immunoreactive insulin, 533*
 Goldsmith, S. J. see Guter, M.
 Gollnick, D. A. see Mpanias, P.
 Goodrich, J. K.
 see Howe, W. R.
 see Jones, R. H.
- Goodwin, D. A., Meares, C. F., Leung, C. S. H., Silvester, D. J., Nunn, A. D. and Lavender, P. J. ¹¹¹In-EDTA-HSA preparation and distribution, 561*
- Gooneratne, N. and Conway, J. J. Radionuclide angiographic diagnosis of bronchopulmonary sequestration, 1035
- Gorin, A. B., Weidner, J. and Staub, N. Pulmonary vascular permeability measurement, 541*
- Goris, M. L. The difference between t and $t_{1/2}$, 759
- Goris, M. L., Daspit, S. G., McLaughlin, P. and Kriss, J. P. Interpolative background subtraction, 744
- Goris, M. L., Lamb, J. F., Daspit, S. G. and McRae, J. ^{81m}Kr estimation of regional lung ventilation, 530*
- Goris, M. L.
 see Daspit, S. G.
 see Gates, G. F.
- Gorman, C. A. see Robertson, J. S.
 Gotoff, S. P. see Papierniak, C. K.
 Gottlieb, S. see Groch, M. W.
 Gottschalk, A.
 see Caride, V. J.
 see Marshall, R. C.
- Gould, K. L. see Hamilton, G. W.
- Goy, W. and Crowe, W. J. Spleen uptake of ^{99m}Tc-diphosphonate in sickle cell disease, 108
- Graham, K. D.
 see Parkey, R. W.
 see Stokely, E. M.
- Graham, L. S., Poe, N. D. and MacDonald, N. S. Collimation for imaging the myocardium, 401
- Graham, L. S., Poe, N. D. and Robinson, G. D. Collimation for imaging the myocardium, 719
- Graham, L. S. see Poe, N. D.
- Grant, P. M. see Yano, Y.
- Grant, R. W. and Ackery, D. Spleen displacement in infected pancreatic pseudocyst, 193
- Green, J. P., Wilcox, J. R., Marriot, J. D., Halpern, S. E. and Crews, Q. E. Comparison of capsules and liquid for thyroid uptake of ¹³¹I, 310
- Green, M. V., Brody, W. R., Douglas, M. A., Redwood, D. R., Bailey, J. J. and Johnston, G. S. Count rate measurement of left ventricular ejection fraction from gated images, 557*
- Green, M. V. see Bacharach, S. L.
- Green, N., Swanson, L., Kern, W., Homann, R., Irwin, L. and Berne, C. J. Lung images in lymphangitic carcinomatosis, 258
- Greenberg, M. see Hutsal, E. P.
- Greenfield, M. A. see Mpanias, P.
- Grenier, R. P. Performance of scintillation cameras, 665
- Greyson, N. D. and Kassel, E. E. Serial scan changes in recurrent bone infarction, 184
- Groch, M. W., Gottlieb, S., Mallon, S. M. and Miale, A. A portable dual probe system for left ventricular function, 930
- Groch, M. W. and Lewis, G. K. Considerations for imaging with ²⁰¹Tl, 142
- Grossman, Z. D., Brian, P., Dinn, M., McAfee, J. G., Wistow, B. and Bassano, D. Comparison of imaging, ultrasonography, and axial tomography of the liver, 544*
- Grossman, Z. D., Foster, A. B., Richardson, R., McAfee, J. G., Subramanian, G., Markarian, B., Bassano, D. and Gagne, G. Uptake of ^{99m}Tc agents and ⁸⁶Sr in myocardial infarct, 534*
- Grossman, Z. D. see McAfee, J. G.
- Grove, R. B. see Operchal, J. A.
- Guiberteau, M. J., Potsaid, M. S. and McKusick, K. A. ^{99m}Tc-diphosphonate uptake by hepatic neoplasm, 1060
- Gullberg, G. T. see Budinger, T. F.
- Gumerman, L. W. see Levine, G.
- Gunther, C. W., Wilkerson, S. V. and Floriddia, D. G. Assay of ³²P, 1109
- Guter, M. and Goldsmith, S. J. Cost-effectiveness of lung scanning, 939
- Gutkowski, R. F., Dworkin, H. J., Porter, W. C. and Rohwer, T. Preparation of ^{99m}Tc-red blood cells, 942
- Gutkowski, R. F., Dworkin, H. J., Porter, W. C. and Rohwer, H. Radiolabeling of red blood cells, 1113
- Gutkowski, R. F. see Porter, W. C.
- Hagan, P. L.
 see Chauncey, D. M.
 see Taylor, A. T.
- Haibach, H. see George, E. A.
 Haines, J. E. see Yeung, W. C.
- Hale, T. I. ^{99m}Tc labeling of streptokinase, 226
- Hall, F. M. see Diffey, B. L.
- Hall, J. N., Chen, J. D., Woolfenden, J. M., Patton, D. D., Liu, R. L. and Salmon, S. E. Radiolabeled bleomycin and the ionic radiolabeled species in a tumor model, 567*
- Hall, M. F. see Campeau, R. F.
- Hall, P. see Taylor, A. T.
- Hall, R. see Wistow, B.
- Halpern, S. E.
 see Chauncey, D. M.
 see Green, J. P.
 see Preisman, R.
 see Taylor, A.
- Hamamoto, K. see Morita, R.
- Hambright, P., McRae, J. and Bearden, A. Chemical state of Tc in vivo, 424
- Hambright, P., McRae, J., Valk, P., Bearden, A. J., and Shipley, B. Chemical state of Tc in vivo, 422
- Hambright, P. see McRae, J.
- Hamburger, J. I. see Stoffer, S. S.
- Hamilton, G. W., Trobaugh, G. B., Ritchie, J. L. and Weaver, W. D. Rest and exercise ²⁰¹Tl myocardial imaging, 522*
- Hamilton, G. W., Weaver, W. D., Williams, D. L., Ritchie, J. L., Caldwell, J. and Kennedy, J. W. Ejection fraction from first-transit data, 556*
- Hamilton, G. W., Williams, D. L. and Gould, K. L. Selection of appropriate frame rates for radionuclide angiography, 556*
- Hamilton, G. W. see Weaver, W. D.
- Hamilton, R. G., Alderson, P. O., Harwig, J. F. and Siegel, B. A. Spleen imaging with ^{99m}Tc-red blood cells, 561*
- Hamilton, R. G., Alderson, P. O., Harwig, J. F. and Siegel, B. A. ^{99m}Tc-RBC spleen imaging, 1038
- Hammersley, P. A. G. and Zivanovic, M. A. ⁶⁷Ga uptake in regenerating rat liver, 226
- Handmaker, H. and Giammona, S. T. Combined ^{99m}Tc-phosphate and ⁶⁷Ga-citrate for joint imaging, 554*
- Handmaker, H. see Hoffer, P. B.
- Hannah, T. see Brown, M. L.
- Harbert, J. C. Focal renal activity in bone scans, 426
- Harbert, J. C., Canary, J. J. and Sandock, K. L. Gallbladder visualization in adrenal scanning, 33

- Hardarson, T. see Henning, H.
 Hardy, J. G., Anderson, G. S. and Newble, G. M. Metastatic extragenital uptake of ^{99m}Tc -pyrophosphate, 1105
 Hardy, J. G. and Newble, G. M. Circulation clearance rate of ^{125}I -fibrinogen, 282
 Harper, P. V., Fill, H. R., Buchin, M. and Stark, V. The clinical potential of positron tomography, 547*
 Harper, P. V.
 see Karunaratne, H. B.
 see Lathrop, K. A.
 see Mock, B. H.
 Harris, R. A. see Stokely, E. M.
 Harrison, D. see Dasplit, S. G.
 Harrowe, D. J., Kessler S., Jansen, A. A. and Larson, S. M. ^{67}Ga uptake by a malignant fibrous histiocytoma, 630
 Harvey, E. see Loberg, M. D.
 Harvey, W. J.
 see Potsaid, M. S.
 see Tofe, A. J.
 Harwig, J. F., Welch, M. J., and Coleman, R. E. ^{125}I -fibrinogen for imaging deep-vein thrombi, 397
 Harwig, J. F.
 see Hamilton, R. G.
 see Harwig, S. S. L.
 Harwig, S. S. L., Harwig, J. F., Coleman, R. E. and Welch, M. J. In vivo behavior of ^{99m}Tc -fibrinogen for thrombus imaging, 40
 Harwig, S. S. L., Harwig, J. F. and Welch, M. J. Preparation of ^{99m}Tc -fibrinogen, 151
 Harwig, S. S. L., Sherman, L. A., Coleman, R. E. and Welch, M. J. ^{125}I -plasminogen for pre-existing thrombus imaging, 542*
 Haskell, W. see Dasplit, S. G.
 Hass, F. J., Lee, P. S. and Lourenço, R. V. ^{99m}Tc -iron oxide particles for lung inhalation studies, 122
 Hasso, A. N. see Valenzuela, S.
 Hattner, R. S., Lim, C. B., Swann, S. J., Chu, D., Kaufman, L. and Perez-Mendez, V. Brain imaging with ^{67}Ga -DTPA and a multiwire proportional chamber positron camera, 546*
 Hattner, R. S. see Hoffer, P. B.
 Hauser, M. and Cornelius, E. Pleural oligemia seen in bone scanning, 853
 Hayes, R. L., Washburn, L. C., Wieland, B. W., Sun, T. T., Turtle, R. R. and Butler, T. A. ^{11}C -aminocyclopentanecarboxylic acid for cancer detection, 748
 Hayes, R. L. see Washburn, L. C.
 Haynie, T. P. Book review; *Breast Cancer Diagnosis*, 856
 Haynie, T. P. see Konikowski, T.
 Hays, M. T. Stability of radiothyroxine plasma disappearance curve, 657
 Hays, M. T. see Lathrop, K. A.
 Hayt, D. B. and Perez, L. A. Cervical venous reflux in dynamic brain imaging, 9
 Hayt, D. B. and Perez, L. A. Jugular vein reflux, 225
 Hayt, D. B. see Perez, L. A.
 Hedley-White, E. T. see Treves, S.
 Heerfordt, J., Vistisen, L. and Bohr, H. ^{18}F and ^{99m}Tc -polyphosphate bone scanning in orthopedics, 98
 Heerwald, P. E. see Krejcarek, G. E.
 Heetderks, W. J. see Keyes, J. W.
 Heidenreich, P. see Hör, G.
 Heise, C. M. Measurement of serum T_3 , 665
 Helson, L. R. see Pettit, W. A.
 Hendershott, L. R. see Henry, R. E.
 Henderson, R. W.
 see Subramanian, G.
 see Wistow, B.
 Henkin, R. E. Book review; *Clinical Scintillation Imaging*, 761
 Henning, H., Schelbert, H., O'Rourke, R. A., Righetti, A., Hardarson, T. and Ashburn, W. L. Dual ^{99m}Tc -pyrophosphate and ^{201}Tl imaging for acute myocardial infarct, 524*
 Henry, J. E. see Taylor, A. T.
 Henry, R. E., George, E. A. and Donati, R. M. Computer-generated images of regional hepatic perfusion, 532*
 Henry, R. E., Somogyi, M. M., Hendershott, L. R., Klos, D. J., George, E. A. and Donati, R. M. Lung uptake of ^{51}Cr -platelets, ^{125}I -fibrinogen, and ^{99m}Tc -S colloid after endotoxin, 543*
 Henry, R. E. see George, E. A.
 Herbig, F. K. see Fletcher, J. W.
 Herbst, K. D. and Corder, M. P. Radiotherapy-induced liver scan defects, 424
 Herdt, J. R. L. see Russell, C. D.
 Hertsgaard, D. B. see Patton, D. D.
 Hessel, S. J. see McNeil, B. J.
 Higgins, C. S. see Hoffman, E. J.
 Hinn, G. M. see Lewellen, T. K.
 Hiss, J. M. see Krishnamurthy, G. T.
 Hitch, D. see Gilday, D. L.
 Hnatowich, D. J. ^{67}Ga labeling of Sn-soaked albumin microspheres, 57
 Hnatowich, D. J. Preparation of ^{67}Ga radiopharmaceuticals, 228
 Hnatowich, D. J., Kulprathipanja, S. and Treves, S. Osmium-iridium generator, 555*
 Hnatowich, D. J.
 see Dewanjee, M. K.
 see Hoop, B.
 Ho, J. E. Book review; *Pediatric Nuclear Medicine*, 512
 Hofeldt, F. D.
 see Rosenthal, S. L.
 see Verdon, T. A.
 Hoffer, P. B., Schor, R. A., Ashby, D. A., Hattner, R. S., Price, D. C., Shames, D. M., Lilien, D. L., Handmaker, H. and Metz, C. Comparison of dual 5-in. scanner and a large-field camera for ^{67}Ga -citrate scanning, 547*
 Hoffer, P. B.
 see Bekerman, C.
 see Lim, C. B.
 see Sickles, E. A.
 see Swann, S.
 Hoffman, E. J., Phelps, M. E., Mulani, N. A., Higgins, C. S., and Ter-Pogossian, M. M. Whole-body positron transaxial tomograph, 493
 Hoffman, E. J. see Phelps, M. E.
 Holden, J. E.
 see Kim, C. M.
 see Nickles, R. J.
 Hollifield, J. W. see Patton, J. A.
 Holman, B. L., Jones, A. G., Davis, M. A., Askenazi, J. and Maroko, P. R. Double-labeling of acute myocardial infarcts, 508
 Holman, B. L. see Davis, M. A.
 Holmes, R. A. Book review; *Basic Nuclear Medicine*, 761
 Holmes, R. A. Book review; *Medical Malpractice Law*, 669
 Holmes, R. A.
 see Soin, J. S.
 see Zimmer, A. M.
 Holmquest, D. L. and Lake, P. Sudden hemorrhage in thyroid carcinoma metastatic to brain, 307
 Homann, R. see Green, N.
 Hoop, B., Hnatowich, D. J., Brownell, G. L., Jones, T., McKusick, K. A., Ojemann, R. G., Parker, J. A., Subramanyam, R. and Taveras, J. M. Positron scintigraphy of the brain, 473
 Hoop, B.
 see Correia, J. A.
 see Yano, Y.
 Hooser, C. W. see Chafetz, N.
 Hör, G., Heidenreich, P., Kriegel, H. and Langhammer, H. Breast imaging with $^{99m}\text{TcO}_4^-$ and ^{67}Ga -citrate, 223
 Horgan, J. D. see Sebern, M. J.
 Horiuchi, K. see Yokoyama, A.
 Horn, N. L. and Bennett, L. R. Comparison of dual probe and tomographic scanning for ^{111}In -bleomycin studies, 547*
 Hoshi, Y. see Toyama, H.
 Hosokawa, S. see Ishii, Y.
 Howe, W. R., Goodrich, J. K., Bruno, F. P., Jones, R. H., Wechsler, A. S. and Oldham, H. N. ^{99m}Tc -pyrophosphate detection of post-surgery myocardial infarct, 524*
 Howe, W. R. see Jones, R. H.
 Howorth, P. J. N. and Marsden, P. Rapid T_3 radioimmunoassay kit, 321
 Howorth, P. J. N. and Marsden, P. T_3 by the Ames kit, 943
 Hreczuch, F. W. see Billingham, M. W.
 Huang, S. M.
 see DeNardo, G. L.
 see DeNardo, S. J.
 see Wortman, J.
 Huard, D. see Jaszczak, R.

- Hudson, F. R., Glass, H. I. and Waters, S. L. Coincidence-counting assays of ^{125}I , 1112
- Hudson, F. R., Glass, H. I. and Waters, S. L. The assay of ^{125}I , 220
- Hudson, F. R., Glass, H. I. and Waters, S. L. Summation peaks in a well scintillation counter, 944
- Huesman, R. H. see Budinger, T. F.
- Hurwitz, S. R. see Taylor, A. T.
- Hutchinson, R. see Buddemeyer, E.
- Hutsal, E. P., Gilday, D. L. and Greenberg, M. Joint scanning in juvenile rheumatoid arthritis, 554*
- Ice, R. D., Kircos, L. T., Coffey, J. L., Watson, E., Sarkar, S. D. and Beierwaltes, W. H. Radiation dosimetry of ^{131}I -iodomethylnorcholesterol, 540*
- Ice, R. D.
see Beierwaltes, W. H.
see Sarkar, S. D.
see Wieland, D. M.
- Iio, M.
see Murata, H.
see Toyama, H.
- Iisaka, J. see Toyama, H.
- Ikeda, I., Inoue, O. and Kurata, K. $^{99\text{m}}\text{Tc}$ -phytate preparation, 389
- Ikeda, S. See Bing, R. J.
- Ikekubo, K. see Morita, R.
- Imperato, T. J. see DeNardo, S. J.
- Ingbar, S. H. see Snyder, S. M.
- Ingwall, J. see Schelbert, H.
- Inoue, O. see Ikeda, I.
- Irwin, G. A. L.
see Buzzi, K. W.
see Zilkha, A.
- Irwin, L. see Green, N.
- Irwin, R. see Potsaid, M. S.
- Ishii, Y., Kawamura, J., Takahashi, M., Sakamoto, T., Mukai, T., Yonekura, Y., Hosokawa, S. and Torizuka, K. Renal response curve of bolus ^{125}I -hippuran and $^{99\text{m}}\text{Tc}$ -DTPA, 537*
- Isikoff, M. see Ryan, J.
- Ito, H. see Morita, R.
- Jackson, F. I. see Lentle, B. C.
- Jackson, P. E. see DeNardo, S. J.
- Jacobski, M. see Weber, D. A.
- Jahns, M. F. see Konikowski, T.
- Jander, H. P. see Russell, C. D.
- Janowitz, W. J. see Watson, D. D.
- Janowitz, W. R. and Serafini, A. N. Myocardial uptake of $^{99\text{m}}\text{Tc}$ -diphosphonate in uremia, 896
- Janowitz, W. R.
see Kenny, P. J.
see Watson, D. D.
- Jansen, A. A.
see Harrowe, D. J.
see Van Kirk, O. C.
- Jansen, C. see Valenzuela, S.
- Jaszczak, R., Huard, D., Murphy, P. and Burdine, J. Computed emission tomography with a scintillation camera, 551*
- Jayaraman, S. see Venkataraman, G.
- Joe, S. H. see Watts, G.
- Johnson, M. C. see Corcoran, R. J.
- Johnson, P. C. see LeBlanc, A. D.
- Johnson, P. M. see Muroff, L. R.
- Johnston, G. S.
see Bacharach, S. L.
see Green, M. V.
see Line, B. R.
see Russell, C. D.
- Joist, J. H. see Thakur, M. L.
- Jones, A. E.
see Line, B. R.
see Russell, C. D.
- Jones, A. G. see Holman, B. L.
- Jones, R. H., Howe, W. R. and Goodrich, J. K. Single transit assessment of left ventricular function, 556*
- Jones, R. H. see Howe, W. R.
- Jones, T.
see Hoop, B.
see Turner, J. H.
- Jones, T. M. see Staab, E. V.
- Joplin, G. F. see Spinks, T. J.
- Julian, C. G. Book review; *Synopsis of Gynecologic Oncology*, 669
- Kadrie, H., Driedger, A. A. and McInnis, W. Dural cerebrospinal fluid leak shown by retrograde radionuclide myelography, 797
- Kagan, A. see Goldsmith, S. J.
- Kahn, P. C., Dewanjee, M. K. and Brown, S. S. Renal imaging after $^{99\text{m}}\text{Tc}$ -glucoheptonate brain scans, 786
- Kahn, P. C., Milunsky, C., Dewanjee, M. K. and Rudders, R. A. ^{67}Co -bleomycin tumor scanning, 529*
- Kahn, P. C. see Dewanjee, M. K.
- Kaminski, R. J. see Corcoran, R. J.
- Kamoi, I. see Watanabe, K.
- Kan, M. K., Garcia, J. F., McRae, J., Chang, L. T., Linfoot, J. A. and Perez-Mendez, V. Thyroid depression in rats with gram-negative septicemia, 104
- Kanda, Y. see Suzuki, K.
- Kapur, K. K. see Garcia, D. A.
- Karesh, S. M. see Eckelman, W. C.
- Karunaratne, H. B., Walsh, W. F., Fill, H. R., Resnekov, L. and Harper, P. V. Diagnostic specificity of $^{99\text{m}}\text{Tc}$ -pyrophosphate myocardial scintigraphy, 523*
- Kasenter, A. G. see Miller, J. M.
- Kassel, E. E. see Greyson, N. D.
- Katz, R. see Myerson, P. J.
- Kaufman, L.
see Hattner, R. S.
see Swann, S.
- Kawaguchi, S. see Murata, H.
- Kawamura, J. see Ishii, Y.
- Kaye, M. see Wiegmann, T.
- Kemmerer, W. see Young, R. L.
- Kempi, V. and von Schéele, C. Deep-vein thrombus imaging with $^{99\text{m}}\text{TcO}_4^-$, 1096
- Kennedy, J. W. see Hamilton, G. W.
- Kenny, P. J., Watson, D. D., Janowitz, W. R., Finn, R. D. and Gilson, A. J. Left heart imaging after ^{15}O -carbon dioxide inhalation, 965
- Kenny, P. J. see Watson, D. D.
- Kereiakes, J. G. see Padikal, T. N.
- Kern, W. see Green, N.
- Kessler, S. see Harrowe, D. J.
- Keyes, J. W., Orlandea, N., Heetderks, W. J. and Leonard, P. J. A gamma camera transaxial tomograph, 552*
- Keys, H. see Weber, D. A.
- Khentigan, A., Garrett, M., Lum, D. J. and Winchell, H. S. Effects of Sn(II) complexes on $^{99\text{m}}\text{TcO}_4^-$ distribution, 380
- Khurana, M. M. see Thadepalli, H.
- Kiepfer, R. F., Kirchner, P. T. and Gerber, F. H. Kidney to aortic bloodflow index, 537*
- Kilburn, E., Gilday, D. L. and Ash, J. Multiple-view imaging of Meckel's diverticulum, 553*
- Kilpper, R. W. see King, M. A.
- Kim, C. M., Holden, J. E., Polcyn, R. E. and Nickles, R. J. Effect of injection technique on bolus characteristics, 564*
- Kim, C. M., Ruzicka, F. F. and Goldfarb, S. Correlation of diagnostic methods in hepatic adenoma and focal nodular hyperplasia, 560*
- Kim, E. and Mattar, A. G. Focal nodular hyperplasia and primary and secondary cancer in a multinodular goiter, 983
- Kim, E. and Mattar, A. G. Scanning in splenic infarction due to amyloidosis, 902
- Kim, H. R., Buchanan, J. W., D'Antonio, R., Larson, S. M., Morgan, R. P., Thorell, J. I., McIntyre, P. A. and Wagner, H. N. Toadfish serum binder for vitamin B_{12} assay, 737
- King, M. A., Kilpper, R. W. and Weber, D. A. A model of local accumulation of bone agents, 549*
- Kirch, D. L., Ronai, P. M., and LeFree, M. T. Algorithm for automated cerebral flow analysis, 531*
- Kirch, D. L. see Ronai, P. M.
- Kirchner, P. T. see Kiepfer, R. F.
- Kircos, L. T. see Ice, R. D.
- Kirsch, J. see Wigman, T.
- Kitani, K. see Murata, H.
- Kiuri, A. J. see Nickles, R. J.
- Klingensmith, W. C., Danish, E. H., Dover, G. J. and Wagner, H. N. Bone infarcts in hemoglobinopathy and purpura fulminans, 1062
- Klingensmith, W. C., Tsan, M. F., and Wagner, H. N. Parameters of $^{99\text{m}}\text{Tc}$ -S colloid uptake by lung and kidney, 681
- Klos, D. J.
see Fletcher, J. W.
see Henry, R. E.
- Kobayashi, M. see Murata, H.
- Koch, K. see Makler, P. T.
- Koga, I. see Watanabe, K.
- Komai, T. see Eckelman, W. C.
- Konikowski, T., Jahns, M. F., Haynie, T. P. and Glenn, H. J. Brain tumor scanning agents, 419
- Konishi, J. see Morita, R.
- Kornblith, P. L. see Castronovo, F. P.

AUTHOR INDEX

- Korobkin, M. see Shames, D. M.
 Kostick, J. A. see Bigler, R. E.
 Koukoulommati-Spentza, A. see Koutras, D. A.
 Koutras, D. A., Pandos, P. G., Sfontouris, J., Koukoulommati-Spentza, A., Psarras, A. and Malamos, B. Thyroid scanning with ^{67}Ga and ^{131}Cs , 268
 Krause, D. A. Laminar flow, 228
 Krauthammer, M. and Uszler, J. M. Dual circulation of the lung in non-neoplastic disease, 541*
 Krauthammer, M. see Uszler, J. M.
 Krejcarek, G. E., Wicks, J. H., Heerwald, P. E., Tucker, K. L., Kubik, V. M., Newmark, R. A. and Williams, R. C. The structure of stannous dimercaptosuccinic acid chelates, 565*
 Kretschmer, R. R. see Papierniak, C. K.
 Kriegel, H. see Hör, G.
 Krishnamurthy, G. T., Brickman, A. S. and Bland, W. H. Detection of bone involvement in hyperparathyroidism, 533*
 Krishnamurthy, G. T., Hiss, J. M., Tubis, M. and Bland, W. H. Distribution pattern of metastatic bone disease, 526*
 Kriss, J. P. see Daspit, S. G. see Dunnick, J. K. see Goris, M. L.
 Krohn, K. see DeNardo, G. L. see DeNardo, S. J. see Wortman, J.
 Kronenwetter, C. M. see Sebern, M. J.
 Kruglik, G. D. see Conway, J. J.
 Kubik, V. M. see Krejcarek, G. E.
 Kubota, H., Eckelman, W. C., Poulos, K. P. and Reba, R. C. $^{99\text{m}}\text{Tc}$ -pyridoxylidene-glutamate for gallbladder imaging, 36
 Kubota, H. see Eckelman, W. C.
 Kuhl, D. E. see Crocker, E. F. see Rothenberg, H. P.
 Kulprathipanja, S. see Hnatowich, D. J.
 Kumar, B. and Coleman, R. E. Delayed ^{67}Ga localization in the kidneys, 872
 Kumar, B., Coleman, R. E. and McKnight, R. Asymptomatic superior vena cava obstruction, 851
 Kurata, K. see Ikeda, I.
 Lake, P. see Holmquest, D. L.
 Lam, E. see Okerlund, M. D.
 Lamb, J. F. see Goris, M. L.
 Lambrecht, R. M. see Reiffers, S.
 Lamson, M., Callahan, R. J., Castrovano, F. P., McKusick, K. A. and Potsaid, M. S. Measurement of unbound $^{99\text{m}}\text{Tc}$ in $^{99\text{m}}\text{Tc}$ -HSA, 759
 Lamson, M. see Callahan, R. J.
 Lancaster, J. L. and Stokely, E. M. Rib erasure with nine-point smoothing, 68
 Lang, P. see Treves, S.
 Langer, B. see Meindok, H.
 Langhammer, H. see Hör, G.
 Lardy, H. A. see Nickles, R. J.
 Larose, J. H. see Coupal, J. J.
 Larson, S. M. see D'Antonio, N. L. see Harrowe, D. J. see Kim, H. R. see Oster, Z. H. see Van Kirk, O. C. see Yeung, W. C.
 Lathrop, K. A., Atkins, H. L., Ber- man, M., Hays, M. T. and Smith, E. M. MIRD dose estimate report, $^{99\text{m}}\text{Tc}$ as Na pertechnetate, 74
 Lathrop, K. A., Gloria, I. V. and Harper, P. V. Perchlorate effect on $^{99\text{m}}\text{TcO}_4^-$ blood levels and clearance, 540*
 Lathrop, K. A. see Mock, B. H.
 Laughlin, J. S. see Bigler, R. E. see Woodard, H. Q.
 Laurini, R. see Buraggi, G. L.
 Lavender, J. P. see Turner, J. H.
 Lavender, P. see Fazio, F.
 Lavender, P. J. see Goodwin, D. A.
 Lawrence, D. D. see Arnold, R. W.
 Lawson, J. P. see Myerson, P. J.
 LeBlanc, A. D. and Johnson, P. C. Procedures for receiving and opening packages containing radioactivity, 1013
 Lee, A. W. see Robinson, G. D.
 Lee, G. S. see Patton, J. A.
 Lee, K. R. see Preston, D. F.
 Lee, P. S. see Hass, F. J.
 Lee, W. N. P. see Mpanias, P.
 LeFree, M. T. see Kirch, D. L.
 Lentle, B. C., Jackson, F. I. and Scott, J. R. Myocardial localization of $^{99\text{m}}\text{Tc}$ -pyrophosphate, 853
 Leon, S. A., Shapiro, B. and Sklaroff, D. M. DNA in the serum of cancer patients, 550*
 Leonard, P. J. see Keyes, J. W.
 Leung, C. S. H. see Goodwin, D. A.
 Levenson, N. I. see Romhilt, D. W.
 Levenson, S. M. see Line, B. R.
 Levine, G., Sartiano, G. P., Boggs, S. S., Fried, A. and Gumerman, L. W. Dimercaprol effect on early hepatic uptake of ^{111}In -bleomycin, 1083
 Levine, N. D. see Verma, R. C.
 Lewellen, T. K., Nelp, W. B., Murano, R., Hinn, G. M. and Chesnut, C. H. Total body calcium by ^{45}Ca excretion, 529*
 Lewellen, T. K. see Chesnut, C. H.
 Lewis, G. K. see Groch, M. W.
 Lewis, J. T. see Nishiyama, H.
 Lewis, S. see Daspit, S. G.
 Lewis, S. E. see Parkey, R. W. see Stokely, E. M.
 Lie, K. I. see Wackers, F.
 Lieberman, L. M., Young, D., Petering, D. H. and Minkel, D. ^{64}Cu -thiosemicarbazone analog distribution, 568*
 Liem, K. see Wackers, F.
 Lilién, D. L. see Hoffer, P. B.
 Lim, C. B., Hoffer, P. B., Palmer, D., Chang, P., and Rollo, D. Comparison of the large-field scintillation cameras, 546*
 Lim, C. B. see Hattner, R. S. see Swann, S.
 Lin, M. S. Epidural hematoma on brain image, 972
 Lin, M. S. ^{111}In -phenolphthalexon for gallbladder, 562*
 Line, B. R., Dunham, R. G., Johnston, G. S. and Bailey, J. J. Modular programming system for data analysis, 544*
 Line, B. R., Levenson, S. M., Jones, A. E., Fulmer, J. D., Crystal, R. G. and Johnston, G. S. The gallium lung index, 540*
 Linfoot, J. A. see Kan, M. K.
 Lisbona, R. Book review; *Actualités de Biophysique et de Médecine Nucléaire*, 1023
 Liu, R. L. see Hall, J. N.
 Loberg, M. D., Cooper, M., Harvey, E., Callery, P. and Faith, W. N-substitution of iminodiacetic acid, 633
 Loberg, M. D., Fields, A., Harvey, E. and Cooper, M. Radiochemistry of Tc-HIDA, 537*
 Loberg, M. D. see Ryan, J.
 Lobis, I. see Malmud, L. S.
 Logic, J. R., Ball, G. V. and Tauxe, W. N. Parotid gland uptake of ^{67}Ga in Sjogren's syndrome, 530*
 Logic, J. R., Mantle, J. A., Rogers, W. J., Russell, R. O. and Rackley, C. E. Scintigram quantitation in acute myocardial infarct, 524*
 Loken, M. see DaCosta, H.
 Loken, M. K. see Frick, M. P.
 Lomonaco, A. see Goergen, T. G.
 Lotritsch, K. H. see Ell, P. J.
 Lourenço, R. V. see Hass, F. J.
 Ludwig, G., Foster, G. V., Strauss, H. W. and Wagner, H. N. ^{89}Sr and $^{99\text{m}}\text{Tc}$ -phosphate in surgical wounds, 566*
 Lum, D. J. see Baker, G. A. see Khentigan, A.
 Lurie, A. G. and Matteson, S. R. $^{99\text{m}}\text{Tc}$ -diphosphonate uptake in healing rat extraction sockets, 688
 Lusins, J. ^{111}In -DTPA stasis in the posterior fossa, 349
 Lutzker, L. G. Sequestrational inspiration, 944
 Lyster, D. M. see Fritzberg, A. R.
 MacDonald, N. S. see Cohen, M. B. see Graham, L. S. see Poc, N. D. see Spolter, L. see Taplin, G. V.
 MacGregor, R. R. see Fowler, J. S.
 Maeda, T. see Sasaki, Y.
 Magnaes, B., Rootwelt, K. and Sjaastad, O. Infusion cisternography, 65
 Mahin, D. T. see Steinbach, J. J.
 Mahler, D. J. and Neill, W. A. Cor-

- onary bloodflow calculation from myocardial clearance of ^{133}Xe , 1044
- Maier, W.** see Malmud, L. S.
- Majd, M.** see Milhorat, T. H.
- Makler, P. T., Eymontt, M. J., Bloch, P. and Koch, K.** ^{131}I effect on scintillation camera detection of $^{99\text{m}}\text{Tc}$, 1100
- Malamos, B.** see Koutras, D. A.
- Mallon, S. M.** see Groch, M. W.
- Malmud, L. S., Fisher, R. S., Lobis, I. and Maier, W.** Quantitation of gastroesophageal reflux before and after therapy, 559*
- Mandel, S. R.** see Staab, E. V.
- Mantle, J. A.** see Logic, J. R.
- Marcove, R. C.** see Woodard, H. Q.
- Marinsky, J. A.** see Owunwanne, A.
- Markarian, B.** see Grossman, Z. D.
- Marks, D. S.** see Miller, J. M.
- Maroko, P. R.** see Holman, B. L.
- Marriot, J. D.** see Green, J. P.
- Marsden, P.** see Howorth, P. J. N.
- Marshall, R. C., Freedman, G. S., Berger, H. J., Wolberg, J., Cohen, L. S., Gottschalk, A. and Zaret, B. L.** First-pass radionuclide angiocardiograms, 556*
- Marshall, R. C., Freedman, G. S., Costin, J. C., Cohen, L. S., Gottschalk, A. and Zaret, B. L.** First-pass radionuclide angiocardiograms, 555*
- Martin, N. L., Preston, D. F. and Robinson, R. G.** Scanning osteoblastomas of the axial skeleton, 187
- Martin, N. L.** see Preston, D. F.
see Robinson, R. G.
- Martin, P. F. and Rollo, F. D.** Thyroid depth and ^{125}I uptake measurements, 529*
- Martin, R.** see Daspit, S. G.
- Martin, T. R., Moore, J. S. and Shafer, R. B.** Posterior flow study in brain imaging, 13
- Martinez, D. A.** see Treves, S.
- Maruyama, Y.** see Vider, M.
- Mason, D. T.** see Berman, D. S.
- Masse, F. X.** Book review; *Engineering Compendium on Radiation Shielding. Vol. II. Shielding Materials*, 1118
- Matsui, K.** see Murata, H.
see Toyama, H.
- Matsura, K.** see Watanabe, K.
- Mattar, A. G.** see Kim, E.
see Rujanavech, N.
see Steinbach, J. J.
- Matteson, S. R.** see Lurie, A. G.
- Mavrikakes, M.** see Constantinides, C.
- Mayer, K.** see Woodard, H. Q.
- Maynard, C. D.** Book review; *Non-Invasive Brain Imaging: Computed Tomography and Radionuclides*, 669
- Maynard, C. D.** see Ball, J. D.
- Mazzaferrri, E.** see Young, R. L.
- McAfee, J. G. and Thakur, M. L.** Particulate agents for in vitro labeling of phagocytic leukocytes, 488
- McAfee, J. G. and Thakur, M. L.** Soluble agents for in vitro labeling of phagocytic leukocytes, 480
- McAfee, J. G., Thomas, F. D., Grossman, Z. D., Streeten, D. H. P. and Gagne, G.** Comparison of evaluation methods in angiotensinogenic hypertension, 562*
- McAfee, J. G.** see Grossman, Z. D.
see Subramanian, G.
see Wistow, B.
- McBurney, D. B.** see Witherspoon, L. R.
- McClelland, R. R.** Focal activity on scintiscintigraphy, 626
- McCowen, K. D.** see Verdon, T. A.
- McInnis, W.** see Kadrie, H.
- McIntyre, P. A.** see Chen, M. F.
see Kim, H. R.
see Tsan, M. F.
- McKnight, R.** see Kumar, B.
- McKusick, K. A.** see Alpert, N. M.
see Callahan, R. J.
see Guibertau, M. J.
see Hoop, B.
see Lamson, M.
see Pohost, G. M.
- McLaughlin, G.** see Burt, R. W.
- McLaughlin, P.** see Daspit, S. G.
see Goris, M. L.
- McLaughlin, W. T.** Liver scan in Budd-Chiari syndrome, 1019
- McLean, J. R. and Welsh, W. J.** Measurement of unbound $^{99\text{m}}\text{Tc}$ in $^{99\text{m}}\text{Tc}$ -HSA, 758
- McNeil, B. J.** Cost effectiveness of lung scanning, 939
- McNeil, B. J.** Ventilation-perfusion studies in suspected pulmonary embolism, 613
- McNeil, B. J. and Adelstein, S. J.** Value of diagnostic and screening tests, 439
- McNeil, B. J., Hessel, S. J., Branch, W. T., Bjork, L. and Adelstein, S. J.** Value of the lung scan in young patients, 163
- McRae, J., Hambright, P., Valk, P. and Bearden, A. J.** Preparation and distribution of $^{99\text{m}}\text{Tc}$ for kidney, 208
- McRae, J.** see Goris, M. L.
see Hambright, P.
see Kan, M. K.
- Meade, R. C.** see Sebern, M. J.
- Meares, C. F.** see Goodwin, D. A.
- Meindok, H.** Liver scan in Budd-Chiari syndrome, 1019
- Meindok, H. and Langer, B.** Liver scan in Budd-Chiari syndrome, 365
- Meinken, G., Srivastava, S. C., Smith, T. D. and Richards, P.** Evaluation of $^{99\text{m}}\text{Tc}$ -albumin, 537*
- Meixner, M.** see Ell, P. J.
- Mena, I.** see Bonifield, J. G.
see Watts, G.
- Merchant, S.** see DaCosta, H.
- Merritt, A. K.** see Tofe, A. J.
- Merz, T.** Effects of iron on ^{67}Ga uptake, 852
- Metz, C.** see Hoffer, P. B.
- Meyer, E.** see Thompson, C. J.
see Yamamoto, Y. L.
- Meyeres, J.** see DeNardo, G. L.
- Meyers, W. G.** Becquerel's discovery of radioactivity, 579
- Miale, A.** see Campeau, R. F.
see Groch, M. W.
- Mikhael, M.** see Alderson, P. O.
- Milhorat, T. H., Chien, T., Majd, M. and Breckbill, D. L.** Combined pneumoencephalography and scintiscintigraphy, 54
- Miller, J. M., Kasenter, A. G. and Marks, D. S.** Disparate imaging of the autonomous functioning thyroid nodule, 532*
- Miller, K. E.** see Trackler, R. T.
- Miller, S. W.** see Ciriani, R. I.
- Milunsky, C.** see Kahn, P. C.
- Minkel, D.** see Lieberman, L. M.
- Mishkin, F. S. and Wong, D. W.** Preparation of $^{99\text{m}}\text{Tc}$ -fibrinogen, 153
- Mishkin, F. S.** see Barret, I. R.
see Buozas, D. J.
see Reese, I. C.
see Stevens, J. S.
see Thadepalli, H.
- Mock, B. H., Lathrop, K. A. and Harper, P. V.** Quantitative uptake determination of $^{99\text{m}}\text{Tc}$ agents, 536*
- Moerlien, S.** see Colombetti, L. G.
- Mohammedzadeh, A. A.** see Ryo, U. Y.
- Moinuddin, M. and Rockett, J. F.** False-positive chemodectomas, 225
- Moinuddin, M.** see Rockett, J. F.
- Moore, J. S.** see Martin, T. R.
- Moore, R. E.** see Patton, D. D.
- Moore, R. H.** see Pohost, G. M.
- Morgan, R. P.** see Kim, H. R.
- Mori, H.** see Christie, J. H.
- Mori, T.** see Morita, R.
see Yokoyama, A.
- Morin, J. F.** see Morin, P. P.
- Morin, P. P., Morin, J. F., Caroff, J. and Savina, A.** Right ventricular mean transit time, 940
- Morita, R., Ikekubo, K., Ito, H., Mori, T., Hamamoto, K. and Torizuka, K.** Lung imaging with ^{51}Cr -RBCs in Goodpasture's syndrome, 702
- Morita, R., Konishi, J., Fukunaga, M., Yamamoto, I., Dokoh, S. and Torizuka, K.** Radioimmunoassay of calcitonin in thyroid disease, 533*
- Morita, R.** see Yokoyama, A.

AUTHOR INDEX

- Mortara, R. H. see Pettit, W. A.
 Mosley, S. T. see Beierwaltes, W. H.
 Mouloupoulos, S. see Constantinides, C.
 Moyer, B. R. see Budinger, T. F.
 Mpanias, P., Gollnick, D. A., Lee, W. N. P., and Greenfield, M. A. Coincidence counting assays of ^{125}I , 1111
 Muehlllehner, G. Resolution limit of positron cameras, 757
 Mukai, T. see Ishii, Y.
 Mulder, H. and Pauwels, E. K. J. Image-intensifier tube scintillation camera, 1008
 Mullani, N. A. see Hoffman, E. J.
 Murano, R. see Lewellen, T. K.
 Murata, H., Kitani, K., Iio, M., Yamada, H., Chiba, K., Matsui, K., and Kawaguchi, S. Uptake of $^{99\text{m}}\text{Tc}$ -microaggregated albumin by rat lung after MAA immunization, 543*
 Murata, H., Kobayashi, M., Iio, M., Yamada, H., Chiba, K., Matsui, K., and Kawaguchi, S. Limulus test sensitivity and radiopharmaceutical inhibitory factors, 1088
 Muroff, L. R. and Johnson, P. M. Right atrial myxoma presenting as pulmonary emboli, 890
 Murphy, P. see Jaszczak, R.
 Myerson, D. A. see Myerson, P. J.
 Myerson, P. J., Myerson, D. A., Katz, R. and Lawson, J. P. Gallium imaging in pulmonary artery sarcoma mimicking embolism, 893
 Nadas, A. S. see Treves, S.
 Nagle, C. see Ryan, J.
 Nakayama, C. see Watanabe, K.
 Natarajan, T. K. see Wagner, H. N.
 Neill, W. A. see Mahler, D. J.
 Nelp, W. B. see Chesnut, C. H. see Lewellen, T. K.
 Newble, G. M. see Hardy, J. G.
 Newman, B. see Tsan, M. F.
 Newmark, R. A. see Krejcarek, G. E.
 Newton, W. T. see George, E. A.
 Nickles, R. J., Holden, J. E., Kiuru, A. J. and Poleyn, R. E. Inclusion of physiologic data into computerized studies, 297
 Nickles, R. J., Schuster, S. M. and Lardy, H. A. H_2^{18}O facility for the study of oxidative phosphorylation, 558*
 Nickles, R. J. see Kim, C. M.
 Nickoloff, E. see Wagner, H. N.
 Niden, A. H. see Thadepalli, H.
 Nishiyama, H., Sodd, V. J., Adolph, R. J., Saenger, E. L., Lewis, J. T. and Gabel, M. Comparison of ^{201}Tl , ^{125}Cs , ^{45}K , and ^{86}Rb for myocardial imaging, 880
 Nishiyama, H., Sodd, V. J., Van der Bel Kahn, J., Gabel, M., Saenger, E. L., Blue, J. W. and Romhilt, D. W. Comparison of positive and negative myocardial infarction localization, 534*
 Nolan, N. G. see Berquist, T. H.
 Nunn, A. D. see Goodwin, D. A.
 Nusynowitz, M. L. Book review; *Radiimmunoassay*, 855
 Nusynowitz, M. L. see Plymate, S. see Straw, J. D.
 O'Brien, H. A. see Yano, Y.
 O'Brien, J. see Ash, J.
 Ochi, H. see Adachi, H.
 O'Dell, C. W. see Goergen, T. G.
 Odori, T. see Yokoyama, A.
 Ogard, A. E. see Yano, Y.
 Ogawa, T. see So, S. K.
 Oh-hara, H. see Sasaki, Y.
 Ojemann, R. G. see Hoop, B.
 Oken, M. M. see Elson, M. K.
 Okerlund, M. D., Carpenter, G., Caro, M. G. and Lam, E. Plasma antithyroglobulin radioimmunoassay, 539*
 Okuda, K. see Suzuki, K.
 Oldendorf, W. H. Book review; *Medical Neurology*, 512
 Oldham, H. N. see Howe, W. R.
 O'Mara, R. E. see Weber, D. A.
 Operchal, J. A., Bowen, R. D. and Grove, R. B. Staging of bronchogenic carcinoma, 530*
 Orlandea, N. see Keyes, J. W.
 O'Rourke, R. A. see Henning, H.
 Ortell, J. see Young, R. L.
 Oster, Z. Appearance of filarial infestations on a bone scan, 425
 Oster, Z. H. Camera versus scanner for liver studies, 421
 Oster, Z. H., Larson, S. M. and Wagner, H. N. Possible enhancement of ^{67}Ga -citrate imaging by dextran, 356
 Owunwanne, A., Marinsky, J. A. and Blau, M. Net charge on $^{99\text{m}}\text{Tc}$ -radiopharmaceuticals, 562*
 Padikal, T. N., Ashare, A. B. and Kereiakes, J. G. Field flood uniformity correction, 653
 Pagano, J. V. see Turner, D. A.
 Page, C. see Young, R. L.
 Palmer, D. see Lim, C. B. see Swann, S.
 Pandos, P. G. see Koutras, D. A.
 Pang, S. C. and Genna, S. The effect of attenuation on reconstruction and statistical noise, 552*
 Pape, K. see Ash, J.
 Papierniak, C. K., Bourey, R. E., Kretschmer, R. R., Gotoff, S. P. and Colombetti, L. G. $^{99\text{m}}\text{Tc}$ labeling of human monocytes, 988
 Park, H. M. Inflamed pierced ear on brain scan, 1108
 Park, H. M., Terman, S. A. and Ridolfo, A. S. $^{99\text{m}}\text{Tc}$ -diphosphate arthritis index, 525*
 Parker, J. A., Freed, M., Ahnberg, D. S. and Treves, S. Ratio of left-to-right heart outputs in unusual cardiovascular anatomy, 623
 Parker, J. A. see Hoop, B.
 Parkey, R. W., Bonte, F. J., Stokely, E. M., Lewis, S. E., Graham, K. D., Buja, L. M. and Willerson, J. T. Acute myocardial infarct imaged with $^{99\text{m}}\text{Tc}$ -pyrophosphate and ^{201}Tl , 771
 Parkey, R. W., Poliner, L., Bonte, F. J., Stokely, E. M., Buja, M. and Willerson, J. T. $^{99\text{m}}\text{Tc}$ -pyrophosphate imaging in acute subendocardial myocardial infarcts, 523*
 Parkey, R. W. see Stokely, E. M. see Tofe, A. J. see Willerson, J. T.
 Parmley, W. see Shames, D. M.
 Partain, C. L. see Staab, E. V.
 Parziale, L. see DeNardo, S.
 Passalacqua, A. M. and Chandra, R. Summation peaks in a well scintillation counter, 943
 Patel, G. C. see Colombetti, L. G.
 Patte, M. see Verhas, M.
 Patterson, R. M. see Barbour, G. L.
 Patterson, V. N. see Zimmer, A. M.
 Patton, D. D. and Brasfield, D. L. Ear artifact in brain images, 305
 Patton, D. D. and Hertsgaard, D. B. $^{99\text{m}}\text{TcO}_4^-$ uptake by lung adenocarcinoma, 116
 Patton, D. D. and Moore, R. E. Anatomy of venous structures in normal brain scan, 527*
 Patton, D. D. see Hall, J. N. see Patton, J. A.
 Patton, J. A., Hollifield, J. W., Brill, A. B., Lee, G. S. and Patton, D. D. Thyroid nodule differentiation by fluorescence scanning, 17
 Patton, J. A., Price, R. R., Brill, A. D. and Pehl, R. A mosaic intrinsic germanium scanner, 528*
 Pauwels, E. K. J. see Mulder, H.
 Pavel, D. G. see Zimmer, A. M.
 Pehl, R. see Patton, J. A.
 Pentlow, K. S. see Woodard, H. Q.
 Perez, L. A., Hayt, D. B. and Freeman, L. M. Myocardial imaging with $^{99\text{m}}\text{Tc}$ phosphate agents, 241
 Perez, L. A. see Hayt, D. B.
 Perez-Mendez, V. see Hattner, R. S. see Kan, M. K.
 Perl, L. J. see Winter, P. F.
 Persson, B. $^{99\text{m}}\text{Tc}$ labeling of streptokinase, 227
 Petering, D. H. see Lieberman, L. M.
 Peters, R. M. see Taylor, A. T.
 Peterson, J. A. see Ceriani, R. L.
 Petrocelli, R. D., Sodee, D. B., Besett, J. L. and Sowinski, M. L. A scintillation camera with dynamic uniform field control, 547*
 Pettit, W. A., Tilbury, R. S., Digenis, C. A., Zedeck, M. S., Helson, L. R., Russ, G. R. and Mortara, R. H. Preparation and distribution of ^{13}N -BCNU, 558*
 Phelps, M. E. and Hoffman, E. J. Resolution limit of positron cameras, 757
 Phelps, M. E., Hoffman, E. J., Coleman, R. E., Welch, M. J., Raichle, M. E., Weiss, E. S.,

- Sobel, B. E. and Ter-Pogossian, M. M. Tomographic images of blood pool and perfusion in brain and heart, 603
- Phelps, M. E., Hoffman, E. J., Coleman, R. E., Welch, M. J., Raichle, M. E., Weiss, E. S., Sobel, B. E. and Ter-Pogossian, M. M. Transaxial tomographic blood pool and perfusion imaging, 552*
- Phelps, M. E.
see Crocker, E. F.
see Hoffman, E. J.
- Pierson, R. N. see Friedman, M. I.
- Pinsky, S. M.
see Arnold, J. E.
see Colombetti, L. G.
see Ryo, U. Y.
- Pitt, B.
see Bailey, I.
see Cook, D. J.
see Wagner, H. N.
see Weich, H.
- Pizzarello, D. J. see Witcofski, R. L.
- Plymate, S., Prather, J. L. and Nusynowitz, M. L. In vitro tests of thyroid function in pregnancy, 533*
- Podoloff, D. A. see Brown, M. L.
- Poe, N. D., Robinson, G. D., Graham, L. S. and MacDonald, N. S. ¹²⁵I-hexadecanoic acid for myocardial imaging, 1077
- Poe, N. D., Robinson, G. D. and Zielinski, F. W. Quantitative myocardial imaging with ¹²⁵I-hexadecanoic acid, 535*
- Poe, N. D. see Graham, L. S.
- Pohost, G. M., Beller, G. A., McKusick, K. A., Moore, R. H., Zir, L. M. and Potsaid, M. S. ²⁰¹Tl redistribution after transient myocardial ischemia, 535*
- Polak, J. J. see Chaudhuri, T. K.
- Poleyn, R. E.
see Kim, C. M.
see Nickles, R. J.
- Polin, S. G. see Ryo, U. Y.
- Poliner, L.
see Parkey, R. W.
see Willerson, J. T.
- Porter, J. K. see Bowen, B. M.
- Porter, W. C., Dworkin, H. J. and Gutkowski, R. F. Carrier Tc effect on ^{99m}Tc-HSA preparation, 704
- Porter, W. C. see Gutkowski, R. F.
- Potsaid, M. S., Irwin, R., Castronovo, F. P., Prout, G., Harvey, W. J., Francis, M. D. and Tofe, A. J. ³²P-HEDP therapy in prostate carcinoma bone metastases, 548*
- Potsaid, M. S.
see Alpert, N. M.
see Callahan, R. J.
see Castronovo, F. P.
see Guiberteau, M. J.
see Lamson, M.
see Pohost, G. M.
- Poulose, K. P. see Kubota, H.
- Powell, F. D. see Barrett, I. R.
- Prather, J. L. see Plymate, S.
- Prato, F. S. see Santon, L. V.
- Preisman, R. and Halpern, S. E. Unilateral pulmonary hypovascularity effect on the bone scan, 27
- Premachandra, B. N. Radioimmunoassay of T₃ in unextracted serum, 411
- Preston, D. F. Bone scan in melorheostosis, 1106
- Preston, D. F., Lee, K. R., Robinson, R. G., Martin, N. L. and Rhodes, B. A. Comparison of radionuclide and contrast venography, 564*
- Preston, D. F.
see Martin, N. L.
see Robinson, R. G.
- Price, D. C. see Hoffer, P. B.
- Price, R. R. see Patton, J. A.
- Primeau, J. L. see Welch, M. J.
- Prout, G. see Potsaid, M. S.
- Parras, A. see Koutras, D. A.
- Qazi, M. see Ryo, U. Y.
- Rabinovitch, M. see Treves, S.
- Rackley, C. E. see Logic, J. R.
- Rafter, J. J. see Washburn, L. C.
- Raichle, M. E. see Phelps, M. E.
- Rakofsky, M. see Verhas, M.
- Ramachandran, P. C. see Turner, D. A.
- Ramanathan, P. see Samuel, A. M.
- Rambhatha, K. see Thadepalli, H.
- Ramos, M. V. see Turner, D. A.
- Ramsdell, J. W. see Taylor, A. T.
- Ranear, A. S. O. see Spinks, T. J.
- Raphael, M. J. see Turner, J. H.
- Rastogi, S. P. see Barbour, G. L.
- Ravel, R. "Owl eye" sign in a papillary carcinoma thyroid nodule, 985
- Rawbone, R. G. ¹³³Xe pulmonary function analyzer, 337
- Reba, R. C.
see Eckelman, W. C.
see Kubota, H.
- Redwood, D. R.
see Bacharach, S. L.
see Green, M. V.
- Reed, M. F. see Beihn, R. M.
- Reese, I. C. and Mishkin, F. S. Direct recording of scan images on 4 × 5-in. film, 937
- Reeves, R. D. see Barbour, G. L.
- Reiffers, S., Lambrecht, R. M., Wolf, A. P., Ansari, A. N. and Atkins, H. L. Preparation and biliary excretion of halogenated indotricarbocyanines, 524*
- Resnekov, L. see Karunaratne, H. B.
- Resnick, D. see Goergen, T. G.
- Rhodes, B. A. Editorial; Liposomes and vesicles, 1102
- Rhodes, B. A.
see Preston, D. F.
see Robinson, R. G.
- Richards, P.
see Meinken, G.
see Smith, T. D.
see Susskind, H.
- Richardson, R. see Grossman, Z. D.
- Richman, S. D. Breast imaging with ^{99m}TcO₄⁻ and ⁶⁷Ga-citrate, 223
- Ridolfo, A. S. see Park, H. M.
- Righetti, A. see Henning, H.
- Rinaldi, I. see Fitzer, P. M.
- Ritchie, J. L.
see Hamilton, G. W.
see Weaver, W. D.
- Robertson, J. S. and Gorman, C. A. Gonadal radiation dose in ¹³¹I thyroid therapy, 539*
- Robertson, J. S. and Gorman, C. A. Gonadal radiation dose in radioiodine thyroid therapy, 826
- Robertson, J. T. see Rockett, J. F.
- Robinson, G. D. ⁶⁵Zn-⁶⁴Cu generator, 559*
- Robinson, G. D. and Lee, A. W. Kit for ¹²⁵I-iodoantipyrine, 1093
- Robinson, G. D.
see Graham, L. S.
see Poe, N. D.
- Robinson, R. G., Bradshaw, D., Preston, D. F., Barth, R. F., Martin, N. L. and Rhodes, B. A. Leukocyte labeling by phagocytosis of ^{99m}Tc-microspheres, 561*
- Robinson, R. G. and Rhodes, B. A. Editorial; Nuclear pharmacy, 578
- Robinson, R. G.
see Martin, N. L.
see Preston, D. F.
- Rockett, J. F., Moinuddin, M., Robertson, J. T. and Bernard, S. C. Vertebral artery fistula on ^{99m}TcO₄⁻ angiography, 74
- Rockett, J. F. see Moinuddin, M.
- Rodari, A. see Buraggi, G. L.
- Rodman, S. G. see Byun, H. H.
- Rogers, W. J. see Logic, J. R.
- Rohwer, T. see Gutkowski, R. F.
- Roleau, J. see Cook, D. J.
- Rollo, D. see Lim, C. B.
- Rollo, F. D. see Martin, P. F.
- Romhilt, D. W., Ashare, A. B., Adolph, R. J., Levenson, N. I., Wee, W. G., Sodd, V. J. and August, L. S. ¹³⁷Cs myocardial imaging, 247
- Romhilt, D. W. see Nishiyama, H.
- Ronai, P. M. Editorial; Epilogue on extradural hematoma, 986
- Ronai, P. M. and Kirch, D. L. Nuclear medicine applications of the pocket calculator, 544*
- Ronai, P. M. see Kirch, D. L.
- Rootwelt, K. see Magnaes, B.
- Rosen, G. see Bigler, R. E.
- Rosenstreich, M. see Subramanian, G.
- Rosenthal, A. see Treves, S.
- Rosenthal, S. L., Hofeldt, F. D. and Verdon, T. A. 4- and 24-hr ¹²⁵I thyroid scans, 1050
- Rosenthal, L. see Weigmann, T.
- Rothenberg, H. P., Devenney, J. and Kuhl, D. E. Transverse-section scanning in cisternography, 924
- Rubin, P. see Weber, D. A.
- Rudd, T. G. Book review; *The Thyroid and Its Diseases*, 1118
- Rudders, R. A. see Kahn, P. C.

- Ruetz, P. P. see Sebern, M. J.
- Rujanavech, N., Mattar, A. G. and Coleman, R. E. Rapid-sequence imaging in subdural empyema, 980
- Russ, G. A.
see Bigler, R. E.
see Woodard, H. Q.
- Russ, G. R. see Pettit, W. A.
- Russell, C. D., Jander, H. P. and Dubovsky, E. V. False-positive chemodectomas, 226
- Russell, C. D., Jones, A. E., Johnston, G. S. and Herdt, J. R. L. Focal defect in colloid spleen scan, 376
- Russell, R. O. see Logic, J. R.
- Russin, L. D. and Staab, E. V. Bone scan findings in acute osteomyelitis, 617
- Ruzicka, F. F. see Kim, C. M.
- Ryan, J., Isikoff, M., Nagle, C. and Cooper, M. ^{67}Ga and ultrasound in the diagnosis of intra-abdominal abscesses, 545*
- Ryan, J., Isikoff, M., Nagle, C., Loberg, M. D., Buddemeyer, E. and Cooper, M. $^{99\text{m}}\text{Tc}$ -HIDA and ultrasound in differential diagnosis of jaundice, 545*
- Ryerson, T. see Zeman, R.
- Ryo, U. Y., Colombetti, L. G., Polin, S. G. and Pinsky, S. M. Saphenous system visualization and delayed washout in radionuclide venography, 590
- Ryo, U. Y., Mohammedzadeh, A. A., Siddiqui, A., Colombetti, L. G. and Pinsky, S. M. Evaluation of $^{99\text{m}}\text{Tc}$ -RBC, 133
- Ryo, U. Y., Mohammedzadeh, A. A., Siddiqui, A., Colombetti, L. G. and Pinsky, S. M. Radiolabeling of red blood cells, 1114
- Ryo, U. Y., Qazi, M., Srikantawamy, S. and Pinsky, S. M. Correlation of $^{99\text{m}}\text{Tc}$ -MAA venography with clinical and x-ray findings, 563*
- Ryo, U. Y., Siddiqui, A., Ellman, M. H. and Pinsky, S. M. $^{99\text{m}}\text{Tc}$ -RBC for hand blood flow in Raynaud's phenomenon, 564*
- Rzeszutarski, W. J. see Eckelman, W. C.
- Sade, R. M. see Treves, S.
- Saenger, E. L. see Nishiyama, H.
- Saha, G. B., Girschek, P. K. and Farrar, P. A. Labeling human fibrinogen with ^{197}Hg , 542*
- Saji, H. see Yokoyama, A.
- Sakamoto, T. see Ishii, Y.
- Sakimura, I. see So, S. K.
- Salel, A. F. see Berman, D. S.
- Salmon, S. E. see Hall, J. N.
- Samols, E. see Barrows, G. H.
- Samson, G. see Wackers, F.
- Samuel, A. M., Ganatra, R. D. and Ramanathan, P. Liver-spleen scan in sickle cell anemia, 852
- Sanders, R. Book review; *Diagnostic Ultrasound in Neurology, Methods and Techniques*, 761
- Sandock, K. L. see Harbert, J. C.
- Sanguineti, M., Scopinaro, G. Durand, D., Conzi, G. F. and Betti, E. Renal and adrenal scanning in renovascular hypertension, 378
- Sansi, P. K. see Webber, M. M.
- Santon, L. W., Prato, F. S. and Aspin, N. Long-distance transmission of digital camera signals, 394
- Sarkar, S. D., Beierwaltes, W. H., Gill, S. P. and Cowley, B. J. Fertility and birth histories of ^{125}I thyroid therapy patients, 532*
- Sarkar, S. D., Beierwaltes, W. H., Gill, S. P. and Cowley, B. J. Reproductive histories of children treated with ^{125}I for thyroid cancer, 460
- Sarkar, S. D., Cohen, E. L., Beierwaltes, W. H., Ice, R. D., Gill, S. P. and Gold, E. N. ^{131}I -nor-iodocholesterol for adrenal imaging, 563*
- Sarkar, S. D., Ice, R. D., Beierwaltes, W. H., Gill, S. P., Balachandran, S. and Basmadjian, G. P. ^{75}Se -selenocholesterol for adrenal scanning, 212
- Sarkar, S. D.
see Beierwaltes, W. H.
see Ice, R. D.
- Sartiano, G. P. see Levine, G.
- Sasaki, Y., Oh-hara, H., Maeda, T. and Someya, K. ^{14}C breath test, 551*
- Savina, A. see Morin, P. P.
- Schéele, C. see Kempf, V.
- Scheibe, P. O. see DeNardo, S. J.
- Schelbert, H., Ingwall, J., Sybers, H. and Ashburn, W. L. Uptake of $^{99\text{m}}\text{Tc}$ -pyrophosphate and Ca in damaged myocardium, 534*
- Schelbert, H. see Henning, H.
- Scheu, J. D., Tetalman, M. R., Araujo, O. and Sheriff, R. A. Intravenous sodium perchlorate for choroid plexus blocking, 528*
- Schleif, A. see Chafetz, N.
- Schneider, P. B. see Tobin, R. E.
- Scholtz, K. L., Sodd, V. J. and Blue, J. W. Development of ^{109}Rh , 536*
- Schoot, J. v.d.
see van den Akker, H. P.
see Wackers, F.
- Schor, R. A. see Hoffer, P. B.
- Schoutens, A. see Verhas, M.
- Schuster, S. M. see Nickles, R. J.
- Schwartz, H. and Berkow, A. E. Radionuclide angiography in diagnosis of ruptured aortic aneurysm, 1063
- Scopinaro, G. see Sanguineti, M.
- Scott, J. R. see Lentle, B. C.
- Seabold, J. E. see Beierwaltes, W. H.
- Sear, R. Brain tumor scanning agents, 418
- Sebern, M. J., Horgan, J. D., Meade, R. C., Kronenwetter, C. M., Ruetz, P. P. and Yeh, E. L. Image enhancement by fast Fourier transform techniques, 647
- Seigel, R. S., Thrall, J. H. and Sisson, J. C. $^{99\text{m}}\text{Tc}$ -pyrophosphate scan and x-ray in thyroid acropachy, 791
- Selwyn, A. B. see Turner, J. H.
- Serafini, A. N. see Janowitz, W. R.
- Sfontouris, J. see Koutras, D. A.
- Shafer, R. B. Radiotherapy-induced liver scan defects, 425
- Shafer, R. B.
see Elson, M. K.
see Martin, T. R.
see Varley, P. F.
- Shames, D. M. and Korobkin, M. Measuring relative renal blood flow, 876
- Shames, D. M., Korobkin, M. and Swann, S. Simple measurement of relative renal blood flow, 538*
- Shames, D. M., Taradash, M., Botvinick, E. and Parmley, W. Stress and ^{201}Tl myocardial perfusion and electrocardiography, 522
- Shames, D. M. see Hoffer, P. B.
- Shandling, B. see Gilday, D. L.
- Shapiro, B. see Leon, S. A.
- Sharma, S. M. see Bagwe, B. A.
- Shea, W. see Alpert, N. M.
- Sheriff, R. A. see Scheu, J. D.
- Sherman, L. A. see Harwig, S. S. L.
- Shipley, B. see Hambright, P.
- Shreeve, W. W. see DaCosta, H.
- Shreiner, D. P. see Delaney, J. F.
- Shuler, S. E. see Witherspoon, L. R.
- Shulkin, P. see Adler, N.
- Sickles, E. A., Genant, H. K. and Hoffer, P. B. $^{99\text{m}}\text{Tc}$ -pyrophosphate uptake by a bone island, 113
- Siddiqui, A. see Ryo, U. Y.
- Siegel, B. A.
see Eckelman, W. C.
see Hamilton, R. G.
- Siemens, J. K.
see Waxman, A. D.
see Wolfstein, R. S.
- Silberstein, E. B. Causes of abnormalities reported in nuclear medicine testing, 229
- Silberstein, E. B. see Gelfand, M. J.
- Silverstein, E. A. and Zimmer, A. M. Assay of ^{32}P , 1110
- Silverstein, E. A. see Zimmer, A. M.
- Silvester, D. J. see Goodwin, D. A.
- Silvis, S. E. see Varley, P. F.
- Simmons, G. see Coupal, J. J.
- Simmons, G. H. Book review; *Introduction to Nuclear Imaging Instrumentation*, 513
- Simmons, G. H. Book review; *Proceedings of the Society of Photo-optical Engineers, Vol. 46, Image Assessment and Specification*, 155
- Simmons, G. H. Book review; *Proceedings of the Society of Photo-optical Engineers, Vol. 47, Application of Optical Instrumentation in Medicine*, 155
- Simmons, R. L. see Frick, M. P.
- Simpson, R. G. and Barrett, H. H. Noise analysis of annular aperture imagery, 528*
- Sisson, J. C. see Seigel, R. S.
- Sjaastad, O. see Magnaes, B.
- Sklaroff, D. M. see Leon, S. A.

- Slatkin, D. N. see Fowler, J. S.
 Slough, C. L.
 see Francis, M. D.
 see Tofe, A. J.
 Smith, E. M. and Warner, G. G.
 Radiation dose estimates to the embryo, 539*
 Smith, E. M. and Warner, G. G.
 Radiation dose to the embryo, 836
 Smith, E. M.
 see Baker, G. A.
 see Lathrop, K. A.
 Smith, R. O. Coincidence and non-coincidence counting, 153
 Smith, T. D. and Richards, P. Preparation of ^{99m}Tc-red blood cells, 942
 Smith, T. D. and Richards, P. ^{99m}Tc-red blood cell kit, 126
 Smith, T. D. see Meinken, G.
 Snyder, S. M., Cavalieri, R. R. and Inghar, S. H. Simultaneous measurement of free thyroxine and triiodothyronine, 660
 So, S. K., Ogawa, T., Gerberg, E., Sakimura, I. and Wright, W. ¹¹¹In-DTPA accumulation in a subdural hygroma, 119
 Sobel, B. E. see Phelps, M. E.
 Sodd, V. J.
 see Nishiyama, H.
 see Romhilt, D. W.
 see Scholtz, K. L.
 Sodee, D. B. see Petrocelli, R. D.
 Soin, J. S. Myocardial localization of ^{99m}Tc-pyrophosphate, 854
 Soin, J. S. and Holmes, R. A. Apparent regional hyperperfusion of ^{99m}Tc-DTPA cerebral angiogram, 1057
 Sokole, E. B.
 see Wackers, F.
 see van den Akker, H. P.
 Solaric-George, E. Book review; *Radionuclide Studies of the Genitourinary System*, 856
 Solaric-George, E. Book review; *The Renal Uptake of Radioactive Mercury*, 855
 Somes, G. W. Book review; *Beyond Normality: The Predictive Value and Efficiency of Medical Diagnosis*, 855
 Someya, K. see Sasaki, Y.
 Somogyi, M. M. see Henry, R. E.
 Song, C. see Wortman, J.
 Sorenson, J. A. Correcting Anger camera deadtime losses, 137
 Sowinski, M. L. see Petrocelli, R. D.
 Sparreboom, D. see van Duyl, W. A.
 Spencer, R. P. Tissue radionuclide distributions, 1110
 Spencer, R. P., Turner, J. W. and Syed, I. B. Residual splenic function in Thorotrast-associated hepatic tumor, 200
 Spencer, R. P. see Turner, J. W.
 Spinks, T. J., Bewley, D. K., Joplin, G. F. and Ranicar, A. S. O. Metabolic activity of Na in the human hand, 724
 Spolter, L., Chang, C. C., Bobinet, D., Cohen, M. B., MacDonald, Subramanian, G.
 see Grossman, Z. D.
 see Wistow, B.
 Subramanyam, R. see Hoop, B.
 Sun, T. T.
 see Hayes, R. L.
 see Washburn, L. C.
 Susskind, H., Atkins, H. L., Cohn, S. H., Ellis, K. J. and Richards, P. Whole body retention of ¹²⁷Xe, 542*
 Sutherland, D. H. see Trackler, R. T.
 Suzuki, K., Okuda, K., Yoshida, T. and Kanda, Y. False-positive liver scan in hepatic amyloidosis, 31
 Swann, S., Palmer, D., Kaufman, L., Lim, C. B. and Hoffer, P. B. Optimized collimators for scintillation cameras, 50
 Swann, S. see Shames, D. M.
 Swann, S. J. see Hattner, R. S.
 Swanson, L. see Green, N.
 Sy, W. M., Bonventre, M. V. and Camera, A. Bone scan in mastocytosis, 699
 Sybers, H. see Schelbert, H.
 Syed, I. B.
 see Spencer, R. P.
 see Turner, J. W.
 Takahashi, J.
 see Cohen, M. B.
 see Spolter, L.
 Takahashi, M. see Ishii, Y.
 Takeda, Y. see Dunnick, J. K.
 Tamer, D. M. see Watson, D. D.
 Tanacescu, D. E.
 see Waxman, A. D.
 see Wolfstein, R. S.
 Tanaka, H.
 see Tetano, Y.
 see Yokoyama, A.
 Tanaka, T. T. and Tow, D. E. Changing pulmonary perfusion pattern in pulmonary embolism, 541*
 Taplin, G. V., Chopra, S. R., MacDonald, N. S. and Elam, P. Imaging small pulmonary ischemic lesions after radioactive carbon monoxide inhalation, 531*
 Taplin, G. V., Chopra, S. R., MacDonald, N. S. and Elam, D. Lung imaging for ischemic lesions after ¹¹CO and ¹³O inhalation, 866
 Taradash, M. see Shames, D. M.
 Taradash, R. D., Anderson, P. M., Winston, W. A. and Bland, W. H. Diagnosis of hepatic hemangioma with radionuclides and ultrasound, 362
 Tauxe, W. N. see Logic, J. R.
 Taveras, J. M. see Hoop, B.
 Taylor, A., Ashburn, W. L., Halpern, S. E. and Baily, N. A. Intraperitoneal distribution of ^{99m}Tc, 151
 Taylor, A. see Chafetz, N.
 Taylor, A. T., Alazraki, N. P. and Henry, J. E. Concentration of ^{99m}TcO₄⁻ in isolated loops of rat bowel, 470
 Taylor, A. T., Hagan, P. L., Alazraki, N. P. and Hall, P. Distribu-

- tion of ^{203}Pb -acetate for abscess, 800
- Taylor, A. T., Ramsdell, J. W., Alazraki, N. P., Hurwitz, S. R., Peters, R. M. and Tisi, G.** Multi-organ scanning in lung carcinoma staging, 529*
- Taylor, W.** see Caride, V. J.
- Teare, F. W.** see Bowen, B. M.
- Terauchi, Y.** see Yokoyama, A.
- Terman, S. A.** see Park, H. M.
- Ter-Pogossian, M. M.**
see Hoffman, E. J.
see Phelps, M. E.
see Welch, M. J.
- Tetalman, M. R.** see Scheu, J. D.
- Tetano, Y., Tanaka, H. and Watanabe, E.** An imaging system employing a flying spot x-ray microbeam, 551*
- Thadepalli, H., Mishkin, F. S., Rambhatta, K., Khurana, M. M. and Niden, A. H.** ^{67}Ga scan in lung infection, 540*
- Thakur, M. L., Coleman, R. E. and Welch, M. J.** ^{111}In -leukocytes for abscess, 560*
- Thakur, M. L., Welch, M. J., Joist, J. H. and Coleman, R. E.** ^{111}In -platelets, 561*
- Thakur, M. L.** see McAfee, J. G.
- Thomas, F. D.** see McAfee, J. G.
- Thompson, C. J., Yamamoto, Y. L. and Meyer, E.** Reconstruction and analysis of positron images, 543*
- Thompson, C. J.** see Yamamoto, Y. L.
- Thompson, K. E.** see Ceriani, R. L.
- Thorell, J. I.** see Kim, H. R.
- Thrall, J. H.** Book review; *Parathormone and Calcitonin Radioimmunoassays in Various Medical and Osteoarticular Disorders*, 1118
- Thrall, J. H.**
see Corcoran, R. J.
see Seigel, R. S.
- Tilbury, R. S.** see Pettit, W. A.
- Tisi, G.** see Taylor, A. T.
- Tobin, R. E. and Schneider, P. B.** ^{67}Ga in lactating breast and milk, 1055
- Tofe, A. J., Buja, L. M., Parkey, R. W., Bonte, F. J., and Willerson, J. T.** Role of Ca and $^{99\text{m}}\text{Tc}$ bone agents in myocardial infarct imaging, 534*
- Tofe, A. J. and Francis, M. D.** Stabilization of low-tin $^{99\text{m}}\text{Tc}$ -diphosphonate, 820
- Tofe, A. J., Francis, M. D. and Harvey, W. J.** Solitary skull and extremity involvement in whole body scans, 755
- Tofe, A. J., Francis, M. D., Slough, C. L., Merritt, A. K. and Harvey, W. J.** Radiophosphorus, HEDP, pyrophosphate, and orthophosphate distribution, 548*
- Tofe, A. J.**
see Bigler, R. E.
see Francis, M. D.
see Potsaid, M. S.
- Torizuka, K.**
see Ishii, Y.
see Morita, R.
see Yokoyama, A.
- Tow, D. E.**
see Garcia, D. A.
see Tanaka, T. T.
- Toyama, H., Iio, M., Iisaka, J., Chiba, K., Yamada, H. and Fuse, M.** Color functional images of the cerebral blood flow, 953
- Trackler, R. T., Miller, K. E., Sutherland, D. H. and Chadwick, D. L.** Bone scan of childhood pelvic osteomyelitis, 620
- Treves, S.** Book review; *Nuclear Medicine in Clinical Pediatrics*, 70
- Treves, S., Collins-Nakai, R., Ahnberg, D. S. and Lang, P.** $^{99\text{m}}\text{TcO}_4^-$ angiocardigraphy in premature infants with patent ductus arteriosus, 554*
- Treves, S., Martinez, D. A., Davis, M. A. and Hedley-White, E. T.** Cellular localization of $^{99\text{m}}\text{Tc}$ agents, 536*
- Treves, S., Rabinovitch, M., Ahnberg, D. S., Rosenthal, A., Sade, R. M., Nadas, A. S. and Castenada, A. R.** ^{133}Xe lung ventilation and perfusion of the great arteries, 554*
- Treves, S.**
see Hnatowich, D. J.
see Parker, J. A.
- Trobaugh, G. B.**
see Hamilton, G. W.
see Weaver, W. D.
- Tsan, M. F., Newman, B., Chen, M. F., Douglass, K. H. and McIntyre, P. A.** Surface group effects in metabolic changes of leukocytes during phagocytosis, 561*
- Tsan, M. F.**
see D'Antonio, N. L.
see Klingensmith, W. C.
- Tubis, M.** see Krishnamurthy, G. T.
- Tucker, K. L.** see Krejcarek, G. E.
- Turner, D. A.** Camera versus scanner for liver studies, 419
- Turner, D. A., Fordham, E. W., Pagan, J. V., Ali, A. A., Ramos, M. V., Ramchandran, P. C. and Ferry, T. A.** Evaluation of brain scintigraphy with the Anger tomographic scanner, 547*
- Turner, J. H., Selwyn, A. P., Clark, J. C., Jones, T., Raphael, M. J., Steiner, R. E. and Lavender, J. P.** Continuous imaging of regional myocardial perfusion with $^{81\text{m}}\text{Kr}$, 535*
- Turner, J. W. and Spencer, R. P.** Discrepant $^{99\text{m}}\text{TcO}_4^-$ and ^{131}I uptake in a thyroid carcinoma, 22
- Turner, J. W., Syed, I. B. and Spencer, R. P.** Peripatellar nonmetastatic positive bone scans in malignancy, 693
- Turner, J. W.** see Spencer, R. P.
- Turtle, R. R.** see Hayes, R. L.
- Uchida, T. and Vincent, P. C.** In vitro studies of $^{99\text{m}}\text{Tc}$ leukocyte labeling, 730
- Uszler, J. M. and Krauthammer, M.** Dual circulation of the lung in cancer, 541*
- Uszler, J. M.**
see Bonifield, J. G.
see Krauthammer, M.
- Valenzuela, S., Hasso, A. N. and Jansen, C.** Dynamic/static brain studies in chronic subdural space lesions, 528*
- Valk, P.**
see Hambright, P.
see McRae, J.
- van den Akker, H. P., Sokole, E. B. and van der Schoot, J. B.** Sequential $^{99\text{m}}\text{TcO}_4^-$ salivary gland imaging, 959
- Van der Bel Kahn, J.** see Nishiyama, H.
- van der Schoot, J. B.**
see van den Akker, H. P.
see Wackers, F.
- van Duyl, W. A., Sparreboom, D. and Volkers, A. C. W.** Compartmental models of ^{133}Xe cerebral blood flow, 596
- Van Kirk, O. C., Burry, M. T., Jansen, A. A., Barnett, D. and Larson, S. M.** A simplified approach to radionuclide venography, 969
- Van Kirk, O. C., Jansen, A. A., Burry, M. T., Barnett, D. and Larson, S. M.** Radionuclide venography with a gamma camera and whole-body bed, 564*
- Varley, P. F., Silvis, S. E. and Shafer, R. B.** Retrograde injection of $^{99\text{m}}\text{Tc}$ for pancreas scanning, 560*
- Varma, V. M.** see Corcoran, R. J.
- Venkataraman, G. and Jayaraman, S.** Radiation hazards in ^{241}Am source thyroid fluorescence studies, 408
- Verba, J.** see Chafetz, N.
- Verdon, T. A., McCowen, K. D. and Hofeldt, F. D.** Thyroid uptake with the scintillation camera, 359
- Verdon, T. A.** see Rosenthal, S. L.
- Verhas, M., Schoutens, A., Demol, O., Patte, M., Rakofsky, M., Struyven, J. and Capon, A.** $^{99\text{m}}\text{Tc}$ -albumin microspheres in cerebral vascular disease, 170
- Verma, R. C., Webber, M. M., Bennett, L. R. and Levine, N. D.** Diagnosis of venous thrombosis, 563*
- Verma, R. C., Webber, M. M. and Cragin, M. D.** Correlation of $^{99\text{m}}\text{Tc}$ -MAA scans to thrombosis, 563*
- Verma, R. C., Webber, M. M. and Gleghorn, B.** ^{125}I -HSA and fibrinogen in forming and formed thrombi, 543*
- Verma, R. C.** see Webber, M. M.
- Vider, M., DeLand, F. H. and Maruyama, Y.** $^{99\text{m}}\text{Tc}$ loculation in peritoneal cavity, 150
- Vieras, F. and Boyd, C. M.** Focal renal activity in bone scans, 427
- Vincent, P. C.** see Uchida, T.

- Vistisen, L. see Heerfordt, J.
 Volkens, A. C. W. see van Duyl, W. A.
 Vyas, M. I. see Bekerman, C.
 Wackers, F., Schoot, J. B. v.d., Sokole, E. B., Samson, G., Lie, K. I., Liem, K., Durrer, D. and Wellens, H. J. J. Repeated ^{201}Tl imaging in myocardial infarction, 523*
 Wagner, H. N., Wake, R., Nataraajan, T. K., Nickoloff, E., Strauss, H. W. and Pitt, B. Methods of monitoring left ventricular function, 557*
 Wagner, H. N. see Adachi, H. see Chen, M. F. see Cook, D. J. see D'Antonio, N. L. see Ludwig, G. see Kim, H. R. see Klingensmith, W. C. see Oster, Z. H.
 Wake, R. see Wagner, H. N.
 Walsh, W. F. see Karunaratne, H. B.
 Walter, K. see Fletcher, J. W.
 Walters, T. see Correia, J. A.
 Warner, G. G. see Smith, E. M.
 Wartofsky, L. see Burman, K. D.
 Washburn, L. C., Sun, T. T., Rafter, J. J. and Hayes, R. L. ^{11}C -amino acids for pancreas imaging, 557*
 Washburn, L. C. see Hayes, R. L.
 Wasnich, R. D. Ultrasonic nebulizer system for radioaerosol delivery, 707
 Watanabe, E. see Tetano, Y.
 Watanabe, K., Kamoi, I., Nakayama, C., Koga, I. and Matsura, K. Imaging liver metastases with ^{125}I -steroid, 904
 Waters, S. L. see Hudson, F. R.
 Watson, D. D., Janowitz, W. J., Kenny, P. J. and Gilson, A. J. Computed edge delineation of ventricular contraction patterns, 544*
 Watson, D. D., Tamer, D. M., Janowitz, W. R., Kenny, P. J., Gelband, H. and Gilson, A. J. Left-to-right shunt detection by C^{18}O_2 inhalation, 555*
 Watson, D. D. see Kenny, P. J.
 Watson, E. see Ice, R. D.
 Watts, G., Mena, I. and Joe, S. H. Increased carotid circulation effect of $^{99\text{m}}\text{TcO}_4^-$ angiogram, 527*
 Waxman, A. D., Tanacescu, D. E., Siemsen, J. K. and Wolfstein, R. S. $^{99\text{m}}\text{Tc}$ -glucoheptonate for brain studies, 345
 Waxman, A. D. see Wolfstein, R. S.
 Weaver, W. D., Hamilton, G. W., Williams, D. L., Trobaugh, G. B. and Ritchie, J. L. Reproducibility of ejection fraction from first-transit data, 556*
 Weaver, W. D. see Hamilton, G. W.
 Webber, M. M. Affinity of fibrin deposits for $^{99\text{m}}\text{Tc}$ -S colloid, 940
 Webber, M. M., Fonkalsrud, E. W., Verma, R. C., Sansi, P. K. and Gleghorn, B. Endothelial damage and ^{125}I -fibrinogen uptake, 543*
 Webber, M. M. see Verma, R. C.
 Weber, D. A., Wilson, G. A., O'Mara, R. E., Rubin, P., Keys, H. and Jaconski, M. Postirradiation quantitative bone imaging, 527*
 Weber, D. A. see King, M. A.
 Weber, P. M. see dos Remedios, L. V.
 Webster, W. P. see Staab, E. V.
 Wechsler, A. S. see Howe, W. R.
 Wee, W. G. see Romhilt, D. W.
 Weich, H., Strauss, H. W. and Pitt, B. Extraction efficiency by dual-tracer method, 538*
 Weidner, J. see Gorin, A. B.
 Weinraub, J. M. see Buzzi, K. W.
 Weiss, E. S. see Phelps, M. E.
 Welch, M. J., Coleman, R. E., Straatman, M. G., Asberry, B. E., Primeau, J. L., Fair, W. R., and Ter-Pogossian, M. M. ^{11}C -N methyl diaminobutane for prostate and tumor, 525*
 Welch, M. J. see Harwig, J. F. see Harwig, S. S. L. see Phelps, M. E. see Straatman, M. G. see Thakur, M. L.
 Wellens, H. J. J. see Wackers, F.
 Wells, H. see Garcia, D. A.
 Welsh, W. J. see McLean, J. R.
 Wicks, J. H. see Krejcarek, G. E.
 Wiegmann, T., Kirsh, J., Rosenthal, L. and Kaye, M. Bone uptake of $^{99\text{m}}\text{Tc}$ -pyrophosphate and hydroxyproline in blood and urine, 711
 Wieland, B. W. see Hayes, R. L.
 Wieland, D. M., Ice, R. D. and Beierwaltes, W. H. Synthesis of labeled inhibitors of the adrenal cortex, 525*
 Wieland, D. M. see Beierwaltes, W. H.
 Wilcox, J. R. see Green, J. P.
 Wilkerson, S. V. see Gunther, C. W.
 Wilkie, A. L. see Alderson, P. O.
 Willerson, J. T., Buja, L. M., Stokely, E. M., Poliner, L., Stone, M. J., Bonte, F. J. and Parkey, R. W. Myocardial infarct sizing in unsedated dogs, 534*
 Willerson, J. T. see Parkey, R. W. see Stokely, E. M. see Tofe, A. J.
 Williams, D. L. see Hamilton, G. W. see Weaver, W. D.
 Williams, R. C. see Krejcarek, G. E.
 Wilson, G. A. see Weber, D. A.
 Winchell, H. S. Comparison of $^{99\text{m}}\text{Tc}$ and ^{125}I for thyroid imaging, 1021
 Winchell, H. S. Effect of Sn-induced enzymes on $^{99\text{m}}\text{TcO}_4^-$, 941
 Winchell, H. S. see Baker, G. A. see Khentigan, A.
 Winston, M. A. see Taylor, R. D.
 Winter, P. F. Focal renal activity in bone scans, 429
 Winter, P. F. Site of $^{99\text{m}}\text{TcO}_4^-$ secretion in the stomach, 756
 Winter, P. F. Splenic accumulation of $^{99\text{m}}\text{Tc}$ -diphosphonate, 850
 Winter, P. F. and Perl, L. J. Cold areas in bone scanning, 755
 Wistow, B., Subramanian, G., McAfee, J. G., Hall, R., Gagne, G. and Henderson, R. W. $^{99\text{m}}\text{Tc}$ -HIDA derivatives as hepatobiliary agents, 545*
 Wistow, B. see Grossman, Z. D.
 Witcofski, R. L. Book review; *Elements of Radiation Protection*, 1023
 Witcofski, R. L. and Pizzarello, D. J. Carcinogenesis from x-ray, $^{113\text{m}}\text{In}$ and ^{198}Au irradiation, 715
 Witherspoon, L. R., Blonde, L., Shuler, S. E. and McBurney, D. B. Bone scans in diffuse metastatic carcinoma of the axial skeleton, 253
 Wolberg, J. see Dwyer, A. see Freedman, G. S. see Marshall, R. C.
 Wolf, A. P. see Fowler, J. S. see Reiffers, S.
 Wolfstein, R. S., Tanacescu, D. E., Waxman, A. D. and Siemsen, J. K. Brain imaging in renal dialysis patients, 6
 Wolfstein, R. S. see Waxman, A. D.
 Wong, D. W. see Mishkin, F. S.
 Woodard, H. Q., Bigler, R. E., Freed, B. and Russ, G. A. Tissue radionuclide distributions, 1110
 Woodard, H. Q., Pentlow, K. S., Mayer, K., Laughlin, J. S. and Marcove, R. C. Distribution and retention of ^{35}S -sodium sulfate, 285
 Woodard, H. Q. see Bigler, R. E.
 Woolfenden, J. M. see Hall, J. N.
 Wortman, J., DeNardo, S. J., DeNardo, G. L., Huang, S. M., Krohn, K. and Song, C. Thromboplastic and fibrinolytic activity of normal and neoplastic tissue, 566*
 Wortman, J. see DeNardo, G. L. see DeNardo, S. J.
 Wright, F. D. see Burman, K. D.
 Wright, W. see So, S. K.
 Yamada, H. see Murata, H. see Toyama, H.
 Yamamoto, I. see Morita, R.
 Yamamoto, Y. L., Thompson, C. J. and Meyer, E. Positron tomography of cerebral blood flow with ^{67}Ga -EDTA and ^{79}Kr , 546*
 Yamamoto, Y. L. see Thompson, C. J.
 Yano, Y., Budinger, T. F., Chu, P., Grant, P. M., Ogard, A. E., O'Brien, H. A. and Hoop, B. Evaluation of ^{86}Rb generators, 536*

SUBJECT INDEX

- Yeh, E. L. see Sebern, M. J.
 Yeung, W. C., Haines, J. E. and Larson, S. M. Liver image in posterolateral congenital diaphragmatic hernia, 110
 Yokoyama, A., Saji, H., Tanaka, H., Odori, T., Morita, R., Mori, T. and Torizuka, K. Preparation of a ^{99m}Tc-penicillamine complex, 810
 Yokoyama, A., Terauchi, Y., Horiuchi, K., Tanaka, H., Odori, T., Morita, R., Mori, T. and Torizuka, K. ^{99m}Tc-kethoxal-bis(thiosemicarbazone) for gallbladder, 816
 Yonekura, Y. see Ishii, Y.
 Yoshida, T. see Suzuki, K.
 Young, D. see Lieberman, L. M.
 Young, R. L., Mazzaferri, E., Kemmerer, W., Page, C. and Ortell, J. Effect of therapy on morbidity in papillary thyroid cancer, 532*
 Zaret, B. L. see Costin, J. C. see Marshall, R. C.
 Zarocostras, G. see Beihn, R. M.
 Zedeck, M. S. see Pettit, W. A.
 Zeissman, H. A. Lung uptake of ^{99m}Tc-S colloid in falciparum malaria, 794
 Zeman, R. and Ryerson, T. Bowel preparation for ⁶⁷Ga-citrate studies, 559*
 Zielinski, F. W. see Poe, N. D.
 Zilkha, A. and Irwin, G. A. L. The rim sign in epidural hematoma, 977
 Zimmer, A. M., Pavel, D. G. and Patterson, V. N. In vivo red blood cell labeling with Sn pyrophosphate and ^{99m}TcO₄⁻, 566*
 Zimmer, A. M., Silverstein, E. A. and Holmes, R. A. Dose calibrator assay of ³²P-Na phosphate, 404
 Zimmer, A. M. see Silverstein, E. A.
 Zimmerman, R. A. see Crocker, E. F.
 Zir, L. M. see Pohost, G. M.
 Zivanovic, M. A. see Hammersley, P. A. G.

1976 SUBJECT INDEX

Asterisk indicates abstract

- Abdomen**
see also specific organ
 abscess, ⁶⁷Ga-citrate scanning, ultrasound, 545*
 aortic aneurysms, angiography, 327*, 765*, 1065
 aortic aneurysms, ultrasound, 327*
 mesenteric cyst, ultrasound, 860*
³²P-chromic phosphate therapy, distribution, ^{99m}Tc-HSA, 150, 151
 tuberculosis peritonitis, ⁶⁷Ga-citrate scan, 272, 1020
 ultrasonically guided percutaneous puncture, 432*
- Abscess**
 abdominal, ⁶⁷Ga-citrate scanning and ultrasound, 545*
⁶⁷Ga-citrate uptake, Fe dextran effect, in rabbits, 356
 imaging, ⁶⁷Ga-leukocytes, 434*
¹¹¹In-leukocytes, uptake, in dogs, 560*
 liver, comparison of ultrasound, ^{99m}Tc-S colloid imaging and axial tomography, 544*
 lung, dynamic perfusion imaging, ^{99m}TcO₄⁻, 541*
²⁰³Pb-acetate, ⁶⁷Ga-citrate uptake, in rats, 800
 pelvic, ultrasonography, 1028*
 perinephric, ^{99m}Tc-glucoheptonate, ⁶⁷Ga-citrate, subtraction method, 858*
 renal, ⁶⁷Ga-citrate scan, 872
- Adrenal glands**
 carcinoma, metastatic to liver, ¹²⁵I-iodomethylnorcholestenol scan, 904
³H-, ¹²⁵I-enzyme inhibitors, preparation, distribution, in dogs, 525*, 998
 imaging, ¹²⁵I-cholesterol, 563*
 imaging, ¹²⁵I-cholesterol, gallbladder uptake, 33
 imaging, ¹²⁵I-cholesterol, renovascular hypertension, 378
¹²⁵I-iodomethylnorcholesterol, radiation dosimetry, 540*
⁷⁵Se-selenocholesterol uptake, imaging, in animals, 212
 tomography, 158*
- Aerosol**
 delivery, ultrasonic nebulizer, 707
^{99m}Tc-Fe-oxide, preparation, lung ventilation, 122
- Albumin**
see also Iodine-125; Iodine-131; Technetium-99m, albumin
⁶⁵Cu-colloids, preparation, 559*
 radioiodinated, tumor uptake, compared to other agents, in mice, 525*
Alcoholism
 liver function and biopsy, 433*
 myocardiopathy, ^{99m}Tc-phosphates, myocardial imaging, 241
 serum folate test, value, 439
Alpha fetoprotein
¹²⁵I-, preparation, 765*
 radioimmunoassay, in liver disease, 159*
American Board of Nuclear Medicine
 information, policies, procedures, 328
Americium-241
 source, fluorescent thyroid scanning, 17
 source, fluorescent thyroid scanning, radiation hazards, 408
Amino acids *see Carbon-11; Carbon-14; Nitrogen-13; Selenium-75*
Angiotensin
 radioimmunoassay, 563*
Antibodies *see Immunology; Radioimmunoassay*
Argon-37
 excretion, total body Ca, neutron activation analysis, 529*
Arms *see Extremities*
Artifact
 brain imaging, ear, ^{99m}TcO₄⁻, 305, 1108
 brain, lung, and liver imaging, 229
 field flood uniformity correction, 653
Audio-visual programs
Introduction to Nuclear Medicine Instrumentation, 513
Radionuclide Angiography, 669
Autoradiography
 bone uptake of ¹⁸F, ^{99m}Tc-diphosphonate, 526*
 cellular uptake of ^{99m}Tc-glucoheptonate and -dimercaptosuccinic acid, in rats, 536*
¹²⁵I-proteins, antigen detection in spleen, in rabbits, 1025*
^{99m}Tc-glucoheptonate in myocardial infarct, in rats, 203
^{99m}TcO₄⁻ distribution in stomach, in animals, 559*, 756
^{99m}Tc-pyrophosphate, ³²P-pyrophosphate, ⁸⁶Sr-chloride, in rats, 1025*
^{99m}Tc-S colloid, rat lung, 543*

- Bacteria**
see also Infection
Lactobacillus leichmanni, radiometric vitamin B₁₂ assay, 538*
 radiometric assay, ¹⁴C-glucose metabolism, 550*
- Becquerel, Henri**, 579
- Bismuth-204**
 -citrate, production, nuclear parameters, radiation dosimetry, 301
- Bismuth-206**
 -citrate, production, nuclear parameters, radiation dosimetry, 301
- Bladder**
 radiation dose estimates, ^{99m}TcO₄⁻, MIRD, 74
^{99m}TcO₄⁻ cystography, vesicoureteral reflux, 81
- Bleomycin**
see also Cobalt-57; Copper-67; Indium-111, Bleomycin; Iodine-131
 radioimmunoassay, 550*, 1123*
 radiolabeled, tumor uptake, compared to other agents, in mice, 525*
- Blocking dose**
¹²⁵I-thyroxine plasma clearance curve, 657
¹³¹I-iodomethylnorcholesterol for adrenal imaging, 540*
 perchlorate for ^{99m}TcO₄⁻, 528*, 540*
- Blood**
 clot, *see Thrombus*
 hemoglobinopathy (SO_{A,AB}) and purpura fulminans, ^{99m}Tc-pyrophosphate bone imaging, 1062
 leukocytes, *see Leukocytes*
 lymphocytes, cytotoxic activity, peritoneal macrophages, ⁵¹Cr, 1124*
 platelet aggregation, effect of ⁵¹Cr labeling procedure, 73*
 platelets, ⁵¹Cr-, ^{99m}Tc-S colloid lung deposition, in animals, 543*
 platelets, ¹¹¹In-, preparation, distribution, uptake by thrombi, in animals, 561*
 radioassay for fibrinolytic activity, 539*
 red cells, *see Red Blood Cells; Chromium-51; Technetium-99m, red blood cells*
 serum binding of ⁶⁷Ga-citrate, effect of radiation, in rats, 538*
 sickle cell anemia, 163, 184, 852
 sickle cell disease, bone marrow scanning, 947*
 sickle cell disease, spleen uptake of ^{99m}Tc-diphosphonate, 108
- Bolus** *see Injection*
- Bone**
 Ca, in hyperparathyroidism, photon absorption, 533*
 computerized axial tomography, 158*
 diphosphonate toxicity, 417
 forming and resorbing, ^{99m}Tc-polyphosphate uptake, in rats, 93
 fracture, 98, 672*
⁶⁷Ga-EDTMP, -DTPMP, preparation, distribution, imaging, in animals, 566*, 1003
 metabolism, ^{99m}Tc-, ³²P-pyrophosphate, ⁸⁵SrCl₂, autoradiography, in rats, 1025*
 metastatic disease, 235*, 253, 433*, 526*, 530*, 755, 764*
 mineralization, ¹²⁵I-tetracycline analog studies, in dogs, 549*
 osteogenic sarcoma, distribution of ³²P- and ^{99m}Tc-diphosphonate, 548*
 osteomyelitis, 71*, 617, 620, 857*
 osteoporosis, 526*, 711
³²P- and ³²P-bone agents, distribution, in rats, 548*
³²P-diphosphonate tumor therapy, 548*
³²P-diphosphonate turnover, in dogs, 548*
 Paget's disease, 13, 693
 Pelligrini-Stieda calcification, 693
 rheumatoid arthritis, quantitative ^{99m}Tc-diphosphonate uptake, 525*
 rib image erasure, heart imaging, ^{99m}Tc-phosphates, 68
^{99m}Tc-imidodiphosphate, preparation, distribution, in animals, 857*
^{99m}Tc-leukocyte uptake, in rats, 313
^{99m}Tc-pyrophosphate uptake, hydroxyproline in blood and urine, 711
 ultrasonography, 672*
 uptake dynamics, ¹⁸F, ^{99m}Tc-diphosphonate, in animals, 526*
 uptake parameters, ¹⁸F and ⁴⁵Ca, in animals, 549*
- Bone imaging**
 causes of abnormalities, 229
 facial-mandibular, ^{99m}Tc-agents, ²⁰¹Tl transmission imaging, 525*
 facial skeleton, ^{99m}Tc-diphosphonate, 434*
⁶⁷Ga-DTPMP, -EDTMP, in dogs, 566*, 1003
 in hyperparathyroidism, ^{99m}Tc-pyrophosphate, 533*
 infarcts, hemoglobinopathy and purpura fulminans, ^{99m}Tc-pyrophosphate, 1060
 joint disease, ^{99m}Tc-phosphates, in children, 554*
 leprosy, ^{99m}Tc-pyrophosphate, 788
 metastatic carcinoma from breast, ^{99m}Tc-polyphosphate, 235*
 metastatic disease pattern, ^{99m}Tc-pyrophosphate, 526*
 osteomyelitis, ^{99m}Tc-diphosphonate, in children, 620, 857*
 postmenopausal osteoporosis, 526*
 radiation therapy effects, ^{99m}Tc-pyrophosphate, 527*
 ribs, effect of unilateral pulmonary hypovascularity, ^{99m}Tc-phosphates, 27, 853
 staging lung cancer, 529*, 530*
^{99m}Tc-polyphosphate, uptake in nonmalignancy, 693
 thyroid acropachy, ^{99m}Tc-pyrophosphate, 791
 tooth extraction sockets, ^{99m}Tc-diphosphonate, in rats, 688
 total hip arthroplasty, ^{99m}Tc-pyrophosphate, 526*
- Bone scanning**
 bone island uptake of ^{99m}Tc-pyrophosphate, 113
 breast carcinoma, ¹⁸F, 433*; ^{99m}Tc-phosphates, 433*
 cold areas, ^{99m}Tc-diphosphonate, 755
 comparison of ¹⁸F and ^{99m}Tc-polyphosphate, 98
 comparison of ⁸⁵Sr and ^{99m}Tc-pyrophosphate kit preparations, 325*
 effect of Fe-dextran on uptake of ^{99m}Tc-phosphates, 374
 filarial infestation, ^{99m}Tc-diphosphonate, 425
 focal renal activity, ^{99m}Tc-polyphosphate, 426, 427, 428, 429
 infarct, serial changes, 184
 mastocytosis, ^{99m}Tc-diphosphonate, 699
 melorheostasis, ^{99m}Tc-pyrophosphate, 1106
 metastatic disease, ^{99m}Tc-pyrophosphate, 253, 526*; ^{99m}Tc-diphosphonate, 755, 764*
 osteoblastoma of the axial skeleton, ^{99m}Tc-polyphosphate, -diphosphonate, 187
 osteomyelitis, ^{99m}Tc-polyphosphate, 71*; ^{99m}Tc-pyrophosphate, 617
 renal failure, ^{99m}Tc-polyphosphate, 764*
 spleen uptake of ^{99m}Tc-diphosphonate, 108
 thyroid acropachy, ^{99m}Tc-pyrophosphate, 791
 total hip arthroplasty, ⁸⁷mSr, 1121*
- Bone marrow**
 liposome-trapped ^{99m}Tc-DTPA, distribution, in animals, 1067
 osteomyelitis, bone scanning, 71*, 617, 620, 857*
 radiation dose estimates, ^{99m}TcO₄⁻, MIRD, 74
 scanning, sickle cell disease, ^{99m}Tc-S colloid, 947*
- Book reviews**
Actualités de Biophysique et de Médecine Nucleaire, 1023
Administration of a Radiology Department, 945
Basic Nuclear Medicine, 761
Basic Radiation Biology, 856
Beyond Normality: The Predictive Value and Efficiency of Medical Diagnoses, 855
Breast Cancer Diagnosis, 856
Clinical Scintillation Imaging, 761

SUBJECT INDEX

- Diagnostic Radiology, A Concise Practical Manual*, 155
Diagnostic Ultrasound in Neurology. Methods and Techniques, 761
Elements of Radiation Protection, 1023
Engineering Compendium on Radiation Shielding. Vol. II. Shielding Materials, 1118
Heart and Coronary Arteries, 945
International Encyclopedia of Pharmacology and Therapeutics. Section 79: Sulfur-Containing Radioprotective Agents, 512
Medical Malpractice Law, 669
Medical Neurology, 512
Non-Invasive Brain Imaging: Computed Tomography and Radionuclides, 669
Nuclear Medicine in Clinical Pediatrics, 70
Parathormone and Calcitonin Radioimmunoassays in Various Medical and Osteoarticular Diseases, 1118
Pediatric Nuclear Medicine, 512
Proceedings of the Society of Photo-Optical Instrumentation Engineers. Vol. 46. Image Assessment and Specifications, 155
Proceedings of the Society of Photo-Optical Instrumentation Engineers. Vol. 47. Application of Optical Instrumentation in Medicine, 155
Radioimmunoassay, 855
Radionuclide Studies of the Genitourinary System, 856
Radiopharmaceuticals, 431
Renal Function Evaluation, 945
Synopsis of Gynecologic Oncology, 669
Textbook of Radiology, 762
The Renal Uptake of Radioactive Mercury, (²⁰³HgCl₂), 855
The Thyroid and Its Diseases, 1118
- Bowel** see *Gastrointestinal tract*
- Brain**
aneurysms, 157*
arteriovenous malformations, 13, 157*
blood volume, computerized axial tomography, 1026*
carotid-basilar bypass, in dogs, 948*
cerebellar degeneration, ¹¹¹In-DTPA stasis in posterior fossa, 349
epidural hematoma, 972, 975, 977, 986
³H-catecholamine metabolism in ischemia, in gerbils, 72*
hydration, cerebrospinal fluid sink, 1122*
¹²⁵I-antipyrine, kit preparation, 1091
Medical Neurology, book review, 512
¹⁵O₂ extraction, 1026*
⁸²Sr-⁸²Rb generator, 536*
^{99m}TcO₄⁻ distribution, effect of prior Sn(II) administration, 380
tomography, computerized axial, 1123*
tomography, trauma, 1122*
tumor, metastatic thyroid, post-¹³¹I therapy hemorrhage, 307
ultrasonography, craniopharyngioma, in infant, 327*
ultrasonography, posterior fossa cyst, 766*
ultrasonography through postoperative bone flap, 948*
ultrasonography, book review, 761*
venous anatomy, ^{99m}Tc, in normal cadavers, 527*
- Brain, blood flow**
arterial anastomosis, after surgery, ¹³³Xe, 514*
arterial anastomosis indication, ¹³³Xe, 859*
arteriovenous shunt presenting as AVM, ^{99m}TcO₄⁻, 1057
audiovisual program review, 669
carotid endarterectomy, 234*
cerebral vascular disease, 157*, 473*, 527*
cerebral vascular disease, ^{99m}Tc-microspheres, ^{99m}TcO₄⁻, ¹³³Xe, 170
cervical lymphadenitis, ^{99m}TcO₄⁻, 26
cervical venous reflux, ^{99m}TcO₄⁻, 9
changes, migraine attack, 325*
compared to computerized axial tomography, 546*
compartmental model, ¹³³Xe, 596
data analysis, 531*; algorithm, 531*
data analysis, positron images, ⁶⁸Ga, ⁷⁷Kr, 543*
effect of increased external carotid circulation, ^{99m}TcO₄⁻, 527*
epidural hematoma, 975, 977
"hot nose" phenomenon, 527*
in dementia, ¹³³Xe, 233*, 763*
intracranial fibromuscular dysplasia, ^{99m}TcO₄⁻, 190
jugular vein reflux, 61, 225
posterior, ^{99m}TcO₄⁻, 13
regional, ¹³³Xe, color display, 953
regional, partial seizures, ¹³³Xe, 1122*
stroke, 764*
subarachnoid hemorrhage, intracisternal phentolamine effect, in monkeys, 858*
subdural empyema, 980
subdural space lesions, 528*
^{99m}TcO₄⁻, in children, 780
vertebral artery fistula, ^{99m}TcO₄⁻, 24
¹³³Xe, digital model, 159*
¹³³Xe, injection site effects, in baboon, 158*
80-lens oscilloscope camera, 290
- Brain imaging**
book review, 669
causes of abnormalities, 229
compared to computerized axial tomography, 546*, 552*
differential diagnosis, ^{99m}TcO₄⁻, ^{99m}Tc-diphosphonate, 224
"ear" artifact, ^{99m}TcO₄⁻, 305, 1108
epidural hematoma, 972, 975, 977, 986
⁶⁸Ga-adenosine triphosphate, ¹⁵NH₃, ¹⁵O₂, 473
⁶⁸Ga-DTPA, multiwire proportional chamber positron camera, 546*
perchlorate blocking dose for ^{99m}TcO₄⁻, i.v., 528*
renal dialysis patients, ^{99m}Tc-DTPA, 6
screening, usefulness, 439
staging lung cancer, 406, 529*, 530*
subdural empyema, ^{99m}TcO₄⁻, 980
subdural space lesions, 528*
^{99m}Tc-glucoheptonate, 345, 786
tumor, comparison of agents, 418, 419
- Brain scanning**
⁶⁷Ga-citrate, ^{99m}TcO₄⁻, in stroke, 764*
meningioma, ^{99m}Tc-pyrophosphate, -DTPA, ⁶⁷Ga-citrate, 763*
perinatal asphyxia, ^{99m}TcO₄⁻, 554*
renal dialysis patient, ^{99m}TcO₄⁻, 6
subdural hematoma, unoperated, followup, 948*
- Brain tomography**
Anger scanner, 547*
blood flow, ⁶⁸Ga-EDTA, ⁷⁷Kr, 546*
book review, 669
¹¹CO, 493, 552*
compared to imaging, 552*
epidural hematoma, 972
⁶⁸Ga-EDTA, 493, 547*, 603
in children, 433*
increased intracranial pressure, 157*
information extraction, 157*
¹⁵NH₃, ¹¹CO-hemoglobin, 552*, 603
normal, 516*
scintillation camera, computer, ^{99m}TcO₄⁻, 551*
senile dementia, 516*
transverse section, MGH positron camera, ¹⁵NH₃, C¹⁸O₂, 551*
tumor, effect of dexamethasone therapy, ^{99m}TcO₄⁻, 528*
vascular lesions, 157*
- Breast**
calcifications, 1120*
cancer, lung ventilation, perfusion, lymphangitic carcinomatosis, ¹³³Xe, ^{99m}Tc-MAA, 258
cancer, metastatic to bone, 235*, 433*, 764*
cancer, metastatic to liver, 677
cancer staging, book review, 856
cancer, thermography, 672*

- imaging, $^{99m}\text{TcO}_4^-$, ^{67}Ga -citrate, 223
 mammography as screening test, 439
 milk activity from ^{67}Ga -citrate, 223, 1055*
 milk activity from ^{99m}Tc -polyphosphate, 1024*
- Bromine-77**
 leukocyte labeling, 480
- Bromine-82**
 distribution in tubercular meningitis, 545*
- Calcium**
 bone content in hyperparathyroidism, photon absorption, 533*
 myocardial infarct uptake, in animals, 534*
 thyroid disease effect on calcitonin radioimmunoassay, 533*
 total body, neutron activation analysis, 526*, 529*
- Calcium-45**
 -diphosphonate, dead cell uptake, tissue culture, 993
 myocardial infarct uptake, in vitro fetal mouse, 534*
 myocardial infarct uptake mechanism, in rabbits, 639
 package wipe testing, 1013
- Calcium-47**
 bone uptake, mathematical model, 549*
 package wipe testing, 1013
- Camera, positron**
 brain imaging, ^{68}Ga -adenosine triphosphate, $^{13}\text{NH}_3$, $^{15}\text{O}_2$, 473
 brain perfusion, data analysis, 543*
 brain perfusion, ^{68}Ga -EDTA, ^{77}Kr , 546*
 multiwire proportional chamber, ^{68}Ga -DTPA brain imaging, 546*
 resolution limit, 757, 758
 tomography, heart, brain, 547*
 transverse-section brain imaging, $^{13}\text{NH}_3$, C^{18}O_2 , 551*
- Camera, scintillation**
see also specific organ
 ^{11}CO inhalation lung imaging, in dogs, 866
 collimator comparison, pinhole collimator and coded aperture, 528*
 collimator design, 236*
 collimator, for myocardial imaging, 142, 401, 522*, 523*, 583, 719, 880
 collimator, tantalum, 50
 compared to portable nuclear stethoscope, ^{99m}Tc -HSA, left ventricular function, 557*
 -computer, brain tomography, $^{99m}\text{TcO}_4^-$, 551*
 -computer, gating procedures, 297
 -computer, first-pass ^{99m}Tc left ventricular function, 555*, 556*
 -computer, left ventricular ejection fraction, count rate, 557*
 -computer, region of interest crosstalk, 557*
 -computer, transaxial tomography, 552*
 deadtime loss correction, 137
 digital low-pass filtering, 844
 dynamic uniform field control, 547*
 effect of ^{131}I on ^{99m}Tc sensitivity, 1100
 field flood uniformity, 653
 hand blood flow in Raynaud's phenomenon, 564*
 image enhancement, fast Fourier transform technique, 647
 image intensifier tube, 1008
 joint uptake of ^{99m}Tc -diphosphonate, quantitative, 525*
 large field, compared to dual-probe scanner, ^{67}Ga -citrate, 547*
 large field, performance study, 546*
 long distance image transmission, 394
 performance characteristics, 665
 ^{99m}Tc -MAA venography, 564*
 thyroid imaging, ^{125}I , $^{99m}\text{TcO}_4^-$, 261
 thyroid uptake, ^{131}I , 359
 whole body imaging in metastatic disease, 526*
 zone plate, image processing, 326*
 80 lens oscilloscope camera, 290
- Camera, semiconductor**
 germanium array, 528*
- Carbohydrates** *see Carbon-14*
- Carbon-11**
 -amino acids for pancreas, preparation, distribution, in animals, 557*
 -aminocyclopentanecarboxylic acid, preparation, tumor uptake, in animals, 748
 -citric acid, preparation, distribution, in animals, 558*
 ^{11}CO , brain tomography, 493
 ^{11}CO , lung ventilation in ischemia, in dogs, 531*, 866
 ^{11}CO -hemoglobin, transaxial tomography, brain, heart, 552*
 -hexadecanoic acid, myocardial infarct uptake, in dogs, 1077
 -methyl-diaminobutane for tumor and prostate, preparation, distribution, in rats, 525*
 nuclear parameters, 866
 -octylamine, preparation, lung imaging, in rabbits, 752
 positron camera resolution, 757
- Carbon-13**
 breath test, glycine and glycine cholate metabolism, 551*
- Carbon-14**
 -acetate, lipid uptake in isolated epidermal cells, in rats, 859*
 -arginine, radiometric assay of vitamin B₁₂, 538*
 -ascorbic acid, effect on ^{99m}Tc -diphosphonate distribution, in animals, 820
 -chylomicrons, leukocyte labeling, 488
 -glucose, adipose tissue oxidation, effect of fenfluramine, 326*
 -glucose, -galactose, metabolism in liver disease, $^{14}\text{CO}_2$ spirometry, in children, 218
 -glucose, radiometric assay for bacteria, 550*
 -glucose, radiometric assay for virus, in cell culture, 503, 550*
 -glycine, -glycine cholate metabolism, breast test, 551*
 package wipe testing, 1013
 quenching curves, 1017
 -sorbital, cytotoxicity assay, 1123*
- Carcinoembryonic antigen** *see Radioimmunoassay*
- Cerebrospinal fluid**
see also Cisternography; Ventriculogram
 axial tomography, cerebral ventricle, subarachnoid space, 157*
 ^{82}Br distribution in tubercular meningitis, 545*
 sink action, 1122*
- Cerium-141**
 -microspheres, cardiac output, in dogs, 542*
- Certification**
 American Board of Nuclear Medicine, 328
- Cesium-129**
 cyclotron production, 247
 myocardial imaging, 401
 myocardial imaging, compared to ^{201}Tl , ^{41}K , ^{81}Rb , in dogs, 880
 myocardial infarct quantitation, in dogs, 247
 nuclear parameters, 401, 583, 880
 transverse-section myocardial tomography, 552*
- Cesium-130**
 myocardial tomography, 547*
- Cesium-131**
 thyroid scanning, 268
- Cesium-134m**
 nuclear parameters, 583
- Chelates**
see also Cobalt-57; Copper-62; Gallium-68; Indium-111; Technetium-99m; Technetium-99m, DTPA
 DMSA, structure of Sn(II) complexes, 565*
 fatty acid labeling, 565*
- Chemotherapy**
 adriamycin, effects on heart, 853, 854
 bleomycin radioimmunoassay, 550*, 1123*

SUBJECT INDEX

- dexamethasone, brain tumor, effect on computerized axial and $^{99m}\text{TcO}_4^-$ tomography, 528*
- effect on DNA radioimmunoassay, in cancer, 550*
- ^{14}N -BCNU, preparation, distribution, in rats, 558*
- thyroid hormone, followup, 532*
- Cholesterol** *see Iodine-131*
- Chromatography**
- ^{14}C -aminocyclopentanecarboxylic acid, 748
- ^{14}C -octylamine, 752
- ^{14}C -citric acid, 558*
- eighteen radiopharmaceuticals, 911
- ^{67}Ga -DTPMP, -DTPMP, 1003
- ^{125}I -plasminogen, 542*
- ^{125}I -rose bengal, 36
- ^{125}I -tetracyclines, 274
- radiochemical purity, 865
- ^{75}Se -selenocholesterol, 212
- ^{99m}Tc -Bioquin-7CA, 907
- ^{99m}Tc -Fe oxide, 122
- ^{99m}Tc -HSA, 46, 537*, 758
- ^{99m}Tc -hydroxyquinoline carboxylate, 907
- ^{99m}Tc -iminodiacetic acid analogs, 633
- ^{99m}Tc -kethoxal-bis(thiosemicarbazone), 816
- ^{99m}Tc -leukocytes, 313
- ^{99m}Tc -penicillamine complexes, 810
- ^{99m}Tc -pyridoxylidene-glutamate, 36, 555*
- ^{99m}Tc -pyrophosphate, 918
- ^{99m}Tc -streptokinase, 226, 227
- unbound ^{99m}Tc in water-soluble agents, 758, 805, 820
- Chromium-51**
- chromate, Limulus test, 1088
- leukocytes, labeling, 480
- leukocytes, distribution, in rats, 313
- lymphoma cells, cytotoxicity assay, 1123*
- package wipe testing, 1013
- platelets, aggregation, 73*
- platelets, ^{99m}Tc -S colloid lung deposition mechanism, in animals, 543*
- RBC, disappearance studies, 1113
- RBC, fecal blood loss, 1053
- RBC, lung scan, Goodpasture's syndrome, 702
- RBC, spleen scan, sickle cell anemia, 852
- peritoneal macrophages, cytotoxic activity of immune lymphocytes, 1124*
- Cisternography**
- see also Ventriculogram*
- cerebrospinal fluid leak, ^{99m}Tc -HSA, 797
- dynamic, ^{111}In -DTPA, 858*
- effects of pneumoencephalography, ^{111}In -DTPA, 54
- focal activity, ^{99m}Tc -HSA, 626
- head injuries, 233*
- infusion tests, puncture site leakage, 65
- spinal descent, ^{99m}Tc -HSA, 763*
- stasis in posterior fossa, ^{111}In -DTPA, 349
- transverse section, ^{111}In -DTPA, 924
- uptake in a subdural hygroma, 119
- Clinical evaluation**
- alpha-fetoprotein radioimmunoassay in liver disease, 473 cases, 159*
- Anger tomographic scanner, brain, 210 cases, 547*
- arterial anastomosis, 65 cases, 86*
- bolus injection technique, 135 cases, 564*
- bone imaging for metastatic disease, ^{99m}Tc -pyrophosphate, 62 cases, 526*
- bone imaging in breast cancer, ^{99m}Tc -polyphosphate, 174 cases, 235*
- bone scanning, comparison of ^{18}F and ^{99m}Tc -polyphosphate, 50 cases, 98
- bone scanning for metastatic disease, ^{99m}Tc -diphosphate, 259 cases, 764*
- bone scanning in breast carcinoma, ^{18}F , 50 cases, 433*
- ^{82}Br distribution in cerebrospinal fluid in tubercular meningitis, 163 cases, 545*
- brain blood flow, $^{99m}\text{TcO}_4^-$, 1051 children, 780
- brain blood flow, tomography, ^{67}Ga -EDTA, ^{77}Kr , 50 cases, 546*
- brain blood flow, vascular disease, 295 cases, 527*
- brain blood flow, vascular disease, ^{99m}Tc -microspheres, 56 cases, 170
- brain scanning, dynamic-static, chronic subdural space lesions, 111 cases, 528*
- brain scanning in perinatal asphyxia, $^{99m}\text{TcO}_4^-$, 92 cases, 554*
- brain tomography, 207 children, 433*
- brain tomography compared to imaging, $^{99m}\text{TcO}_4^-$, 635 cases, 552*; 770 cases, 546*
- brain tomography, normal brain, 2500 cases, 516*
- carotid endarterectomy, 104 cases, 234*
- CEA radioimmunoassay, bronchogenic carcinoma, chronic bronchitis, 74 cases, 672*
- CEA radioimmunoassay, screening test, 956 cases, 236*
- cisternography in head injuries, 140 cases, 233*
- ^{57}Co -bleomycin tumor imaging, 80 cases, 529*
- cystography, vesicoureteral reflux, $^{99m}\text{TcO}_4^-$, 137 cases, 81
- DNA radioimmunoassay in cancer, 173 cases, 550*
- facial-mandibular imaging, ^{99m}Tc bone agents, ^{201}Tl transmission imaging, 88 cases, 525*
- ^{67}Ga -citrate scanning, bowel preparation, 200 cases, 559*
- gastroesophageal reflux imaging, ^{99m}Tc -S colloid, therapy effects, 50 cases, 559*
- GI tract imaging, Meckel's diverticulum, $^{99m}\text{TcO}_4^-$, 114 children, 553*; 52 children, 553*; 170 children, 553*; 100 cases, 465
- heart blood flow, time-activity function recovery, 52 cases, 557*
- heart imaging, acute infarct, ^{99m}Tc -pyrophosphate, 140 cases, 523*
- heart imaging, subendocardial infarct, ^{99m}Tc -pyrophosphate, 51 cases, 523*
- heart imaging, rest and stress, ^{201}Tl , 63 cases, 522*
- heart imaging, ^{99m}Tc -pyrophosphate, 50 cases, 946*; 75 cases, 523*
- heart imaging, ^{201}Tl , acute infarct, 200 cases, 523*
- heart, left-to-right shunt quantitation, 105 cases, 857*
- heart, left ventricular ejection fraction, first transit ^{99m}Tc -albumin, 55 cases, 556*
- heart, left ventricular performance, postmyocardial infarct, radionuclide angiography and ultrasound, 61 cases, 671*
- ^{125}I thyroid therapy, long-term followup, 233 cases, 672*
- ^{125}I thyroid uptake, comparison of liquid and capsule, 125 cases, 310
- kidney imaging after brain imaging, ^{99m}Tc -glucoheptonate, 200 cases, 786
- kidney imaging, renin radioimmunoassay and Saralasin infusion tests, 162 cases, 562*
- kidney, renograms in hypertension, 50 cases, 947*
- kidney to aortic bloodflow index, 116 cases, 537*
- kidney transplant evaluation, ^{125}I , ^{125}I -fibrinogen, ^{99m}Tc -S colloid, ^{67}Ga -citrate, 59 cases, 175
- kidney transplant evaluation, ^{99m}Tc -S colloid, 45 cases, 181
- liver angiography, scanning, in tumor, ^{99m}Tc -S colloid, 118 cases, 434*
- liver imaging, metastases, ^{99m}Tc -S colloid, 275 cases, 677
- liver scanning compared to imaging, 125 cases, 419, 421
- liver tumor diagnosis, angiography, ^{99m}Tc -S colloid scan, laparotomy, 118 cases, 671*
- lung image interpretation, effect of ventilation image, 500 cases, 531*
- lung imaging, pulmonary embolism, 97 cases, 163
- lung scanning in infection, ^{67}Ga , 70 cases, 540*
- lung ventilation, half-time distribution images, 100 cases, 88
- lung ventilation, perfusion, ^{81m}Kr , ^{99m}Tc -microspheres, 80 cases, 530*

- lung ventilation, perfusion, regional, ^{133}Xe , instrumentation, 50 normals, 337
- lung ventilation, perfusion, ^{133}Xe , in pulmonary embolism, 105 cases, 613
- splenomegaly, differential diagnosis, ultrasound, 60 cases, 1124*
- thermography, breast cancer, 239 cases, 672*
- thrombus scanning, $^{99\text{m}}\text{Tc-MAA}$, 52 cases, 563*
- thyroid cancer, surgery, ^{131}I therapy, medication, followup, 576 cases, 532*
- thyroid, cold nodule, ultrasound, thermography, 61 cases, 326*
- tomography, computerized transaxial, brain, 117 cases, 1123*
- T_3 kit, 57 cases, 321
- T_3 , T_4 , simultaneous, 54 cases, 660
- ultrasonography, renal transplants, 432*
- ultrasonography, mass diagnosis, 100 children, 766*
- ultrasonography, normal bone, 666 cases, 672*
- bleomycin, Limulus test, 1088
- bleomycin, radioimmunoassay, 550*
- bleomycin, tumor studies, 529*
- bleomycin, tumor uptake, compared to ^{57}Co -chloride, in animals, 567*
- DTPA-fatty acids, preparation, distribution, in animals, 565*
- package wipe testing, 1013
- scintillation-camera field flood uniformity, 653
- vitamin B_{12} , radioassay, toadfish serum binder, 737
- Cobalt-58**
- vitamin B_{12} absorption, in celiac disease, small bowel resection, 235*
- Cobalt-60**
- package wipe testing, 1013
- radioassay, liquid scintillation counter, 434*
- Collimator**
- coded aperture, noise analysis, 528*
- large-field scintillation camera, performance study, 546*
- myocardial imaging, 142, 401, 522*, 523*, 583, 719, 880
- parallel hole, optimizing design, 236*
- pinhole, compared to coded aperture, 528*
- system for germanium semiconductor array, 528*
- tantalum, scintillation camera, 50
- Colloid**
- see also *Indium-113m; Technetium-99m; Technetium-99m, sulfur colloid*
- artificial lipid vesicles, interaction with protein and mammalian cells, 567*
- liposome and vesicle labeling, 1102
- liposome trapped $^{99\text{m}}\text{Tc-DTPA}$, preparation, distribution, in animals, 1067
- Computer**
- see also *Camera, scintillation; Data processing; Tomography, computerized axial*
- attenuation effects in tomography, $^{99\text{m}}\text{Tc}$ and positron emitters, 552*
- background subtraction, ^{201}Tl heart imaging, 744
- bloodflow effects on renogram, $^{99\text{m}}\text{Tc-DTPA}$, ^{125}I -Hipuran, 537*
- cerebral flow analysis, 531*; algorithm, 531*
- deconvolution analysis, dynamic $^{99\text{m}}\text{Tc-DTPA}$ renal scan, 352
- dynamic lung perfusion imaging, 541*
- gating procedure, 297
- germanium semiconductor array scanner, 528*
- heart imaging, rib erasure, $^{99\text{m}}\text{Tc-phosphates}$, 68, 523*
- image enhancement, scintillation camera, Fourier transform, 647
- model for bone uptake of ^{18}F and ^{45}Ca , 549*
- modular system, 544*
- positron brain perfusion data analysis, 543*
- probe, left ventricular function studies, 557*
- quantitative myocardial scanning, ^{201}Tl , 531*
- regional liver perfusion, focal lesions, first pass $^{99\text{m}}\text{Tc-S}$ colloid, 532*
- system, regional lung ventilation, ^{133}Xe , 337
- tomographic scanner, flying spot x-ray microbeam, 551*
- tomography, image generation and display, 515*
- tomography, positron transaxial, 552*
- tomography, transverse, brain, vascular lesions, 157*
- ventricular contraction patterns, edge delineation, 544*
- Copper-62**
- $^{67}\text{Zn-}^{62}\text{Cu}$ generator, nuclear parameters, radiopharmaceutical preparations, 559*
- Copper-64**
- liver kinetics in Wilson's disease, 235*
- thiosemicarbazone analog for tumor, distribution, in mice, 568*
- Copper-67**
- bleomycin, -chloride, tumor uptake, in animals, 567*
- Cyclotron**
- $^{101\text{m}}\text{Rh}$ preparation, 536*
- Data processing**
- see also *Computer*
- background subtraction, heart studies, ^{201}Tl , 740
- cardiac chamber flow/volume characteristics, 84, 940, 941
- cerebral blood flow, ^{133}Xe , color display, 953
- deconvolution analysis, $^{99\text{m}}\text{Tc-DTPA}$ renogram, 352, 1020
- digital low-pass filtering, 844
- digital, zone plate camera, 326*
- ECG gating, 297
- edge delineation of left ventricular contraction patterns, 544*
- left ventricular function, mobile dual probe, 930
- lung ventilation, half-time distribution images, ^{133}Xe , 88
- modular system, 544*
- pocket calculator, 544*
- radioimmunoassay curve fitting, 549*
- simultaneous $^{67}\text{Ga-citrate}$, $^{99\text{m}}\text{Tc-S}$ colloid liver scans, 369
- subtraction, cerebral blood volume, computerized axial tomography, 1026*
- Data storage**
- long-distance image transmission, 394
- Deadtime**
- scintillation camera, 665; correction, 137
- Detector**
- crystal mosaic, scintillation camera, 1008
- germanium semiconductor array, 528*
- zone plate aperture, imaging processing, 326*
- Diaphragm**
- congenital hernia, liver image, $^{99\text{m}}\text{Tc-S}$ colloid, 110
- Digoxin**
- see also *Radioimmunoassay*
- assay, screening test, 439
- Diphosphonate** see *Calcium-45; Phosphorous-32; Phosphorous-33; Technetium-99m, diphosphonate*
- Display**
- color, cerebral flow analysis, 531*, 953
- computerized tomography, 515*
- direct recording on 4x5-in. film, 937
- eight-level system, 857*
- long-distance image transmission, 394
- 80 lens oscilloscope camera, 290
- DNA**
- radioimmunoassay, in cancer, 550*
- Dose**
- see also *Radiation dosimetry*
- radiopharmaceutical, record keeping, 1015
- Dose calibrator**
- ^{32}P assay, 404, 1109, 1110
- Drug abuse**
- cross-reacting cannabinoids in urine, radioimmunoassay, 326*
- DTPA** see *Cobalt-57; Copper-62; Gallium-68; Hydrogen-3; Indium-111, DTPA; Technetium-99m, DTPA*

EDTA *see Copper-62; Gallium-68*

Education

American Board of Nuclear Medicine certification, 328

Enzyme

inhibitors, adrenal, ³H-, ¹²⁵I-, preparation, distribution, in dogs, 525*, 998
oxidative phosphorylation, in vitro, H₂¹⁸O, 558*
serum, compared to heart imaging, 523*, 524*
serum levels, myocardial infarct, 1024*
serum levels, myocardial infarct sizing, in dogs, 534*
Sn-induced, in vivo ^{99m}Tc red cell binding, 941
synthesis of ¹¹C-citric acid, 558*

Extremities

see also Joint; Thrombus
bone image in hemoglobinopathy and purpura fulminans, ^{99m}Tc-pyrophosphate, 1062
hand blood flow, ^{99m}Tc-RBC, Raynaud's phenomenon, 564*
hand, Na turnover, neutron activation analysis, 724
injection technique, effect on bolus, 564*
legs, exercise testing, occlusive artery disease, ultrasound, ¹³⁵Xe clearance, 433*
legs, thrombus imaging, ^{99m}Tc-MAA, -microspheres, 969
legs, thrombus scanning, 563*, 564*
metastatic disease on bone scan, incidence, 755

Eye

ultrasonography, 327*, 1124*

Fatty acids

¹¹C-, ¹²³I-hexadecanoic acid, myocardial infarct, in dogs, 1077
⁶⁷CO-, ³H-, -DTPA-, preparation, distribution, in animals, 565*
¹²³I-hexadecanoic acid, heart imaging, 535*

FDA

central radiopharmacies, 577

Fetus

¹²⁵I thyroid therapy, fertility of ex-patients, 460, 532*
¹³¹I thyroid therapy in pregnancy, 146
pelvimetry, usefulness, 439
placental blood flow and growth retardation, ^{99m}Tc-HSA, 72*
radiation dose estimates, ¹³¹I, 515*; ^{99m}Tc, ¹¹¹In, ^{118m}In, ¹²⁵I, ¹²⁵I, ¹³⁵Xe, 539*, 836
ultrasonography, 516*, 517*, 860*, 1028*

Fibrin

radioassay for fibrinolytic activity, 539*
radioiodo-, fibrinolytic and thromboplastic activity of tumors, in vitro, 566*

Fibrinogen

see also Iodine-125, fibrinogen; Iodine-131; Mercury-197; Technetium-99m
radioiodo-, fibrinolytic activity of tumor, in vitro, 566*
radioiodo-, tumor uptake, compared to other agents, in mice, 525*
radioiodo-, tumor uptake mechanism, in animals, 567*

Film

4x5 inch, direct scan recording, 937

Filter

Millipore, ⁶⁷Ga retention, 852

Fluorescence scanning

thyroid, ²⁴¹Am source, radiation hazards, 408
thyroid, benign and malignant nodule differentiation, 17

Fluorine-18

bone scanning, compared to ^{99m}Tc-polyphosphate, 98
bone scanning in breast carcinoma, 433*
bone uptake dynamics, in animals, 526*
bone uptake, mathematical model, 549*
-DAST, fluorinating agent, preparation, 558*
leukocyte labeling, 480
positron camera resolution, 757

Full width at half maximum

positron camera, 757
positron transaxial tomograph, 493

scintillation camera collimators, 50, 665

scintillation camera, collimator, ⁴⁸K, ^{99m}Tc, ¹²³I, ²⁰¹Tl, 719

Gallbladder

¹²⁵I-indotricarbocyanines, preparation, distribution, in mice, 524*
¹²⁵I-iodocholesterol uptake during adrenal scanning, 33
¹¹¹In-phenolphthalexon, preparation, distribution, in animals, 562*
jaundice, differential diagnosis, ^{99m}Tc-HIDA transport and ultrasonography, 545*
jaundice evaluation, 159*
^{99m}Tc-EDDA analogs, preparation, distribution, in animals, 565*
^{99m}Tc-HIDA, preparation, distribution, in animals, 537*, 545*, 633
^{99m}Tc-hydroxyquinolinecarboxylate, preparation, distribution, in animals, 907
^{99m}Tc-kethoxal-bis(thiosemicarbazone), preparation, distribution, in animals, 816
^{99m}Tc-penicillamine complex, preparation, distribution, in animals, 810
^{99m}Tc-pyridoxylidene-glutamate, ¹³¹I-rose bengal, comparison, 36
^{99m}Tc-pyridoxylidene-glutamate, quality control, studies in children, 555*
ultrasonography, 545*, 673*, 860*

Gallium-67

-chloride, -lactate, -Fe-DTPA, brain tumor imaging, 418, 419
leukocytes, abscess imaging, 434*
nuclear parameters, 369
parotid uptake, Sjogren's syndrome, 530*

Gallium-67, citrate

abdominal abscess scanning, with ultrasound, 545*
abscess imaging, perinephric, 858*
abscess uptake, effect of Fe dextran, in rabbits, 356
abscess uptake, in rats, 800
brain scan in stroke, 764*
brain scan, meningioma, 763*
brain tumor imaging, 418, 419
breast and milk uptake, 223, 1055*
breast imaging, 223
comparison of dual-probe scanner and large-field scintillation camera, 547*
hepatoma uptake, compared to other agents, in rats, 274
inflammatory process scanning, 671*
joint imaging, in children, 554*
Kaposi sarcoma scanning, 947*
kidney scanning, 872
kidney transplant evaluation, 175
kidney uptake in amyloidosis, 899
leukocyte labeling, Fe effect, 852
Limulus test, 1088
liver imaging, actinomycosis, 947*
liver imaging, hemangioma, 362
liver scanning, tumor, simultaneous ^{99m}Tc-S colloid, 369
lung cancer staging, 529*
lung scanning in infection, 540*; quantitative, 540*
malignant fibrous histiocytoma scan, 630
pulmonary artery sarcoma imaging, 893
salivary gland uptake after radiation therapy, 685
scanning, bowel preparation, 559*
scanning, causes of abnormalities, 229
scanning in breast cancer, book review, 856
serum binding, effect of radiation exposure, in rats, 538*
thyroid scanning, 268
tuberculous peritonitis scan, 272, 1020
tumor imaging, compared to ¹¹¹In-bleomycin, 671*
tumor scanning, in children, 1026*
tumor uptake, compared to fibrinogen, bleomycins, albumin, 525*
uptake by regenerating liver, in rats, 226
urinary tract infection imaging, 1025*

Gallium-68

- adenosine triphosphate, brain imaging, 473
- albumin microspheres, preparation, distribution, in dogs, 57
- brain perfusion, data analysis, 544*
- DTPA, brain, multiwire proportional chamber positron camera, 546*
- EDTA, brain blood flow, tomography, 546*
- EDTA, brain tomography, 493, 547*, 603
- EDTMP, -DTPMP, chelates for bone, preparation, distribution, imaging, in animals, 566*, 1003
- nuclear parameters, 57
- positron camera resolution, 757
- radiopharmaceutical preparation, 227

Gastrin

- radioimmunoassay, 434*

Gastrointestinal tract

- bowel loop concentration of $^{99m}\text{TcO}_4^-$, 470
- bowel preparation, ^{67}Ga -citrate scanning, 559*
- ^{14}C -, ^{14}C -glycine, -glycine cholate metabolism, breath test, 551*
- colon cancer, metastatic to liver, 677
- displacement, epidermoid cyst of spleen, 196
- fecal blood loss, ^{51}Cr -RBC, 1053
- gastroesophageal reflux, effect of treatment, ^{99m}Tc -S colloid imaging, 559*
- Meckel's diverticulum, $^{99m}\text{TcO}_4^-$ imaging, in children, 465, 553*
- radiation dose estimates, $^{99m}\text{TcO}_4^-$, MIRL, 74
- Schilling test, 229
- ^{99m}Tc -HIDA transport, in jaundice, 545*
- $^{99m}\text{TcO}_4^-$ secretion site, 559*, 756
- visceral larva migrans, radioimmunoassay, 236*
- vitamin B₁₂ absorption, dual-isotope kit, ^{57}Co -B₁₂, ^{58}Co -B₁₂, 72*
- ^{133}Xe clearance, in dogs, 235*

Gating, ECG see Heart, blood flow**Generator**

- ^{99}Mo - ^{99m}Tc , contaminants, 158*, 840
- ^{191}Os - ^{191m}Ir , 555*
- ^{81}Rb - ^{81m}Kr , 530*, 535*
- ^{82}Sr - ^{82m}Rb , 536*
- ^{62}Zn - ^{62}Cu , 559*

Glomerular filtration rate see Kidney**Gold-198**

- clearance rate by RES, 449
- false-positive liver scan in hepatic amyloidosis, 31
- Limulus test, 1088
- package wipe testing, 1013
- radiation effect on carcinogenesis, in rats, 715

Goodpasture's syndrome

- ^{51}Cr -RBC, ^{59}Fe studies, 702

Heart

- and coronary arteries, book review, 945
- $^{87}\text{CO}_2$ -, ^3H -DTPA-fatty acids, preparation, distribution, in animals, 565*
- disease, lung ventilation and perfusion, 530*
- disease, myoglobin radioimmunoassay, 765*
- left ventricular contraction patterns, edge delineation, 544*
- myocardial damage site uptake of 18 radiopharmaceuticals, 911
- myocardial infarct, rat model, 203
- myocardial infarct uptake, ^{113m}In -, ^{99m}Tc -EDTMP, in dogs, 508
- myocardial infarct uptake mechanism, ^{99m}Tc -diphosphonate, -pyrophosphate, in dogs, 534*; in vitro fetal mouse, 534*
- myocardial infarct, uptake mechanism, ^{99m}Tc -pyrophosphate, -tetracycline, in rabbits, 639
- myocardial infarct uptake, ^{99m}Tc -agents and ^{82}Sr , in rabbits, 534*

- myocardial infarct uptake, ^{201}Tl , ^{42}K , effect of cardiac drugs, in dogs, 535*
- ^{81}Rb , ^{42}K , coincidence and noncoincidence counting, 153, 154
- right atrial myxoma, 890
- scanning, ^{201}Tl , quantitative, 531*
- ^{82}Sr - ^{82m}Rb generator, 536*
- ^{99m}Tc -diphosphonate uptake in renal failure, 896
- ^{99m}Tc -pyrophosphate uptake, 853, 854
- ^{99m}Tc -tetracycline, preparation, distribution, in rats, 432*
- tomography, $^{15}\text{NH}_3$, 493
- tomography, $^{15}\text{NH}_3$, ^{11}CO -hemoglobin, 552*, 603
- tomography, ^{81}Rb , ^{130}Cs , $^{15}\text{NH}_3$, 547*
- tomography, transverse section, ^{120}Cs , ^{201}Tl , ^{75}Se -selenomethionine, 552*
- tomography, x-ray, 158*

Heart, blood flow

- audiovisual program review, 669
- bronchopulmonary sequestration, $^{99m}\text{TcO}_4^-$, in children, 1035
- cardiac output, effect of hypoxia, ^{141}Ce -microspheres, in dogs, 542*
- continuous imaging, ^{81m}Kr infusion, 535*
- coronary, ^{133}Xe myocardial clearance, in dogs, 1044
- D-transportation of the great arteries, ^{99m}Tc , in children, 554*
- flow/volume characteristics, $^{99m}\text{TcO}_4^-$, 84, 940, 941
- gating, 297, 555*, 556*, 557*, 1024*
- ^{101m}Ir , generator, studies in monkeys, 555*
- left and right cardiac output, unusual anatomy, 623
- left-to-right shunt detection, C^{18}O_2 inhalation, in children, 555*
- left-to-right shunt quantitation, 857*
- left ventricular ejection fraction, count rate, 557*
- left ventricular ejection fraction, first-pass ^{99m}Tc , 555*, 556*
- left ventricular ejection fraction, frame rate selection, 556*
- left ventricular ejection fraction, nuclear stethoscope, 557*
- left ventricular ejection fraction, reproducibility, 556*
- left ventricular ejection velocity, first-pass, 556*
- left ventricular function, mobile dual probe, ^{99m}Tc -HSA, 930
- left ventricular mean fiber-shortening velocity, systolic ejection rate, $^{99m}\text{TcO}_4^-$, 857*
- left ventricular volume, probe minicomputer, 557*
- myocardial infarct, ^{201}Tl , 233*
- patent ductus arteriosus, $^{99m}\text{TcO}_4^-$, 554*
- quantitative imaging, ^{125}I -hexadecanoic acid, 535*
- radionuclide and ultrasound, post-myocardial infarct, 671*
- scintillation-camera region-of-interest crosstalk, 557*
- ^{99m}Tc -RBC, tagged in vitro, 565*
- 80-lens oscilloscope camera, ^{99m}Tc -HSA, 290

Heart imaging

- acute infarct, dual isotope, ^{201}Tl , ^{99m}Tc -pyrophosphate, 524*
- acute infarct, ^{99m}Tc -polyphosphate, 524*
- acute infarct, ^{99m}Tc -pyrophosphate, 523*
- acute infarct, ^{201}Tl , time of study, 523*
- arteriosclerosis, myocardiopathy, ^{99m}Tc -polyphosphate, -pyrophosphate, 241
- background subtraction, ^{99m}Tc -phosphates, 68
- background subtraction, ^{201}Tl , 744
- collimation, ^{120}Cs , ^{42}K , ^{81}Rb , ^{15}N , 401
- collimation, ^{42}K , ^{99m}Tc , ^{125}I , ^{201}Tl , 719
- compared to electrocardiography, 522*, 523*, 524*, 534*
- comparison of ^{201}Tl , ^{120}Cs , ^{42}K , ^{81}Rb , in dogs, 880
- comparison of ^{201}Tl and ^{99m}Tc -diphosphonate, myocardial infarct, in dogs, 534*
- infarct, ^{125}I -hexadecanoic acid, ^{42}K , ^{11}C -hexadecanoic acid, in dogs, 1077

- infarct, postsurgery, ^{99m}Tc -pyrophosphate, 524*
 infarct quantitation, ^{130}Cs , in dogs, 247
 infarct sizing, ^{99m}Tc -pyrophosphate, in dogs, 534*
 infarct, ^{99m}Tc -pyrophosphate, ^{201}Tl , 771
 infarct uptake mechanism, ^{99m}Tc -diphosphonate, -pyro-
 phosphate, in dogs, 534*; in vitro fetal mouse, 534*
 ischemic heart disease, 1024*
 left, C^{18}O_2 inhalation, 965
 modular programming system, 544*
 quantitative, ^{125}I -hexadecanoic acid, 535*
 reproducibility, ^{201}Tl , 522*
 rest and stress, coronary artery disease, ^{201}Tl , 522*
 rest and stress, normal heart, 583
 subendocardial infarct, ^{99m}Tc -pyrophosphate, 523*
 ^{99m}Tc -pyrophosphate, 241, 523*, 524*, 771, 946*, 1024
 ^{99m}Tc -pyrophosphate, in animals, 534*
 ^{201}Tl compared to ^{86}Rb , 1120*
 transient myocardial ischemia, ^{201}Tl , in dogs, 535*
- Hormone**
see also Thyroid-Stimulating Hormone
 antithyroglobulin radioimmunoassay, 539*
 calcitonin radioimmunoassay in thyroid disease, 533*
 follicle-stimulating, radioreceptor assay, 326*
 human chorionic gonadotrophin, effect on TSH, 533*
 therapy, thyroid cancer, followup, 532*
 thyroid, effect on insulin radioimmunoassay, 533*
- Hydrogen-3**
 -adrenal enzyme inhibitors, preparation, distribution, in
 dogs, 525*, 998
 -catecholamine metabolism in cerebral ischemia, in ger-
 bils, 72*
 -diphosphonate, myocardial infarct uptake mechanisms,
 in dogs, 546*
 -DTPA-fatty acids, preparation, distribution, 565*
 -methyl dopamine, radioimmunoassay, 549*
 package wipe testing, 1013
 quenching curves, 1017
 -tetracycline, myocardial infarct uptake mechanism, in
 rabbits, 639
 -thymidine, radiometric assay for *Herpes simplex virus*
 in cell culture, 503, 550*
- Immunology**
see also Radioimmunoassay
 antigens and antibodies in spleen, in rabbits, 1025*
 cytotoxic activity of immune lymphocytes against ^{51}Cr -
 peritoneal macrophages, 1124*
 ^{125}I -antithyroglobulin, -TSH, vesicle interactions, 567*,
 1073
 ^{125}I -, ^{125}I -tumor antibodies, tumor uptake, in animals, 567*
 ^{99m}Tc -microaggregated albumin after MAA immuniza-
 tion, in rats, 543*
- Indium-111**
 -chloride, brain tumor imaging, 418, 419
 -EDTA-HSA, preparation, distribution, 561*
 leukocyte labeling, 480, 488
 -leukocytes, distribution, abscess uptake, in dogs, 560*
 package wipe testing, 1013
 -phenolphthalexon, for gallbladder, preparation, distribu-
 tion, in animals, 562*
 -platelets, preparation, uptake in vascular damage sites,
 561*
 radiation dose estimates to the embryo, 539*, 836
 summation peaks, 943
 -transferrin, pulmonary vascular permeability, in sheep,
 541*
- Indium-111, bleomycin**
 brain tumor imaging, 418, 419
 comparison of dual-probe and tomographic scanners,
 547*
 Kaposi sarcoma scanning, 947*
 liposome and leukocyte labeling, 488
 liver uptake, effect of dimercaprol, in mice, 1083
 tumor imaging, compared to ^{67}Ga -citrate, 671*
- tumor uptake, compared to ^{111}In -chloride, in animals,
 567*
- Indium-111, DTPA**
 cisternography, effect of pneumoencephalography, 54
 cisternography, uptake in a subdural hygroma, 119
 cisternography, stasis in posterior fossa, 349
 dynamic cisternography, 858*
 Limulus test, 1088
 transverse section cisternography, 924
- Indium-113m**
 -colloid, liver-spleen imaging in cystic fibrosis, 514*
 -colloid, liver-spleen scan, sickle cell anemia, 852
 -EDTMP, preparation, myocardial infarct uptake, in
 dogs, 508
 package wipe testing, 1013
 radiation dose estimates to the embryo, 539*, 836
 radiation effect on carcinogenesis, in rats, 715
- Infection**
see also Abscess; Bacteria; Virus
Actinomyces, ^{67}Ga -citrate imaging, 947*
 ^{67}Ga -citrate scanning, 671*
 lung, ^{67}Ga scanning, 540*
 osteomyelitis, 71*, 617, 620, 857*
 pelvic masses, ultrasonography, 1028*
 urinary tract, ^{67}Ga -citrate imaging, 1025*
- Injection**
 middle cerebral artery, ^{133}Xe , cerebral blood flow, in ani-
 mals, 158*
 percutaneous puncture, ultrasound-guided, 432*
 systemic, ^{133}Xe , coronary blood flow, in dogs, 1042
 technique, effect on/bolus, 564*
- Insulin**
 adipose tissue binding, effect of fenfluramine, 326*
 radioimmunoassay, effect of thyroid hormone, 533*
- Interpretation** *see Observer interpretation*
- Iodine**
 content, thyroid nodule, benign and malignant differen-
 tiation, fluorescence scanning, 17
 radio-, -fibrinogen, -fibrin, thromboplastic and fibrinolytic
 activity of tumors, in vitro, 566*
 radio-, fibrinogen, tumor uptake mechanism, in animals,
 567*
- Iodine-123**
 assay, coincidence-counting, 1111, 1112
 assay, well counter, summing effects, 220, 943, 944
 collimation for myocardial imaging, 719
 -fibrinogen, optimal thrombus detection, 563*
 -hexadecanoic acid, myocardial infarct imaging, in dogs,
 1077
 -hexadecanoic acid, quantitative myocardial imaging,
 535*
 -iodoantipyrine, kit preparation, 1093
 leukocyte labeling, 480
 nuclear parameters, 220, 261
 package wipe testing, 1013
 radiation dose estimates to the embryo, 539*, 836
 radiocontaminants, effect on dosimetry, imaging, 740
 thyroid, autonomous functioning nodule uptake rate, 532*
 thyroid imaging, compared to $^{99m}\text{TcO}_4^-$, 261, 1021
 thyroid scans, 4 and 24 hr, 1050
 thyroid uptake, depth correction, 529*
- Iodine-124**
 ^{125}I contamination, 740
- Iodine-125**
 -adrenal enzyme inhibitors, preparation, distribution, in
 dogs, 525*, 998
 -antithyroglobulin, -TSH, binding by lipid vesicles, 567*,
 1073
 -digoxin, radioimmunoassay, kit comparisons, 847
 -DNA, radioimmunoassay, in cancer, 550*
 -erythropoietin, radioimmunoassay, 1123*
 -follicle-stimulating hormone, radioreceptor assay, 326*
 hepatitis B radioimmunoassay, 1027*

- HSA, uptake by forming and preformed thrombi, in rabbits, 543*
- HSA, uptake by surface of artery, in vitro, in dogs, 234*
- hydroxymercurifluorescein, damaged myocardium uptake, in animals, 911
- ¹²⁵I contamination, 740
- insulin, adipose tissue binding, effect of fenfluramine, 326*
- insulin, radioreceptor assay, 859*
- iothalamate, GFR, compared to inulin, ^{99m}Tc-DTPA, in dogs, 317
- metabolism in gram-negative septicemia, in rats, 104
- myoglobin radioimmunoassay, 765*
- nuclear parameters, 261
- package wipe testing, 1013
- photon densitometry, in osteoporosis, 526*
- prolactin radioimmunoassay, 1027*
- proteins, immunology studies of spleen, in rabbits, 1025*
- radioassay, liquid scintillation counter, 434*
- rat alpha fetoprotein preparation, 765*
- summation peaks, 943, 944
- tetracycline analog, bone growth, in dogs, 549*
- thyroxine, plasma clearance, effect of blocking, 657
- tumor antibodies, preparation, distribution, in animals, 567*
- T₃, radioimmunoassay, 411
- T₃, simultaneous ¹²⁵I-T₃ radioimmunoassay, 550*, 660
- Iodine-125, fibrinogen**
 - clearance rates, 282
 - endothelial damage sites, in dogs, 543*
 - joint uptake in venography, 1025*
 - kidney transplant evaluation, 175
 - lung deposition following endotoxin, in animals, 543*
 - thrombus scanning, 325*
 - uptake by forming and preformed thrombi, in rabbits, 543*
 - uptake by thrombi after hip surgery, 71*
- Iodine-126**
 - ¹²⁵I contamination, 740
- Iodine-130**
 - ¹²⁵I contamination, 740
- Iodine-131**
 - albumin, brain tumor imaging, 418, 419
 - albumin, extraction efficiency, dual isotope technique, ²⁰¹Tl, ²⁰³Hg-chlormerodrin, in dogs, 538*
 - albumin, microaggregated, ultrasonic preparation, distribution, in animals, 72*
 - bleomycin, adenocarcinoma uptake, in rats, 385
 - Bromsulphalein, Limulus test, 1088
 - contaminant, ^{99m}Tc generator eluate, 840
 - fibrinogen, high specific activity, preparation, thrombus imaging, in dogs, 397
 - fibrinogen, kidney transplant evaluation, 175
 - hippurate, relative renal blood flow, in dogs, 538*, 876
 - ¹²⁵I contamination, 740
 - indotricarbocyanines for gallbladder, preparation, distribution, in mice, 524*
 - iodocholesterol, adrenal scanning, gallbladder uptake, 33
 - iodomethylnorcholesterol, liver scan, metastases from adrenal carcinoma, 904
 - iodomethylnorcholesterol, radiation dosimetry, 540*
 - leukocyte labeling, 480, 488
 - microaggregated albumin, leukocyte labeling, 488
 - nor-iodocholesterol, adrenal imaging, 563*
 - nuclear parameters, 261
 - orthocholesterol, adrenal scanning in renovascular hypertension, 378
 - package wipe testing, 1013
 - plasminogen, thrombus uptake, in dogs, 542*
 - PVP, Limulus test, 1088
 - radiation dose estimates to the embryo, 539*, 515*, 836
 - radioassay, liquid scintillation counter, 434*
 - tetracycline, preparation, hepatoma uptake, compared to other agents, in rats, 274
 - thyroid, autonomous functioning nodule uptake, 532*
 - thyroid carcinoma, disparate uptake, ^{99m}TcO₄⁻, 22
 - thyroid content, grazing animals, during nuclear tests, 515*
 - thyroid scanning, 983
 - thyroid scanning, "owl eye" sign in carcinoma nodule, 985
 - thyroid therapy, *see Therapy*
 - thyroid uptake, liquid, capsule comparison, 310
 - thyroid uptake, scintillation camera, 359
 - tumor antibodies, preparation, distribution, in animals, 567*
 - T₃, simultaneous T₃, 550*, 660
- Iodine-131, Hippuran**
 - iodide, -PVP, Limulus test, 1088
 - isolated dog kidney renography, 1121*
 - kidney studies in hypertension, 562*
 - renogram, bloodflow effects, 537*
 - renogram, transplants, 537*
- Iodine-131, rose bengal**
 - compared to ^{99m}Tc-pyridoxylidene-glutamate for gallbladder, 36
 - damaged myocardium uptake, in animals, 91
 - jaundice evaluation, 159*
 - Limulus test, 1088
 - scan in hepatic adenoma, 560*
- Iridium-191m**
 - generator, heart studies, in monkeys, 555*
- Iron-59**
 - chloride, Limulus test, 1088
 - kinetics, Goodpasture's syndrome, 702
 - package wipe testing, 1013
- Joint**
 - disease, uptake of ¹²⁵I-fibrinogen venography, 1025*
 - disease, ¹⁸F and ^{99m}Tc-polyphosphate bone scanning, 98
 - ⁶⁷Ga-citrate imaging, in children, 554*
 - mandibular, ^{99m}Tc-bone agent and ²⁰¹Tl transmission imaging, 525*
 - quantitative ^{99m}Tc-diphosphonate uptake in rheumatoid arthritis, 525*
 - ^{99m}Tc-diphosphonate imaging in juvenile rheumatoid arthritis, 554*
 - total hip arthroplasty, ⁸⁷Sr, 1121*
 - total hip arthroplasty, ^{99m}Tc-pyrophosphate evaluation, 526*
- Kidney**
 - abscess, ⁶⁷Ga-citrate, ^{99m}Tc-glucoheptonate imaging, subtraction method, 858*
 - angiotensin-I radioimmunoassay in hypertension, bed rest effects, 563*
 - ¹¹C-citric acid, preparation, distribution, in animals, 558*
 - cellular uptake, of ^{99m}Tc-glucoheptonate and -DMSA, autoradiography, in rats, 536*
 - ⁶⁴Cu agents, preparation, 559*
 - dialysis, abnormal brain studies, 6
 - disease, effects on bone imaging, 229
 - disease, effect on Schilling test, 229
 - extraction efficiency, dual isotope, ¹³¹I-HSA, ²⁰³Hg-chlormerodrin, ²⁰¹Tl, in dogs, 538*
 - failure, ^{99m}Tc-polyphosphate bone scanning, 764*
 - failure, ^{99m}Tc-pyrophosphate bone uptake, 711
 - function evaluation, book review, 945
 - GFR, comparison of inulin, ¹²⁵I-iothalamate, ^{99m}Tc-DTPA, in dogs, 317
 - GFR, dynamic scan, ^{99m}Tc-DTPA, deconvolution analysis, 352, 1020
 - hemangioma, 362
 - ¹⁹⁷HgCl₂ uptake, book review, 855
 - hypertension, 378, 563*, 947*
 - imaging, compared to Saralasin infusion test and renin radioimmunoassay, ¹²⁵I-Hippuran, ^{99m}Tc-glucoheptonate, 562*
 - imaging, spleen simulation of renal mass, 1104

SUBJECT INDEX

- imaging, ^{99m}Tc-glucoheptonate, 786
 prostaglandin-E₂ radioimmunoassay, 860*
 renin radioimmunoassay, 562*
 Saralasin infusion test, 562*
 scanning, combined with adrenal scan, renovascular hypertension, 378
 scanning, ⁶⁷Ga-citrate, 872; amyloidosis, 899
 studies, book review, 856
^{99m}Tc-DMSA, structure, 565*
^{99m}Tc-EDDA analogs, preparation, distribution, in animals, 565*
^{99m}Tc-MIDA, preparation, distribution, in animals, 633
^{99m}Tc-polyphosphate uptake, 426, 427, 428, 429
^{99m}Tc-S colloid uptake parameters, in rats, 681
 ultrasonography, 432*, 766*, 948*, 1124*
- Kidney, blood flow**
 audiovisual program review, 669
 effect on ¹³¹I-Hippuran and ^{99m}Tc-DTPA curves, 537*
 isolated dog kidney, ^{99m}Tc, 1121*
 relative, ¹³¹I-Hippuran, ⁸⁵Sr-microspheres, in dogs, 538*
 relative, ⁹⁵Nb-microspheres, in dogs, 876
 to aortic bloodflow index, 537*
 80-lens oscilloscope camera, ^{99m}Tc-DMSA, 290
- Kidney, renogram**
 bloodflow effects, ¹³¹I-Hippuran, ^{99m}Tc-DTPA, 537*
 compared to urography, hydronephrosis, 946*
 compartmental model, 1121*
 in hypertension, 947*
 isolated dog kidney, ¹³¹I-Hippuran, 1121*
 modular programming system, 544*
 screening test, usefulness, 439
 transplants, ^{99m}Tc-DTPA, ¹³¹I-Hippuran, 537*
- Kidney, transplant**
 evaluation, ¹³¹I-, ¹²⁵I-fibrinogen, ^{99m}Tc-S colloid, ⁶⁷Ga-citrate, 175
 evaluation, ^{99m}Tc-S colloid, 175, 181, 939, 940
 kidney to aortic bloodflow index, 537*
 lymphocele, ultrasonography, 1028*
 renograms, ¹³¹I-Hippuran, ^{99m}Tc-DTPA, 537*
^{99m}Tc-DTPA imaging, body-background defects, 696
 ultrasonography, 432*
- Kit**
 gastrin radioimmunoassay, 434*
¹²⁵I-iodoantipyrine, 1093
¹²⁵I-digoxin radioimmunoassay, comparisons, 847
^{99m}Tc-HSA, evaluation, 47
^{99m}Tc-pyrophosphate, evaluation, 325*
^{99m}Tc-RBC, 126, 1027*
 T₃, normal range, 665, 666
 T₃ radioimmunoassay, 321, 943
 unbound ^{99m}Tc, 805
 vitamin B₁₂ absorption, ⁵⁷Co- and ⁵⁸Co-B₁₂, 72*
- Krypton-77**
 brain blood flow, data analysis, 543*
 brain blood flow tomography, 546*
- Krypton-81m**
 myocardial imaging, continuous infusion, 535*
 nuclear parameters, 401
 regional lung ventilation, 530*
- Krypton-85**
 package wipe testing, 1013
- Laminar flow, 228**
- Lead-203**
 -acetate, abscess uptake, in rats, 800
 leukocyte labeling, 480, 488
 RBC labeling, 488
- Legs see Extremities**
- Leprosy**
 bone imaging, ^{99m}Tc-pyrophosphate, 788
- Leukocytes**
⁵¹Cr-, distribution, in rats, 313
⁶⁷Ga-, abscess imaging, 434*
⁶⁷Ga labeling, effect of Fe, 852
- ¹¹¹In-, preparation, distribution, abscess uptake, in dogs, 560*
 labeling, 480, 488
 surface functional group effects in phagocytosis, 561*
^{99m}Tc labeling, 730
^{99m}Tc-, preparation, distribution, bone uptake, in rats, 313
^{99m}Tc-microsphere labeling, distribution, 561*
^{99m}Tc-monocytes, preparation, chemotactic studies, 988
- Licensure**
 central radiopharmacies, 577
- Limulus amoebocyte lysate**
 test sensitivity, 1088
- Line spread function**
 pinhole collimator, scintillation camera, myocardial agents 401
 positron transaxial tomograph, 493
 scintillation camera collimators, ⁴⁸K, ^{99m}Tc, ¹²⁵I, ²⁰¹Tl, 719
 scintillation camera, ²⁰¹Tl, 142
- Lipids**
¹⁴C-acetate incorporation, isolated rat epidermal cells, 859*
 hyper- and normolipidemic humans, ⁷⁵Se-selenomethionine turnover, 71*
 liposome and vesicle labeling, 1102
 liposome-trapped ^{99m}Tc-DTPA, preparation, distribution, in animals, 1067
 vesicles, binding of thyroid antibodies and hormones, 1073
 vesicles, interaction with proteins and mammalian cells, 567*
- Liquid scintillation counter**
 capsule radioassay, ⁶⁰Co, ¹²⁵I, ¹³¹I, 434*
 quenching curves, 1017
- Liver**
 colloid clearance rate, cirrhosis, hepatitis differentiation, 449
 comparison of ^{99m}Tc-S colloid imaging, ultrasound and axial tomography, 544*
⁶²Cu-agents, 559*
 disease, alpha-fetoprotein radioimmunoassay, 159*
 disease, carbohydrate metabolism, ¹⁴CO₂ spirometry, in children, 218
 function, alcoholism, 433*
 hepatoma, uptake of ¹³¹I-tetracycline, ⁶⁷Ga-citrate, ^{99m}Tc compounds, in rats, 274
¹³¹I-indotricarbocyanines, preparation, distribution, in mice, 524*
¹³¹I-microaggregated albumin, ultrasonic preparation, distribution, in animals, 72*
¹¹¹In-bleomycin uptake, effect of dimercaprol, in mice, 1083
 liposome-trapped ^{99m}Tc-DTPA distribution, in animals, 1067
²⁰⁸Pb-acetate distribution, in rats, 800
 regenerating, ⁶⁷Ga-citrate uptake, in rats, 226
^{99m}Tc-HIDA, preparation, distribution, in animals, 537*, 633
^{99m}Tc-HIDA transport and ultrasonography, in jaundice, 545*
^{99m}Tc-phytate, preparation, distribution, in animals, 389
 tomography, axial, 544*
 tomography, ¹⁵NH₃, 493
 tumor, carcinogen induced, effects of radiation, in rats, 715
 tumor uptake of ^{99m}Tc-diphosphonate, 1060
 ultrasonography, 327*, 516*, 544*, 545*
 Wilson's disease, ⁶⁴Cu kinetics, 235*
- Liver, blood flow**
 adenoma and focal nodular hyperplasia, ^{99m}Tc-S colloid, 560*
 focal lesions, first pass perfusion, ^{99m}Tc-S colloid, 532*
 hemangioma, ^{99m}Tc-S colloid, 362

- superior vena cava obstruction, ^{99m}Tc -S colloid, $^{99m}\text{TcO}_4^-$, 851
- tumor detection, 434*, 671
- ultrasonography, portal and hepatic venous anatomy, 949*
- 80-lens oscilloscope camera, ^{99m}Tc -S colloid, 290
- Liver imaging**
- actinomycosis, ^{67}Ga -citrate, ^{99m}Tc -S colloid, 947*
- adenoma, focal nodular hyperplasia, ^{99m}Tc -S colloid, 560*
- Budd-Chiari syndrome, ^{198}Au , ^{99m}Tc -S colloid, 365, 1019
- causes of abnormalities, 229
- compared to scanning, 419, 421
- congenital diaphragmatic hernia, ^{99m}Tc -S colloid, 110
- hemangioma, ^{67}Ga -citrate, ^{99m}Tc -S colloid, ultrasound, 362
- image enhancement, fast Fourier transform techniques, 647
- malaria, ^{99m}Tc -S colloid, 794
- metastases from colon and breast cancer, ^{99m}Tc -S colloid, 677
- RES clearance rate of ^{99m}Tc -S colloid, ^{198}Au , 449
- staging lung cancer, 529*, 530*
- superior vena cava obstruction, ^{99m}Tc -S colloid, $^{99m}\text{TcO}_4^-$, 851
- tumor, post Thorotrast, ^{99m}Tc -S colloid, 200
- value, 439
- Liver scanning**
- ascitic fluid effects, 1019
- Budd-Chiari syndrome, ^{198}Au , ^{99m}Tc -S colloid, 365, 1019
- compared to imaging, 419, 421
- cystic fibrosis, ^{113m}In -colloid, 514*
- dextrogastric, ^{99m}Tc -S colloid, 1109
- false positive, hepatic amyloidosis, ^{198}Au , 31
- ^{125}I -iodomethylnorcholestenol, ^{99m}Tc -S colloid, metastases from adrenal carcinoma, 904
- jaundice evaluation, 159*
- radiotherapy-induced defects, 424, 425
- sickle cell anemia, ^{113m}In -colloid, 852
- tumor detection, ^{99m}Tc -S colloid, 434*
- tumor, simultaneous ^{67}Ga -citrate, ^{99m}Tc -S colloid, 369
- tumor, with angiography, 671*
- Lung**
- adenocarcinoma, $^{99m}\text{TcO}_4^-$ uptake, 116
- bronchogenic carcinoma, chronic bronchitis, CEA levels, 672*
- bronchopulmonary sequestration, $^{99m}\text{TcO}_4^-$ angiography, 1035
- cancer, bone imaging, 406
- cancer, metastatic to bone, 764*
- cancer staging, multiorgan studies, 529*, 530*
- ^{14}C -octylamine, preparation, distribution, in rabbits, 752
- ^{64}Cu -agents, 559*
- ^{68}Ga -albumin microspheres, preparation, distribution, in dogs, 57
- ^{68}Ga -radiopharmaceutical preparations, 227
- hypoxia, effect on cardiac output, in dogs, 542*
- liposome trapped ^{99m}Tc -DTPA distribution, in animals, 1067
- pulmonary embolism, 88, 163, 613, 759, 760, 969
- retention of ^{127}Xe , 542*
- ^{99m}Tc -microaggregated albumin uptake after MAA immunization, in rats, 543*
- ^{99m}Tc -S colloid uptake, malaria, 794
- ^{99m}Tc -S colloid uptake mechanism, in animals, 543*, 681
- unilateral hypovascularity, effect on bone images, 27, 853
- vascular permeability, ^{111}In -transferrin, in sheep, 541*
- Lung imaging**
- calcification, ^{99m}Tc -diphosphonate, 858*
- causes of abnormalities, 229
- inhalation injury, ^{133}Xe in solution, 1120*
- interpretation, 531*
- perfusion, audiovisual review, 669
- perfusion, $^{99m}\text{TcO}_4^-$, 541*
- perfusion, unusual anatomy, 623
- small ischemic lesions, ^{11}CO , C^{18}O , inhalation, in dogs, 531*, 866
- value as screening test, 439
- 80-lens oscilloscope camera, 290
- Lung ventilation**
- half-time data processing, ^{133}Xe , 88, 759, 760
- ^{81m}Kr , 530*
- perfusion, in D-transportation of the great arteries, ^{133}Xe , in children, 554*
- perfusion, ^{81m}Kr , ^{99m}Tc -microspheres, 530*
- perfusion, lymphangitic carcinomatosis, ^{133}Xe , ^{99m}Tc -MAA, 258
- perfusion, modular programming system, 544*
- perfusion, ^{15}N , hyperinflation and Fallot's tetralogy, 233*
- perfusion, pulmonary artery sarcoma, ^{99m}Tc -HSA, ^{133}Xe , 893
- perfusion, pulmonary embolism, 163, 939; ^{133}Xe , 613
- perfusion, regional, ^{133}Xe , instrumentation, 337
- perfusion, ^{99m}Tc -phytate aerosol, ^{99m}Tc -MAA, 707
- ^{99m}Tc -Fe aerosol, 122
- ^{133}Xe , effects of decongestant drugs, 541*
- Lung scanning**
- cost-effectiveness, 163, 939
- ^{51}Cr -RBC, Goodpasture's syndrome, 702
- infection, ^{67}Ga , 540*; quantitative, 540*
- right atrial myxoma presenting as a pulmonary embolism, 890
- serial, pulmonary embolism, ^{99m}Tc -MAA, in dogs, 541*
- Lymph nodes**
- cervical lymphadenitis, $^{99m}\text{TcO}_4^-$ cerebral blood flow, 26
- lymphoma, cytotoxicity assay, 1123*
- Macroaggregated albumin** *see Technetium-99m, albumin*
- Mediastinum**
- malignant fibrous histiocytoma, ^{67}Ga -citrate scan, 630
- Mercury-197**
- chloride, kidney uptake, book review, 855
- chlormerodrin, brain tumor imaging, 417, 418
- chlormerodrin, kidney and adrenal scanning in renovascular hypertension, 378
- fibrinogen, preparation, 542*
- package wipe testing, 1013
- summation peaks, 943, 944
- Mercury-203**
- chlormerodrin, kidney extraction efficiency, with ^{125}I -HSA, in dogs, 538*
- chlormerodrin, -nitrate, -BMHP, -fluorescein analogs, damaged myocardium uptake, in animals, 911
- Microaggregated albumin** *see Iodine-131; Technetium-99m, albumin*
- Microspheres** *see Cerium-141; Gallium-68; Niobium-95; Strontium-85; Technetium-99m*
- MIRD**
- radiation dose estimates from $^{99m}\text{TcO}_4^-$, 74
- Model**
- animal, *see also specific organ*
- compartmental, renogram, 1119*
- dog, carotid-basilar bypass, 948*
- mathematical, bone uptake of ^{18}F and ^{45}Ca , 549*
- mathematical, cerebral blood flow, ^{133}Xe , 159*, 596
- mathematical, RES clearance rates, 449
- rat, acute myocardial infarction, 203
- Modulation transfer function**
- image-intensifier tube scintillation camera, 1008
- pinhole collimator, scintillation camera, myocardial agents, 401
- pocket calculator program, 544*
- scintillation camera, ^{99m}Tc , digital low-pass filtering, 844
- scintillation camera, ^{201}Tl , 142

Molybdenum-99

- package wipe testing, 1013
- ^{99m}Tc generator, Pu content, 158*

Muscle

- damaged, ^{99m}Tc -tetracycline uptake, in rats, 432*
- skeletal, damaged, ^{99m}Tc -diphosphonate uptake, in rats, 765*
- skeletal, ^{201}Tl , ^{40}K uptake, effect of cardiac drugs, 535*

Myocardium see Heart**Neptunium-239**

- contaminant, ^{99m}Tc generator eluate, 840

Neutron activation analysis

- Na turnover in hand, 724
- total body Ca, ^{37}Ar excretion, 529*
- total body Ca, in osteoporosis, 526*

Niobium-95

- microspheres, relative renal blood flow, in dogs, 876

Nitrogen-13

- alanine, pancreas scanning, 560*
- ammonia, brain imaging, 473, 551*
- ammonia, brain tomography, 552*, 603
- ammonia, heart imaging, collimation, 401
- ammonia, heart tomography, 493, 547*, 552, 603
- BCNU, preparation, distribution, in rats, 558*
- lung ventilation, perfusion, in neonate, 233*
- nuclear parameters, 401, 583

Nomenclature see Terminology**Nuclear Medicine Pioneer Citation**

- David E. Kuhl, M.D., 518

Nuclear parameters see specific radionuclide**Nuclear stethoscope**

- left ventricular function, ^{99m}Tc -HSA, 557*

Observer interpretation

- lung perfusion and ventilation images, 531*
- myocardial image, acute infarct, ^{99m}Tc -pyrophosphate, 523*
- myocardial image, rest and stress, ^{201}Tl , 522*
- myocardial infarct quantitation, ^{137}Cs , in dogs, 247
- nuclear medicine procedures, 229
- value of diagnostic and screening tests, 439

Oscilloscope

- camera, 80 lens, 290

Osmium-191

- $^{191\text{m}}\text{Ir}$ generator, 555*

Ovaries

- Book review, *Synopsis of Gynecologic Oncology*, 669
- carcinoma, ^{99m}Tc -pyrophosphate uptake, 29
- radiation dose, ^{131}I thyroid therapy, 539*, 826
- radiation dose estimates, $^{99m}\text{TcO}_4^-$, MIRD, 74

Oxygen-15

- C^{15}O , lung ventilation in ischemia, in dogs, 531*
- C^{15}O preparation, 866
- C^{15}O_2 inhalation, left heart imaging, 965
- C^{15}O_2 inhalation, left-to-right shunt detection, in children, 555*
- C^{15}O_2 , transverse-section brain imaging, 551*
- H_2^{15}O , preparation, oxidative phosphorylation, in vitro, 558*
- nuclear parameters, 866, 965
- $^{15}\text{O}_2$, brain imaging, 473
- $^{15}\text{O}_2$, inhalation, brain extraction, 1026*

Pancreas

- ^{11}C -amino acids, preparation, distribution, 557*
- disease, Schilling test, 229
- imaging, causes of abnormalities, 229
- imaging, retrograde, in dogs, 560*
- pseudocyst, spleen displacement, 193
- scanning, ^{15}N -alanine, 560*
- tomography, 158*
- ultrasonography, 432*, 949*, 1124*
- ultrasonography, normal, 860*

Parasite

- filarial, ^{99m}Tc -diphosphonate bone scan, 425

- hookworm, erythropoietin radioimmunoassay, 1123*
- visceral larva migrans, radioimmunoassay, 236*

Parathyroid

- hyper-, bone involvement evaluation, 533*, 711, 764*
- hyper-, myocardial uptake of ^{99m}Tc -diphosphonate, 896
- parathormone radioimmunoassay, book review, 1118

Pediatrics*see also Fetus*

- bone image in hemoglobinopathy and purpura fulminans, ^{99m}Tc -pyrophosphate, 1062
 - brain blood flow, $^{99m}\text{TcO}_4^-$, 780
 - brain scanning in perinatal asphyxia, $^{99m}\text{TcO}_4^-$, 554*
 - brain tomography, 433*, 948*
 - bronchopulmonary sequestration, $^{99m}\text{TcO}_4^-$ angiography, 1035
 - carbohydrate metabolism in liver disease, spirometry, ^{14}C , 218
 - congenital diaphragmatic hernia, ^{99m}Tc -S colloid liver image, 110
 - cystic fibrosis, liver-spleen imaging, $^{113\text{m}}\text{In}$ -colloid, 514*
 - ^{67}Ga in mother's milk, 223, 1055*
 - ^{67}Ga -citrate scanning, solid tumors, 1026*
 - heart blood flow, in patent ductus arteriosus, $^{99m}\text{TcO}_4^-$, 554*
 - heart, left-to-right shunt detection, C^{15}O_2 inhalation, 555*
 - $^{191\text{m}}\text{Ir}$, angiocardiograms, in monkeys, 555*
 - joint imaging, ^{67}Ga -citrate, 554*
 - joint imaging, ^{99m}Tc -diphosphonate, 554*
 - lung ventilation, perfusion, D-transportation of the great arteries, ^{133}Xe , 554*
 - Meckel's diverticulum, $^{99m}\text{TcO}_4^-$ imaging, 465, 553*
 - osteoblastoma of the axial skeleton, ^{99m}Tc -polyphosphate scan, 187
 - osteomyelitis, bone scanning, 71*, 617, 620, 857*
 - Pediatric Nuclear Medicine*, book review, 512
 - pelvimetry, usefulness, 439
 - pulmonary hyperinflation and Fallot's tetralogy, ventilation, perfusion, ^{15}N , 233*
 - right and left cardiac output, unusual anatomy, 623
 - salivary gland uptake of ^{67}Ga -citrate after radiotherapy, 685
 - scrotal imaging for testicular torsion, $^{99m}\text{TcO}_4^-$, -HSA, 553*
 - ^{99m}Tc in breast milk, 1024*
 - ^{99m}Tc -pyridoxylidene-glutamate, gallbladder studies, 555*
 - ultrasonography, craniopharyngioma, 327*
 - ultrasonography, kidney, 432*
 - ultrasonography, mass diagnosis, 766*
 - ultrasonography, mesenteric cyst, 860*
- Phosphorus-32**
- assay, dose calibrator, 404, 1109, 1110
 - chromic phosphate therapy, intracavitary, 150, 151
 - diphosphonate, bone and bone tumor turnover, in dogs, 548*
 - diphosphonate, distribution compared to ^{99m}Tc -diphosphonate, in osteogenic sarcoma, 548*
 - diphosphonate, -pyrophosphate, -orthophosphate, distribution, in rats, 548*
 - diphosphonate, therapy, metastatic bone tumor, 548*
 - package wipe testing, 1013
 - phosphate, Limulus test, 1088
 - pyrophosphate, distribution, autoradiography, in rats, 1025*
 - pyrophosphate, myocardial infarct uptake mechanism, 639
- Phosphorus-33**
- diphosphonate, distribution, in rats, 548*
- Photon absorption**
- bone Ca in hyperparathyroidism, 533*
- Pituitary gland**
- radioreceptor assay for follicle-stimulating hormone, 326*

- Placenta**
blood flow and growth retardation, ^{99m}Tc -HSA, 72*
- Platelets** *see Chromium-51; Indium-111*
- Plutonium**
content, ^{239}Pu generators, 158*
- Positron**
camera, *see Camera, positron*
emitters, effect of attenuation on reconstruction and noise in tomography, 552*
imaging, *see Carbon-11; Cesium-130; Gallium-68; Krypton-77; Nitrogen-13; Oxygen-15; Rubidium-82*
tomograph, 493
- Potassium-42**
myocardial infarct uptake, effect of cardiac drugs, in dogs, 535*
package wipe testing, 1013
- Potassium-43**
coincidence and noncoincidence counting, 153, 154
leukocyte labeling, 480
myocardial imaging, collimation, 401, 719
myocardial imaging, compared to ^{201}Tl , ^{125}Cs , ^{81}Rb , in dogs, 880
myocardial infarct studies, in dogs, 1077
nuclear parameters, 401, 583, 880
package wipe testing, 1013
- Probe**
—computer system, left ventricular function, 557*
dual, mobile, left ventricular function, ^{99m}Tc -HSA, 930
joint uptake of ^{99m}Tc -diphosphonate, 526*
- Prostate**
cancer, metastatic to bone, 253, 548*, 764*
 ^{11}C -methyl-diaminobutane, preparation, distribution, in rats, 525*
- Proteins**
 ^{125}I -, immunology studies of spleen, in rabbits, 1025*
- Pyrophosphate** *see Phosphorus-32; Technetium-99m, pyrophosphate*
- Quality control**
see also Chromatography
Auger and conversion electron measurement, 72*
gastrin radioimmunoassay reproducibility, 434*
 ^{125}I radiocontaminant effects, 740
Limulus test sensitivity, 1088
optical systems, book review, 155
 ^{32}P assay, dose calibrator, 404, 1109, 1110
radioassay of capsules, 434*
radiochemical purity, 865
scintillation camera, field flood uniformity correction, 653
scintillation camera performance, 665
 ^{99m}Tc -diphosphonate stabilization, 820
testing, ^{99m}Tc -fibrinogen, 151, 153
testing, ^{99m}Tc -HSA, 704, 758, 759
testing, ^{99m}Tc -leukocytes, 730
testing, ^{99m}Tc -phytate, 389
testing, ^{99m}Tc -RBC, 126, 133
- Radiation damage**
effect on carcinogenesis, x-ray, ^{113m}In , ^{198}Au , in rats, 715
effect on ^{67}Ga -citrate serum binding, in rats, 538*
fertility of ^{131}I therapy patients, 460, 532*
 ^{131}I to fetus, 146, 515*
liver tumor, post Thorotrast, 200
radiotherapy, liver scan defects, 424, 425
- Radiation dosimetry**
 ^{241}Am sources, fluorescent thyroid scanning, 408
 ^{204}Bi -, ^{209}Bi -citrates, 301
 ^{11}CO , C^{15}O inhalation, 866
fetus, estimates, ^{99m}Tc , ^{111}In , ^{113m}In , ^{125}I , ^{131}I , ^{135}Xe , 539*, 836
fetus, ^{131}I , 146, 515*
infant, ^{67}Ga -citrate in breast milk, 1055*
 ^{125}I -hexadecanoic acid for heart imaging, 1077
 ^{125}I -, radiocontaminant effects, 740
 ^{125}I in thyroid of grazing animals during nuclear tests, 515*
 ^{125}I -iodomethylnorcholesterol, 540*
 ^{125}I -, therapy, gonadal dose, 539*, 826
 ^{111}In -phenolphthalexon, in animals, 562*
 $^{16}\text{O}_3$, ^{15}N -ammonia, ^{67}Ga -adenosine triphosphate, 473
perchlorate effect on $^{99m}\text{TcO}_4^-$ distribution, 540*
quantitative uptake methodology, ^{99m}Tc , 536*
 ^{32}S tumor therapy, 285
 ^{75}Se -selenocholesterol, 212
 $^{99m}\text{TcO}_4^-$, MIRD, 74
 ^{99m}Tc -RBC, 133
Thorotrast, 200
tissue isotope distribution, 1110
whole-body retention of ^{137}Xe , 542*
- Radiation safety**
book review, 512, 1023
procedures for receiving packages, 1013
- Radiation therapy**
book review, 762
effect on DNA radioimmunoassay, in cancer, 550*
effect on salivary gland uptake of ^{67}Ga -citrate, 685
effects, ^{99m}Tc -pyrophosphate bone imaging, 527*
gynecologic, book review, 669
liver scan defects, 424, 425
- Radioassay**
plasma glucocorticoid activity of steroids, 158*
radioreceptor, follicle-stimulating hormone, 326*
radioreceptor, inulin, ^{125}I , 859*
- Radioautography** *see Autoradiography*
- Radioimmunoassay**
see also Radiometric Assay; T_s; Thyroxine
alpha-fetoprotein, 159*
angiotensin-I in hypertension, 563*
antithyroglobulin, 539*
bleomycin, 550*, 1123*
book review, 855
calcitonin, thyroid disease, 533*
CEA, bronchogenic carcinoma, chronic bronchitis, 672*
CEA, effect of age and smoking, 1027*
CEA, screening test, 236*
CEA, usefulness, 73*
cross-reacting cannabinoids in urine, 326*
curve fitting, 549*
digoxin, 73*; kit comparison, 847
DNA, cancer patients, 550*
erythropoietin, 1123*
gastrin, reproducibility, 434*
hepatitis B, 1027*
insulin, 533*, 859*
3-o-methyldopamine, 549*
myoglobin in serum, 765*
myoglobin, myocardial infarct sizing, in dogs, 534*
parathormone and calcitonin, book review, 1118
pocket calculator program, 544*
prolactin, 1027*
prostaglandin E₂, 860*
renin, in hypertension, 562*
visceral larva migrans, 236*
- Radiometric assay**
bacteria, ^{14}C -glucose, 550*
digoxin, screening test, 439
Herpes simplex virus in cell culture, ^{14}C -glucose, 503, 550*
vitamin B₁₂, ^{14}C -arginine, 538*
- Radiopharmacy**
central, FDA regulations, 577
- Radium-226**
package wipe testing, 1013
- Record keeping**
system, radiopharmaceutical accountability, 1015
- Red blood cells**
see also Chromium-51; Technetium-99m, red blood cells

SUBJECT INDEX

- in vivo ^{99m}Tc labeling, 380, 566*, 941
- ²⁰³Pb-, ¹¹¹In-, leukocyte labeling, 488
- Resolution**
 - see also *Full width at half maximum; Line spread function; Modulation transfer function*
 - germanium semiconductor array, 528*
 - large-field-of-view scintillation camera, 546*
 - positron camera, 757
 - scintillation camera, ²⁰¹Tl, 142
- Rhodium-101m**
 - preparation, nuclear parameters, 536*
- Rose bengal** see *Iodine-131, rose bengal*
- Rubidium-81**
 - coincidence and noncoincidence counting, 153, 154
 - ^{81m}Kr generator, 535*
 - ^{81m}Kr generator, lung ventilation, 530*
 - myocardial imaging, collimation, 401
 - myocardial imaging, compared to ²⁰¹Tl, ¹²⁵Cs, ⁴⁸K, in dogs, 880
 - myocardial tomography, 547*
 - nuclear parameters, 401, 880
 - package wipe testing, 1013
- Rubidium-82**
 - positron camera resolution, 757
 - ⁸²Sr-⁸²Rb generator evaluation, 536*
- Rubidium-82m**
 - nuclear parameters, 401
 - ⁸²Rb contaminant, 880
- Rubidium-86**
 - chloride, tumor blood flow, in animals, 567*
 - distribution, compared to ²⁰¹Tl, in rats, 1120*
 - package wipe testing, 1013
- Ruthenium-103**
 - contaminant, ^{99m}Tc generator eluate, 840
- Salivary glands**
 - ⁶⁷Ga-citrate uptake after radiation therapy, 685
 - imaging, ^{99m}TcO₄⁻, 961
 - parotid, ⁶⁷Ga uptake in Sjogren's syndrome, 530*
 - parotid, ultrasonography, 673*
- Scanner**
 - germanium semiconductor array, 528*
- Scanner, rectilinear**
 - see also *specific organ*
 - collimators, heart studies, 583
 - direct recording on 4 × 5-in. film, 937
 - dual probe, compared to large field scintillation camera, ⁶⁷Ga-citrate, 547*
 - dual probe, compared to tomographic, ¹¹¹In-bleomycin, 547*
- Scanner, tomographic**
 - flying spot x-ray microbeam, 551*
 - pancreas scanning, ¹⁵N-alanine, 560*
- Scatter**
 - Compton, pocket calculator program, 544*
- Schilling test** see *Vitamin B₁₂*
- Screening**
 - CEA radioimmunoassay, 236*
 - tests, value, 439
- Selenium-75**
 - package wipe testing, 1013
 - retention, in animals, 236*
 - selenocholesterol, adrenal uptake, imaging, in animals, 212
 - selenomethionine, leukocyte labeling, 480
 - selenomethionine, Limulus test, 1088
 - selenomethionine, lipoprotein turnover studies, 71*
 - selenomethionine, transverse section myocardial tomography, 552*
 - summation peaks, 943, 944
- Skull**
 - see also *Brain*
 - computerized axial tomography, 1122*, 1123*
- Sodium**
 - metabolism, in hand, neutron activation analysis, 724
- Sodium-24**
 - package wipe testing, 1013
- Spleen**
 - differential diagnosis of splenomegaly, ultrasonography, 1124*
 - imaging, cystic fibrosis, 514*
 - imaging, focal defect, ^{99m}Tc-S colloid, 377
 - imaging, malaria, ^{99m}Tc-S colloid, 794
 - imaging, residual function post Thorotrast, ^{99m}Tc-S colloid, 200
 - immunology, ¹²⁵I-protein antibodies, in rabbits, 1025*
 - liposome trapped ^{99m}Tc-DTPA, distribution, in animals, 1067
 - RES clearance rate of ^{99m}Tc-S colloid, ¹⁹⁸Au, 449
 - scan, amyloidosis, ^{99m}Tc-S colloid, 902
 - scan, displacement by pancreatic pseudocyst, ^{99m}Tc-S colloid, 193
 - scan, epidermoid cyst, ^{99m}Tc-S colloid, 196
 - scan, sickle cell anemia, ⁵¹Cr-RBC, ^{113m}In-colloid, 852
 - sequestrational inspiration, 944
 - simulation of renal mass, ^{99m}Tc-glucoheptonate, 1104
 - ^{99m}Tc-diphosphonate uptake, Hodgkin's disease, 850
 - ^{99m}Tc-diphosphonate uptake, sickle cell disease, 108
 - ^{99m}Tc-RBC, preparation, distribution, in animals, 561*, 1038
 - ^{99m}Tc-RBC uptake, in animals, 942, 943
 - tomography, ¹¹CO, 493
 - ultrasound scatter, 327*
- Steroid**
 - see also *Iodine-131; Selenium-75*
 - plasma glucocorticoid activity, radioreceptor assay, 158*
- Stomach** see *Gastrointestinal tract*
- Streptokinase** see *Technetium-99m*
- Strontium-82**
 - ⁸²Rb generator, 536*
- Strontium-85**
 - bone scanning, compared to ^{99m}Tc-pyrophosphate kit preparation, 325*
 - chloride, distribution, autoradiography, in rats, 1025
 - microspheres, relative renal blood flow, in dogs, 538*, 876
 - myocardial infarct uptake, in rabbits, 534*
 - package wipe testing, 1013
 - uptake by surgical wounds, in rats, 566*
- Strontium-87m**
 - bone scanning, total hip arthroplasty, 1121*
 - package wipe testing, 1013
 - serous fluid excretion, 195
- Sulfur-35**
 - distribution, retention, following therapy for tumor, 285
 - nuclear parameters, 285
 - package wipe testing, 1013
- Surgery**
 - arterial anastomosis, 859*
 - hip, thrombi, ¹²⁵I-fibrinogen uptake, 71*
 - post-, myocardial infarct detection, 524*
 - ⁸⁶Sr and ^{99m}Tc-pyrophosphate in wounds, in rats, 566*
 - thyroid cancer, followup, 532*
 - wound uptake of ¹¹¹In-platelets, in animals, 561*
- Synovium** see *Joint*
- Technetium**
 - carrier, ^{99m}Tc-HSA preparation, 704
 - chemical state, in vivo, 421, 422, 423, 424
 - flow in Sjogren's syndrome, 530*
- Technetium-94m**
 - preparation, quantitative uptake methodology, 536*
- Technetium-99m**
 - acetylcysteine, myocardial infarct uptake, in rabbits, 534*
 - albumin, see *Technetium-99m, albumin*

- angiograms in D-transportation of the great arteries, in children, 554*
- ascorbic acid, -ascorbic acid-DTPA, brain tumor imaging, 418, 419
- attenuation effect on tomography image, 552*
- chemical state in vivo, 421, 422, 423, 424
- chemical state, radiopharmaceuticals, 562*, 810, 816
- citrate, myocardial infarct uptake, in rabbits, 534*
- citrate, unbound ^{99m}Tc, 805
- collimation for myocardial imaging, 719
- colloid, first-pass angiocardiograms, 555*
- compounds, staging lung cancer, 530*
- dihydrothioctic acid, damaged myocardium uptake, in animals, 911
- disodium etidronate, *see Technetium-99m, diphosphonate*
- DMSA, damaged myocardium uptake, in animals, 911
- DMSA, kidney cell autoradiography, in rats, 536*
- DMSA, kidney perfusion, 80-lens oscilloscope camera, 290
- DMSA, structure, 565*
- DTPA, *see Technetium-99m, DTPA*
- EDDA analogs, preparation, distribution, in animals, 565*
- EDTMP, preparation, myocardial infarct uptake, in dogs, 508
- Fe oxide aerosol, preparation, lung ventilation, 122
- fibrinogen, optimal thrombus detection, 563*
- fibrinogen, preparation, 151, 153
- fibrinogen, preparation, distribution, thrombus uptake, in dogs, 40
- glucoheptonate, *see Technetium-99m, glucoheptonate*
- HIDA, bile duct patency, 545*
- HIDA, preparation, distribution, in animals, 537*, 545*, 633
- hydroxyquinoline carboxylate, preparation, distribution, in animals, 907
- ¹³¹I effect on scintillation camera sensitivity, 1100
- iminodiphosphate, preparation, distribution, in animals, 857*
- kethoxal-bis(thiosemicarbazone), for gallbladder, preparation, distribution, in animals, 816
- kidney perfusion, isolated, in dogs, 1121*
- leukocyte labeling, 480, 488, 561*, 730
- leukocytes, preparation, distribution, in rats, 313
- mercaptoisobutyric acid, damaged myocardium uptake, in animals, 911
- microspheres, *see Technetium-99m, microspheres*
- monocytes, labeling, chemotactic studies, 988
- nuclear parameters, 74, 261, 369
- package wipe testing, 1013
- penicillamine complex, preparation, distribution, biliary excretion, in animals, 810
- penicillamine, damaged myocardium uptake, in animals, 911
- phosphate compounds, *see also Technetium-99m, diphosphonate; Technetium-99m, polyphosphate; Technetium-99m, pyrophosphate*
- phosphate compounds, facial mandibular imaging, 525*
- phosphate compounds, heart imaging, rib erasure, 68
- phosphates, imaging in joint disease, in children, 554*
- phosphonate compounds, distribution, tumor uptake, in rats, 566*
- phytate aerosol, lung ventilation, 707
- phytate, for liver, preparation, distribution, in animals, 389
- phytate, Limulus test, 1088
- polyphosphate, *see Technetium-99m, polyphosphate*
- pyridoxylidene glutamate, preparation, gallbladder studies, 36
- pyridoxylidene glutamate, quality control gallbladder studies, 555*
- pyrophosphate, *see Technetium-99m, pyrophosphate*
- quantitative uptake methodology, ^{99m}Tc, 536*
- radiation dose to the embryo, 539*, 836
- radiochemical purity, 865
- RBC, *see Technetium-99m, red blood cells*
- S colloid, *see Technetium-99m, sulfur colloid*
- Sn-colloid, Limulus test, 1088
- sodium etidronate, *see Technetium-99m, diphosphonate*
- Solcocitran, thyroid imaging, 514*
- streptokinase, preparation, distribution, in animals, 226, 227
- thioglycerol, damaged myocardium uptake, in animals, 911
- transmission scanning, lungs, 541*
- unbound, chromatography, 758, 759, 805
- Technetium-99m, albumin**
- cardiac perfusion, 80-lens oscilloscope camera, 290
- characterization of preparations, 537*
- cisternography, cerebrospinal fluid leak, 797
- cisternography, focal uptake, 626
- cisternography, spinal descent, 763*
- distribution of ³²P-chromic phosphate in abdomen, 150, 151
- kit evaluation, 47
- left ventricular fraction, first-pass, 556*
- left ventricular function, 557*, 930
- Limulus test, 1088
- lung perfusion imaging, 893
- MAA, chemodectoma imaging, 226
- MAA, distribution, myocardial infarct, in rats, 203
- MAA, lung imaging, 541*
- MAA, lung perfusion, 258, 290, 707
- MAA, serial lung scans in embolism, in dogs, 541*
- MAA, thrombus imaging, 564*, 590, 971
- MAA, thrombus scans, 563*
- microaggregated, lung uptake after MAA immunization, in rats, 543*
- placenta imaging, 72*
- preparation, carrier Tc effects, 704
- testicular torsion imaging, in children, 553*
- unbound ^{99m}Tc measurement, 758, 759
- Technetium-99m, diphosphonate**
- ascorbic acid stabilization, 820
- bone imaging, *see Bone imaging*
- bone scanning, *see Bone scanning*
- bone uptake dynamics, in animals, 526*
- brain imaging, differential diagnosis, with ^{99m}TcO₄⁻, 224
- calcified myoma uptake, 323
- conversion to ^{99m}Tc-glucoheptonate, 208
- damaged muscle uptake, in rats, 765*
- dead cell uptake, tissue culture, 993
- distribution compared to ³²P-diphosphonate, in osteogenic sarcoma, 548*
- gluteal tissue uptake after Fe dextran injections, 374
- joint imaging, juvenile rheumatoid arthritis, 554*
- liver tumor uptake, 1060
- lung imaging, calcification, 858*
- myocardial infarct imaging, compared to ²⁰¹Tl, in dogs, 534*
- myocardial infarct uptake, in rabbits, 534*
- myocardial infarct uptake mechanism, in dogs, 534*
- myocardial uptake, damaged tissue, in animals, 911
- myocardial uptake, renal failure, 896
- net charge, 562*
- quantitative uptake in rheumatoid arthritis, 525*
- soft tissue uptake, filarial infestation, 425
- spleen uptake, Hodgkin's disease, 850
- spleen uptake, sickle cell disease, 108
- tooth extraction socket uptake, in rats, 688
- toxicity of diphosphonate, 417
- Technetium-99m, DTPA**
- brain angiography, arteriovenous shunting, 1057
- brain imaging, renal dialysis, 6
- brain scan, meningioma, 763*
- damaged myocardium uptake, in animals, 911

SUBJECT INDEX

- dynamic renal scan, deconvolution analysis, 352
- GFR, compared to inulin, ¹²⁵I-iothalamate, in dogs, 317
- kidney transplant imaging, body-background defects, 696
- Limulus test, 1088
- liposome trapped, preparation, distribution, in animals, 1067
- renogram, bloodflow effects, 537*
- renogram in transplants, 537*
- unbound ^{99m}Tc determination, 805
- Technetium-99m, glucoheptonate**
 - compared to ^{99m}TcO₄⁻ for brain imaging, 345
 - hepatoma uptake, in rats, 274
 - in vitro formation from bone agents, 208
 - kidney cell autoradiography, in rats, 536*
 - kidney imaging after brain scan, 786
 - kidney imaging, spleen interference, 1104
 - kidney studies in hypertension, 562*
 - myocardial infarct, autoradiography, in rats, 203
 - myocardial infarct uptake, in rabbits, 534*
 - myocardium damage site uptake, in animals, 911
 - net charge, 562*
 - perinephric abscess, subtraction method, with ⁶⁷Ga-citrate, 858*
- Technetium-99m, microspheres**
 - cerebral blood flow, compared to ^{99m}TcO₄⁻, ¹³³Xe, 170
 - leukocyte labeling, distribution, 488, 561*
 - regional lung perfusion, 88, 530*
 - retrograde pancreas imaging, in dogs, 560*
 - thrombus imaging, 971
 - thrombus scanning, 564*
- Technetium-99m, pertechnetate**
 - abdominal aortic aneurysm rupture, angiography, 1065
 - angiocardiology in patent ductus arteriosus, 554*
 - bowel loop concentration, in rats, 470
 - brain, blood flow, *see Brain, blood flow*
 - brain imaging, *see Brain imaging*
 - brain scanning, *see Brain*
 - brain tomography, scintillation camera, computer, 551*
 - breast imaging, 223
 - cardiac angiography, *see Heart, blood flow*
 - cystography, continuous monitoring, 81
 - distribution following Sn(II) complex administration, in rats, 380
 - eluate contaminants, 158*, 840
 - GI tract imaging, Meckel's diverticulum, in children, 465, 553*
 - hepatoma uptake, in rats, 274
 - in vivo RBC labeling, 566*
 - Kaposi sarcoma scanning, 947*
 - Limulus test, 1088
 - lung adenocarcinoma uptake, 116
 - lung circulation, dynamic imaging, 541*
 - perchlorate effect on distribution, 528*, 540*
 - radiation dose estimates, MIRD, 74
 - retrograde pancreas imaging, in dogs, 560*
 - salivary gland imaging, 961
 - scrotal imaging for lesions, 71*
 - stomach secretion site, 559*, 756
 - superior vena cava obstruction, 851
 - testicular torsion imaging, in children, 553*
 - thrombosis imaging, 1096
 - thyroid, autonomous functioning nodule uptake rate, 532*
 - thyroid carcinoma, disparate uptake, with ¹³¹I, 22
 - thyroid imaging, compared to ¹²⁵I, 261, 1023
 - thyroid scan, 983
 - vertebral artery fistula detection, 24
- Technetium-99m, polyphosphate**
 - bone imaging, *see Bone imaging*
 - bone scanning, *see Bone scanning*
 - bone uptake, forming and resorbing, in rats, 93
 - breast milk concentration, 1024*
 - conversion to ^{99m}Tc-gluconate, 208
 - hepatoma uptake, in rats, 274
 - myocardial imaging, arteriosclerosis, myocardial pathology, 241
 - myocardial infarct imaging, 524*
 - myocardial infarct uptake, in rats, 203
 - serous fluid secretion, 195
 - soft tissue tumor uptake, 98
 - soft tissue uptake, kidneys, 426, 427, 428, 429
- Technetium-99m, pyrophosphate**
 - bone imaging, *see Bone imaging*
 - bone island uptake, 113
 - bone scanning, *see Bone scanning*
 - bone uptake and hydroxyproline in blood and urine, 711
 - brain scan, meningioma, 763*
 - dead cell uptake, tissue culture, 993
 - distribution, autoradiography, in rats, 1025*
 - gluteal tissue uptake after Fe dextran injections, 374
 - hepatoma uptake, in rats, 274
 - in vitro RBC tagging, angiocardiology, 565*
 - kidney uptake, 427
 - kit evaluation, compared to ⁸⁶Sr, 325*
 - Limulus test, 1088
 - metastatic seminoma uptake, 1105
 - myocardial imaging, arteriosclerosis, myocardial pathology, 241
 - myocardial imaging, dual isotope with ²⁰¹Tl, 524*
 - myocardial imaging, infarcts, 523*, 524*, 771, 1024*
 - myocardial imaging, left ventricular aneurysms, 946*
 - myocardial imaging, specificity, 523*
 - myocardial infarct imaging, in dogs, 1
 - myocardial infarct sizing, in dogs, 534*
 - myocardial infarct uptake, in rabbits, 534*
 - myocardial infarct uptake mechanism, in animals, 534*, 639
 - myocardial uptake, adriamycin effect, 853, 854
 - myocardial uptake, damaged tissue, in animals, 911
 - ovarian carcinoma uptake, 29
 - preparation, quality control, 918
 - retrograde pancreas imaging, in dogs, 560*
 - surgical wound uptake, in rats, 566*
 - unbound ^{99m}Tc determination, 805
- Technetium-99m, red blood cells**
 - binding, in vivo, 380, 566*
 - hand blood flow in Raynaud's phenomenon, 564*
 - kit preparation, 126, 942, 1027*
 - methods of damaging, spleen uptake, in animals, 561*, 1038
 - preparation, angiocardiology, 565*
 - preparation, stability, 133, 1113, 1114
 - pulmonary vascular perfusion measurements, in sheep, 541*
- Technetium-99m, sulfur colloid**
 - bolus injection techniques, 564*
 - bone marrow scanning, sickle cell disease, 947*
 - clearance by RES, 449
 - gastroesophageal reflux imaging, therapy effects, 559*
 - jaundice evaluation, 159*
 - kidney transplant evaluation, 175, 181, 939, 940
 - leukocyte labeling, 488
 - liver imaging, *see Liver imaging*
 - liver perfusion, tumor, 434*
 - liver perfusion, 80-lens oscilloscope camera, 290
 - liver scanning, *see Liver scanning*
 - lung and kidney uptake, endotoxin, heparin effects, in rats, 681
 - lung deposition mechanism, in animals, 543*
 - lung uptake, malaria, 794
 - regional liver perfusion, focal lesions, 532*
 - retrograde pancreas imaging, in dogs, 560*
 - spleen imaging, *see Spleen*
- Technetium-99m, tetracycline**
 - analogs, uptake in myocardial infarct, in rats, 203
 - and -oxytetracycline, myocardial uptake, damaged tissue, in animals, 911
 - hepatoma uptake, in rats, 274

- myocardial infarct uptake mechanisms, 639
preparation, distribution, damaged muscle uptake, in rats, 432*
- Terminology**
epidural, extradural hematoma, 986
laminar flow, 228
radiochemical purity, 865
 \bar{t} and $t_{1/2}$, 759, 760
tissue distribution, 1110
- Testes**
radiation dose estimates, $^{99m}\text{TcO}_4^-$, MIRD, 74
radiation dose, ^{131}I thyroid therapy, 532*, 826
 $^{99m}\text{TcO}_4^-$ imaging for scrotal lesions, 71*
testicular torsion imaging, $^{99m}\text{TcO}_4^-$, -HSA, in children, 553*
- Tetracycline** *see Iodine-125; Iodine-131; Technetium-99m, tetracycline*
- Thallium-201**
collimation for myocardial imaging, 719
distribution, myocardial infarct, in rats, 203
distribution studies, myocardial imaging, 1120*
kidney extraction efficiency, with ^{125}I -HSA, in dogs, 538*
myocardial imaging, background subtraction, 744
myocardial imaging, compared to ^{137}Cs , ^{42}K , ^{81}Rb , in dogs, 880
myocardial imaging, reproducibility, 522*
myocardial imaging, rest and stress, 522*; normal, 583
myocardial infarct imaging, 233*, 771
myocardial infarct imaging, compared to ^{99m}Tc -diphosphonate, in dogs, 534*
myocardial infarct imaging, dual isotope with ^{99m}Tc -pyrophosphate, 524*
myocardial infarct imaging, time of study, 523*
myocardial infarct uptake, effect of cardiac drugs, in dogs, 535*
nuclear parameters, 142, 583, 880
package wipe testing, 1013
quantitative myocardial scanning, 531*
scintillation-camera imaging parameters, 142
transient myocardial ischemia imaging, in dogs, 535*
transmission imaging, facial mandibular abnormalities, 525*
transverse-section myocardial tomography, 552*
ventricular contraction patterns, edge delineation, 544*
- Therapy**
see also Chemotherapy; Radiation therapy
 ^{131}I for thyroid cancer, fertility of ex-patients, 460, 532*
 ^{131}I for thyroid cancer, followup, 532*, 672*
 ^{131}I for thyroid, gonadal radiation dose, 539*, 826
 ^{131}I thyroid, in pregnancy, 146
 ^{131}I thyroid, metastatic brain tumor hemorrhage, 307
 ^{32}P -chromic phosphate, distribution, in abdomen, ^{99m}Tc -HSA, 150, 151
 ^{32}P -diphosphonate for bone tumor, 548*
 ^{32}S , chondrosarcoma, chordoma, distribution, retention, 285
Thorotrast, residual splenic function, liver tumor, 200
- Thermography**
breast carcinoma, 672*
thyroid, cold nodule, 326*
- Thrombus**
comparison of ^{99m}Tc -MAA and contrast venography, 563*
comparison of ^{99m}Tc -microspheres and contrast venography, 564*
forming and preformed, ^{125}I -fibrinogen, RISA, in rabbits, 543*
 ^{125}I -fibrinogen preparation, 542*
 ^{125}I -fibrinogen, clearance rate, 282
 ^{125}I -fibrinogen scanning, 325*
 ^{125}I -fibrinogen uptake, after hip surgery, 71*
 ^{125}I -fibrinogen uptake in endothelial damage sites, in dogs, 543*
- ^{125}I -fibrinogen, high specific activity, preparation, imaging, in dogs, 397
imaging, ^{99m}Tc -MAA, 590
imaging, ^{99m}Tc -MAA, gamma camera and movable bed, 564*
imaging, ^{99m}Tc -MAA, microspheres, 969
 ^{111}In -platelet uptake, in animals, 561*
joint uptake of ^{125}I -fibrinogen in venography, 1025*
optimal diagnostic procedures, 563*
pre-formed, ^{125}I -plasminogen uptake, in dogs, 542*
 ^{99m}Tc -fibrinogen uptake and imaging, in dogs, 40
 $^{99m}\text{TcO}_4^-$ venography, 1096
 ^{99m}Tc -S colloid lung uptake mechanism, in animals, 543*
 ^{99m}Tc -streptokinase, preparation, testing, 226, 227
- Thyroid**
acropachy, ^{99m}Tc -pyrophosphate bone scan, 791
antithyroglobulin radioimmunoassay, 539*
autonomous functioning nodule, uptake rates of $^{99m}\text{TcO}_4^-$, ^{125}I , 532*
blocking, effect of ^{125}I -thyroxine plasma clearance, 657
blocking, ^{131}I -iodomethylnorcholesterol adrenal studies, 540*
blocking, perchlorate, 528*, 540*
cancer, disparate uptake of ^{131}I and $^{99m}\text{TcO}_4^-$, 22
cancer, followup, effects of treatment, 532*, 672*
cold nodule, ultrasonography, 673*
cold nodule, ultrasonography, thermography, 326*
disease, book review, 1118
disease, effect on calcitonin radioimmunoassay, 533*
fluorescence scanning, ^{241}Am source, radiation hazard, 408
fluorescence scanning, benign and malignant nodule differentiation, 17
function in gram-negative septicemia, in rats, 104
function tests, 325*
hormone, effect on insulin radioimmunoassay, 533*
 ^{131}I in grazing animals during nuclear tests, 515*
 ^{131}I radiation dose to fetus, 515*
 ^{131}I therapy, fertility of ex-patients, 460, 532*
 ^{131}I therapy, followup, 532*, 672*
 ^{131}I therapy, gonadal radiation dose, 539*, 826
 ^{131}I therapy, in pregnancy, 146
imaging, $^{99m}\text{TcO}_4^-$, ^{125}I comparison, 261, 1021
imaging, ^{99m}Tc -Solcocitran, 514*
in vitro function tests, in pregnancy, 533*
multinodular, primary and secondary carcinoma with focal nodular hyperplasia, 983
radiation dose estimates, $^{99m}\text{TcO}_4^-$, MIRD, 74
scan, ^{131}I , "owl eye" sign in carcinoma, 985
scanning, causes of abnormalities, 229
scanning, ^{67}Ga -citrate, ^{137}Cs , 268
scanning, ^{125}I , 4 and 24 hr, 1050
uptake, ^{125}I , depth correction, 529*
 T_3 , normal range, 665, 666
 T_3 radioimmunoassay, 321, 411, 943
 T_3 , T_4 , simultaneous radioimmunoassay, 550*, 660
 T_4 , effect of fatty acids, 672*
 T_4 , effects of patient's age, 325*
uptake, ^{131}I liquid, capsule comparison, 310
uptake, ^{131}I , scintillation camera, 359
uptake, value, 439
- Thyroid-stimulating hormone**
effect of pregnancy on levels, 533*
gram-negative septicemia, in rats, 104
 ^{125}I -, vesicle interactions, 1073
serum, use in thyroid evaluation, 325*
suppression, thyroid nodule uptake rate, 532*
thyroid function, ^{131}I therapy, long-term followup, 672*
- Thyrotropin** *see Thyroid-stimulating hormone*
- Thyroxine**
free, simultaneous T_3 measurement, 550*, 660
 ^{125}I -, plasma clearance, effect of blocking dose, 657
index, effects of patient's age, 325*
index, use in thyroid evaluation, 325*

- in vitro tests, pregnancy effects, 533*
 plasma, in gram-negative septicemia, in rats, 104
 serum, effect of fatty acids, 672*
- Tissue culture**
 dead cell marking, ^{99m}Tc bone agents, 993
- Tomography**
 attenuation effects on reconstruction and statistical noise, 552*
 book review, 155, 669
 brain, Anger scanner, 547*
 brain circulation, ^{67}Ga -EDTA, ^{77}Kr , 546*
 brain, increased intracranial pressure, 157*
 brain, scintillation camera, computer, $^{99m}\text{TcO}_4^-$, 551*
 brain, senile dementia, 516*
 brain tumor, dexamethasone therapy effects, 528*
 compared to dual-probe scanning, ^{111}In -bleomycin, 547*
 epidural hematoma, 972
 flying spot x-ray microbeam scanner, 551*
 head trauma, 1122*
 image generation and display, 515*
 pancreas, ^{15}N -alanine, 560*
 positron, heart, brain, 547*, 552*, 603
 positron, brain, 551*
 transaxial, brain, in children, 433*
 transaxial, scintillation camera, computer, 552*
 transverse-section cisternography, ^{111}In -DTPA, 924
 transverse-section, myocardium, ^{130}Cs , ^{201}Tl , ^{75}Se -selenomethionine, 552*
 transverse, vascular brain lesions, 157*
 whole-body positron transaxial tomography, 493
 zone plate camera, 326*
- Tomography, computerized axial**
 application to body areas, 158*
 brain, compared to brain imaging, 546*, 552*
 brain, tumor dexamethasone therapy effect, 528*
 cerebral blood volume, data subtraction, 1026*
 CSF system, 157*, 763*
 liver, compared to imaging and ultrasonography, 544*
 information extraction, 157*
 normal scan, 516*
 pediatric neurology, 948*
 skull, 1123*
- Tooth**
 extraction socket, ^{99m}Tc -diphosphonate uptake, in rats, 688
- Toxicity**
 diphosphonate, 417
 Limulus amoebocyte lysate test, 918, 1088
 phenolphthalexon, 562*
- Training**
 American Board of Nuclear Medicine certification, 328
- Transferrin** *see Indium-111*
- Transmission**
see also Tomography, computerized axial
 image reconstruction, book review, 155
 imaging, ^{201}Tl , facial-mandibular abnormalities, 525*
 scanning, lungs, ^{99m}Tc , 541*
- Trauma**
 head, cisternography, 119, 233*
 head, tomography, 1122*
- Tritium** *see Hydrogen-3*
- Tuberculosis**
see also Lung
 meningitis, ^{82}Br distribution, 545*
 peritonitis, 272, 1020
- Tumor**
 adenocarcinoma, ^{131}I -bleomycin uptake, in rats, 385
 adrenal, ^{125}I -nor-iodocholesterol, 563*
 adrenal, metastatic, ^{131}I -iodomethylnorcholesterol liver scan, 904
 ^{204}Bi -, ^{209}Bi -citrate, production, radiation dosimetry, 301
 bone, ^{32}P - and ^{99m}Tc -diphosphonate distribution, 548*
 bone, ^{32}P -diphosphonate therapy, 548*
 bone, ^{32}P -diphosphonate turnover, in dogs, 548*
 book review, *Synopsis of Gynecologic Oncology*, 669
 brain, dexamethasone therapy effect, tomography, 528*
 brain, ^{67}Ga -DTPA, multiwire proportional chamber positron camera imaging, 546*
 brain, imaging agents, 418, 419
 brain, meningioma, ^{99m}Tc -pyrophosphate, -DTPA, ^{67}Ga -citrate scans, 763*
 brain, ^{99m}Tc -glucoheptonate, $^{99m}\text{TcO}_4^-$ imaging, 345
 brain, $^{99m}\text{TcO}_4^-$ posterior flow study, 13
 brain, transverse-section cisternography, ^{111}In -DTPA, 924
 breast cancer, bone imaging, ^{99m}Tc -polyphosphate, 235*
 breast cancer, bone scanning, ^{18}F , 433*; ^{99m}Tc -phosphates, 433*
 breast cancer staging, book review, 856
 breast cancer, thermography, 672*
 bronchogenic carcinoma, CEA plasma levels, 672*
 ^{11}C -aminocyclopentanecarboxylic acid, preparation, distribution, in animals, 748
 carcinogen-induced, effect of radiation, in rats, 715
 CEA assay, 73*, 236*, 672*, 1027*
 chemodectoma, ^{99m}Tc -MAA imaging, 226
 chemodectoma, $^{99m}\text{TcO}_4^-$ imaging, 225
 chondrosarcoma, chordoma, ^{32}S therapy, distribution, retention, 285
 ^{11}C -methyl-diaminobutane, preparation, distribution, in rats, 525*
 ^{57}Co -bleomycin studies, 529*
 comparison of agents, in mice, 525*
 ^{64}Cu -thiosemicarbazone analog, distribution, in mice, 568*
 DNA radioimmunoassay, 550*
 ^{67}Ga -citrate, comparison of dual-probe scanner and large-field scintillation, camera, 547*
 ^{67}Ga -citrate scanning, 1026*
 ^{67}Ga -citrate scanning, bowel preparation, 559*
 heart, right atrial myxoma, 890
 hepatoma, uptake of ^{67}Ga -citrate, ^{125}I -tetracycline, ^{99m}Tc compounds, in rats, 274
 ^{125}I -, ^{131}I -antibodies, preparation, distribution, in animals, 567*
 imaging, ^{67}Ga -citrate, ^{111}In -bleomycin comparison, 671*
 ^{111}In -bleomycin, comparison of dual-probe and tomographic scanner, 547*
 intracranial, positron imaging, 473
 Kaposi sarcoma, $^{99m}\text{TcO}_4^-$, ^{67}Ga -citrate, ^{111}In -bleomycin, scanning, 947*
 liver, adenoma, ^{99m}Tc -S colloid imaging, angiography, 560*
 liver, angiography, scanning, ^{99m}Tc -S colloid, 434*
 liver, hemangiosarcoma, post Thorotrast, 200
 liver, simultaneous ^{67}Ga -citrate, ^{99m}Tc -S colloid scanning, 369
 liver, ^{99m}Tc -diphosphonate uptake, 1060
 lung adenocarcinoma, $^{99m}\text{TcO}_4^-$ uptake, 116
 lung cancer, brain imaging, 406
 lung cancer, dynamic perfusion lung imaging, $^{99m}\text{TcO}_4^-$, 541*
 lung cancer, staging, 529*, 530*
 lung, metastatic to kidneys, 426
 lymphangitic carcinomatosis, lung ventilation, perfusion, ^{133}Xe , ^{99m}Tc -MAA, 258
 lymphoma, cytotoxicity assay, 1123*
 lymphoma, ultrasonography, 1028*
 malignant fibrous histiocytoma, ^{67}Ga -citrate scan, 630
 metastatic, bone imaging, 235*, 253, 526*
 metastatic, bone scanning, 253, 433*, 764*
 metastatic, liver imaging, ^{99m}Tc -S colloid, 677
 metastatic, skull, extremities, incidence on bone scan, 755
 ^{13}N -BCNU, preparation, distribution, in rats, 558*
 neck, ultrasound, 517*
 ovarian carcinoma, ^{32}P -chromic phosphate therapy, ^{99m}Tc -HSA imaging, 150, 151

- ovarian carcinoma, ^{99m}Tc -pyrophosphate uptake, 29
 pancreas, ultrasound, 432*
 primary and secondary in thyroid, 983
 prostate cancer, metastatic to bone, ^{99m}Tc -pyrophosphate scans, 253
 pulmonary artery sarcoma presenting as pulmonary embolism, 893
 ^{86}Rb , blood flow, in animals, 567*
 ^{101m}Rh preparation, 536*
 seminoma, metastatic, ^{99m}Tc -pyrophosphate uptake, 1105
 ^{99m}Tc -phosphonate complexes, distribution, in rats, 566*
 thyroid, benign and malignant differentiation, fluorescence scanning, 17
 thyroid cancer, disparate uptake of ^{125}I and $^{99m}\text{TcO}_4^-$, 22
 thyroid cancer, "owl eye" sign in ^{125}I scan, 985
 thyroid, metastatic to brain, post- ^{125}I therapy hemorrhage, 307
 thyroid, ^{99m}Tc -Solcocitran imaging, 514*
 thromboplastic and fibrinolytic activity, radioiodo-fibrin, -fibrinogen, in vitro, 566*
 transitional cell carcinoma, ^{99m}Tc -pyrophosphate scans, 253
 uptake comparison of labeled bleomycin and ionic radio-label, in animals, 567*
 uptake mechanism, radioiodo-fibrinogen, in animals, 567*
- T:**
 gram-negative septicemia, in rats, 104
 index, effects of patient's age, 325*
 pregnancy effects, 533*
 radioimmunoassay kit, 321, 411, 943
 serum, normal range, 665, 666
 simultaneous with T_1 , 550*, 660
 use in thyroid evaluation, 325*
- T:** *see Thyroxine*
- Ultrasound**
 abdominal abscess, with ^{67}Ga -citrate scanning, 545*
 abdominal aortic aneurysms, 327*, 765*
 abdominal vascular anatomy, 949*
 bone, normal and fractured, 672*
 book review, 155, 761
 brain, through postoperative bone flap, 948*
 common bile duct, 860*
 craniopharyngioma, in infant, 327*
 differential diagnosis of jaundice, 545*
 eye, 327*, 1124*
 fetal crown-rump length, 860*
 fetal structure defects, 516*, 517*
 fetus, hydropic, 1028*
 gallbladder cyst, 673*
 kidney carbuncle, 1124*
 kidney, in infants, 432*
 kidney, nonvisualized, 948*
 kidney transplants, 432*, 1028*
 left ventricular performance, postmyocardial infarct, 671*
 legs, after exercise, occlusive artery disease, 433*
 liver, compared to axial tomography and imaging, 544*
 liver, disease patterns, 516*
 liver, hemangioma, 362
 liver, venous anatomy, 949*
 malignant lymphoma, 1028*
 mesenteric cyst, 860*
 nebulizer, radioaerosol, 707
 neck nodes, 517*
 pancreas, 432*, 1124*; normal, 860*
 parotid gland, 673*
 pelvic inflammatory mass, 1028*
 percutaneous puncture guidance, 432*
 posterior fossa cyst, 766*
 spleen, 1124*
 thrombus detection, 563*
 thyroid nodules, 326*, 673*
 tissue scatter, 327*
 urinary tract, 766*
- Urinary tract**
 infection, ^{67}Ga -citrate imaging, 1025*
 vesicoureteral reflux monitoring, $^{99m}\text{TcO}_4^-$, 81
 ultrasonography, 766*
- Uterus**
 calcified myoma, ^{99m}Tc -diphosphonate uptake, 323
- Vascular system**
see also specific organ; Thrombus
 abdominal aortic aneurysm, angiography, 765*, 1065
 abdominal aortic aneurysm, ultrasonography, 327*, 765*
 abdominal, ultrasonography, 949*
 audiovisual program; *Radionuclide Angiography*, 669
 bolus injection technique, 564*
 carotid artery, surface uptake of ^{125}I -albumin, in vitro, in dog, 234*
 carotid-basilar bypass, in dogs, 948*
 carotid endarterectomy, 234*
 chemodectoma, carotid body, 225
 D-transportation of the great arteries, lung ventilation, perfusion, ^{99m}Tc angiography, ^{133}Xe , in children, 554*
 ^{111}In -EDTA-HSA, preparation, distribution, 561*
 internal jugular vein reflux, 61, 225
 occlusive artery disease, exercise testing, ultrasound, ^{133}Xe clearance, 433*
 superior vena cava obstruction, ^{99m}Tc -S colloid scan, $^{99m}\text{TcO}_4^-$ angiography, 851
 $^{99m}\text{TcO}_4^-$ angiocardigraphy in patent ductus arteriosus, 554*
 vertebral artery fistula, $^{99m}\text{TcO}_4^-$ studies, 24
- Ventriculogram**
 ventricular size after shunting, 514*
- Vesicles** *see Lipids*
- Virus**
 radiometric assay, 503, 550*
- Vitamin B₁₂**
 absorption, celiac disease, small bowel resection, 235*
 absorption, dual-isotope kit, 72*
 absorption, pocket calculator program, 544*
 radioassay, toadfish serum binder, 737
 radiometric assay, ^{14}C -arginine, 538*
 Schilling test, causes of abnormalities, 229
- Well scintillation counter**
 ^{125}I assay, 220, 943, 944
- Xenon-127**
 whole-body retention, 542*
- Xenon-133**
 radiation dose estimates to the embryo, 539*, 836
- Xenon-133, gas**
 lung ventilation, effects of decongestant drugs, 541*
 lung ventilation, half-time distribution images, 88
 lung ventilation imaging, 893
 lung ventilation, lymphangitic carcinomatosis, 258
 lung ventilation, perfusion, pulmonary embolism, 613
 lung ventilation, perfusion, regional, instrumentation, 337
- Xenon-133, in solution**
 bowel clearance, in dogs, 235*
 brain blood flow, *see Brain, blood flow*
 inhalation injury diagnosis, 1120*
 lung ventilation, perfusion, D-transportation of the great arteries, in children, 554*
 muscle clearance after exercise, occlusive artery disease, 433*
 myocardial clearance, coronary blood flow, in dogs, 1044
 package wipe testing, 1013
- X-Ray**
see also Tomography, computerized axial
 bone involvement in hyperparathyroidism, 533*
 book review, 155
 compared to lung ventilation and perfusion imaging, 530*

SUBJECT INDEX

- radiation effect on carcinogenesis, in rats, 715
tomography, flying spot microbeam, 551*
Ytterbium-169
-DTPA, infusion cisternography, puncture leakage, 65
package wipe testing, 1013
- summation peaks, 943
Zinc-62
⁶⁴Cu generator, 559*
Zinc-65
package wipe testing, 1013

2nd ANNUAL WESTERN REGIONAL MEETING

THE SOCIETY OF NUCLEAR MEDICINE

October 21-23, 1977

Aladdin Hotel

Las Vegas, Nevada

ANNOUNCEMENT AND FIRST CALL FOR ABSTRACTS FOR SCIENTIFIC PROGRAM

The Scientific Program Committee welcomes the submission of abstracts of original contributions in nuclear medicine from members and nonmembers of the Society of Nuclear Medicine for the 2nd Annual Western Regional Meeting. Physicians, Scientists, and Technologists, members and nonmembers are invited to participate. The Program will be structured to permit the presentation of papers from all areas of interest in the specialty of Nuclear Medicine. Abstracts for the scientific program will be printed in the program booklet and will be available to all registrants at the meeting.

GUIDELINES FOR SUBMITTING ABSTRACTS

The abstracts will be printed from camera-ready copy provided by the authors. Therefore, only abstracts prepared on the official abstract form will be considered. Request for the official abstract forms should be made to:

Jean Lynch, Administrative Coordinator
SNM Western Regional Meeting
P.O. Box 40279
San Francisco, CA 94140

Abstract forms will only be sent to SNM members of the Pacific Northwest, Southern California, Northern California, and Hawaii Chapters in a regular mailing. All other requests will be sent on an individual basis.

The original and six copies of the completed abstract and supporting data are to be sent to:

Naomi Alazraki, M.D.
Scientific Program Chairman
2037 Soledad Avenue
La Jolla, CA 92037

Deadline for abstract submission: July 1, 1977

All participants are required to register and pay the appropriate fee.

The 2nd Annual Western Regional Meeting will have commercial exhibits and all interested companies are invited. Please contact Jean Lynch, P.O. Box 40279, San Francisco, CA 94140. Phone: (415) 647-1668.

SYMPOSIUM ON COMPUTER-ASSISTED DATA PROCESSING IN NUCLEAR MEDICINE

January 16–17, 1977

Hyatt Regency Hotel

Atlanta, Georgia

Members and nonmembers of the Society of Nuclear Medicine are invited to attend the annual scientific program of the SNM Computer Council, to be held January 16–17, 1977, at the Hyatt Regency Hotel in Atlanta, Georgia. This meeting will be held immediately following the midwinter meeting of the SNM Board of Trustees and the topical symposium.

The program will include lectures by invited specialists in the field, as well as selected research papers of merit. The Scientific Program Committee welcomes the submission of abstracts for presentation in the areas of cardiovascular, pulmonary, renal, and cerebral vascular computer-assisted imaging and data-processing applications, algorithms, software and hardware development. The proceedings of the meeting will be published and the final manuscripts must be submitted at the time of presentation.

Abstracts are limited to a maximum of 350 words and must be submitted by December 15th, 1976. Abstracts should be submitted to:

David A. Weber, Ph.D.
Program Chairman
Division of Nuclear Medicine
University of Rochester Medical Center
Rochester, New York 14642

The program has been submitted for credit toward the AMA Physicians' Recognition Award under Continuing Medical Education Category 1.

ANNOUNCEMENT

The Education and Research Foundation of the Society of Nuclear Medicine welcomes applications for two of its projects.

- **Medical Student Fellowship Program:** This educational project is designed to stimulate interest among medical students in the United States and Canada in the field of nuclear medicine. It will make it possible for interested and qualified students to spend elective quarters and summers in active nuclear medicine laboratories working and associating with experts in the field. Maximum grant: \$1,000. Application letters in duplicate, including a description of the project and budget, should be sent to the President of the Foundation, c/o Society of Nuclear Medicine, 475 Park Avenue South, New York, New York 10116.
- **Pilot Research Grants in Nuclear Medicine:** The goal of this research support is to provide limited sums of money to scientists to support deserving projects that are pilot in nature. It is hoped that it will make it possible for nuclear medicine scientists to apply for small sums of money for clinical and basic research and to get a decision within a short time following application. The grants will not support salaries, major equipment purchases or travel, but are designed to provide essential materials so that innovative ideas can be quickly tested. Maximum grant \$1,000. Application forms are available from the President of the Foundation, c/o Society of Nuclear Medicine, 475 Park Avenue South, New York, New York 10016.

**Veterans Administration Hospital
University of Minnesota**

**NUCLEAR MEDICINE
RESIDENCY PROGRAM**

Resident positions are available in an AMA approved two-year training program beginning January 1, 1977. A combined University of Minnesota-VA Hospital program with active clinical and research opportunities. Minimum stipend \$15,100.

An Equal Opportunity Employer

For further information, contact:

Rex B. Shafer, M.D., Chief, Nuclear Medicine Service (115), Veterans Administration Hospital, 54th Street & 48th Avenue South, Minneapolis, MN 55417

OR

Merle K. Loken, M.D., Ph.D., Director, Division of Nuclear Medicine, University of Minnesota Hospitals, Box 382, Mayo Memorial Building, Minneapolis, MN 55455

**FELLOWSHIP IN COMPUTER SCIENCE—
NUCLEAR MEDICINE**

The Andre Meyer Department of Physics—Nuclear Medicine (Mt. Sinai Hospital) is sponsoring individuals for a 2 year program in the Application of Computer Sciences to Nuclear Medicine. The program is funded by the National Library of Medicine. The faculty at the Department of Computer Sciences provides an intensive didactic program. Nuclear Medicine serves as a laboratory for the application of the concepts and skills. Candidates should have a background in Nuclear Medicine or another clinical specialty in which a combination of nuclear medicine and computer science techniques will provide a basis for fruitful research. Interested candidates contact:

**Stanley J. Goldsmith, M.D., Director
Andre Meyer Department of Physics—
Nuclear Medicine
Mount Sinai School of Medicine
Fifth Avenue & 100th Street
New York, N.Y. 10029**

STANFORD UNIVERSITY SCHOOL OF MEDICINE

Nuclear Medicine Residency Program—1977/78

Resident positions are available beginning September 1, 1977, for a 2-year program at Stanford University Medical Center and its affiliate Veterans' Administration Hospital. Patients from the Children's Hospital at Stanford are also studied or treated at the University Hospital.

The program goal is to provide well-rounded training to prepare the physician for a career in nuclear medicine. The program, approved by the AMA and satisfying the requirements of the American Board of Nuclear Medicine, includes didactic instruction in radiologic mathematics and physics, radiation safety, dosimetry, electronics, and nuclear medicine instrumentation. A major portion provides practical experience in dynamic and static imaging, computer assisted data manipulation, radioimmunoassay methodology, other *in vitro* test procedures, and radiopharmacy as part of an integrated patient care program, both diagnostic and therapeutic. Our residents are encouraged to participate in ongoing teaching activities and in one or more research projects under preceptor supervision.

Stanford is an equal opportunity affirmative action employer.

Requests for further information (include C.V. and reference list) should be directed to:

**Joseph P. Kriss, M.D.
Director, Division of Nuclear Medicine
Stanford University Medical Center
Stanford, CA 94305**

**BAYLOR COLLEGE OF MEDICINE, DEPARTMENT OF RADIOLOGY,
NUCLEAR MEDICINE SECTION
FELLOWSHIP AND RESIDENCY PROGRAM, 1977-78**

Residency and fellowship positions are available in an AMA approved residency program which includes training in two large nuclear medicine laboratories; 1) St. Luke's Episcopal-Texas Children's Hospitals and The Texas Heart Institute joint facilities and 2) Ben Taub General Hospital.

Residency training encompasses the full spectrum of nuclear medicine procedures, both in vivo and in vitro, in pediatric and adult patients. A mobile nuclear medicine capability emphasizes critically ill patients. Because of a substantial commitment to education, including a bachelor's degree program in nuclear medicine technology, the faculty of the Nuclear Medicine Section is very broad based. Trainees attend lectures and laboratories in radiation physics, instrumentation, radiopharmacy, radioimmunoassay, radiobiology, and radiation health in addition to the usual clinical nuclear medicine courses and seminars.

Fellowships (2) with emphasis on cardiac and pulmonary disease are available in association with the Texas Heart Institute. With the mobile capabilities and a large population of critically ill patients (total hospital beds, 1000; intensive care beds, 100), participation in one of the most rapidly growing areas of clinical nuclear medicine is possible with potential for participation in several research projects related to cardiovascular, pulmonary, and critical care nuclear medicine.

Requests for further information should be directed to John A. Burdine, M.D., Chief, Nuclear Medicine Section, or Paul H. Murphy, Ph.D., Residency and Fellowship Coordinator, Department of Radiology, Baylor College of Medicine, Houston, Texas 77030.

NUCLEAR MEDICINE RESIDENCY

Program Directors

Stanley J. Goldsmith, M.D.
Mount Sinai Hospital
Rosalyn S. Yalow, Ph.D.
Bronx Veterans Administration Hospital

A 2 year program in Nuclear Medicine to prepare candidates for examination by the American Board of Nuclear Medicine is available beginning January or July 1977.

The program includes didactic and practical experience in the physics of nuclear medicine, instrumentation, imaging, in-vivo dynamic studies, computer analyses, radioimmunoassay, and radiochemistry. There is emphasis on correlation with clinical data derived from patient examination and radiologic procedures as well as an opportunity for basic or clinical investigation. Candidates are expected to have a 2 year background in internal medicine and/or radiology. Stipend commensurate with background. Send curriculum vitae to Stanley J. Goldsmith, M.D., Director, Andre Meyer Department of Physics—Nuclear Medicine, Mount Sinai School of Medicine, Fifth Avenue & 100th Street, New York, N.Y. 10029.

Nuclear Medicine Technologist (part time and full time) for 600 bed teaching hospital providing excellent experience and opportunity for continued learning. Excellent fringe benefits. Registered in Nuclear Medicine or graduate of A.M.A. approved Nuclear Medicine program. Equal opportunity employer.

Send resume to:

Mr. Joseph Wander
University of Ill. Medical Center
840 S. Wood
Chicago, Ill. 60612
Tel. (312) 996-7293

**NUCLEAR MEDICAL
TECHNOLOGIST**

Position available for a registered or registry eligible Nuclear Medical Technologist. Become a part of a progressive department with a potential for advancement. Salary commensurate with experience plus fringe benefit program.

Please contact Mrs. Alice Snyder, Personnel Director either by mail or phone. (219) 886-4626.

**Methodist Hospital
of Gary**

600 Grant Street
Gary, Indiana 46402
an equal opportunity employer



INDEX TO ADVERTISERS

Ackerman Nuclear Cernitos, Calif.	13A, 62A	Matrix Instruments Cloister, N.J.	47A, 59A
Amersham/Searle Arlington Heights, Ill.	31A	Medcorp Inglewood, Calif.	39A
Atomic Development Plainview, N.Y.	77A	Medi-Physics, Inc. Emeryville, Calif.	IFC, 1A, 57A
Atomic Products Center Moriches, N.Y.	73A	Medi-Ray, Inc. Tuckahoe, N.Y.	3A
Baird-Atomic Bedford, Mass.	34A, 35A	New England Nuclear Boston, Mass.	8A, 22A, 23A, 72A
Brattle Instruments Cambridge, Mass.	IBC	Nuclear Associates Westbury, N.Y.	45A, 68A
Capintec, Inc. Montvale, N.J. ..	27A, 28A, 29A, 30A, 1163	Nuclear-Medical Systems Newport Beach, Calif.	40A, 52A
C.I.S. Radiopharmaceuticals Bedford, Mass.	20A, 21A	Ohio Nuclear, Inc. Solon, Ohio	24A, 25A
Cleon Corp. Needham, Mass.	63A	Omnimedical Services Paramount, Calif.	48A
Clinical Assays Cambridge, Mass.	2A, 53A	Picker Corp. Cleveland, Ohio	60A, 61A
Diagnostic Isotopes Upper Saddle River, N.J.	16A, 17A, 69A	Procter & Gamble Cincinnati, Ohio	18A, 19A, 20A
Diagnostic Products Los Angeles, Calif.	44A	Radiochemical Centre Amersham, England	26A, 38A, 58A, 64A, 76A
Dunn Instruments San Francisco, Calif.	55A	Radx Corp. Houston, Texas	42A, 43A, 56A
Eastman Kodak Co. Rochester, N.Y.	36A, 37A	Ramco Labs. Houston, Texas	54A
Elsint, Inc. Hackensack, N.J.	66A, 67A, 75A	Raytheon Corp. Burlington, Mass.	6A
G.E. Medical Systems Milwaukee, Wis.	14A, 15A	Searle Radiographics Des Plaines, Ill.	BC
Hoechst Frankfurt, Germany	5A	SNM Placement New York, N.Y.	49A, 50A, 51A
Isolab, Inc. Akron, Ohio	46A	E. R. Squibb & Sons Princeton, N.J.	41A, 70A, 72A
Jasins & Sayles Framingham, Mass.	65A	T.A.C., Inc. Lisle, Ill.	33A
R. S. Landauer Glenwood, Ill.	12A	Technical Associates Canoga Park, Calif.	74A
Litton Publications Oradell, N.J.	32A	Varian Associates Palo Alto, Calif.	10A, 11A